

---


# AASHTO-AGC-ARTBA Joint Committee

## Subcommittee On New Highway Materials

Task Force 30 Report (In Two Parts)

---

### "Guide Specifications for Concrete Overlays of Pavements and Bridge Decks"



---

# AASHTO-AGC-ARTBA Joint Committee

## Subcommittee On New Highway Materials

### Task Force 30 Report

---

#### PART I

#### "Guide Specifications for Concrete Overlays of Pavements"



## INTRODUCTION

This document is disseminated upon the sponsorship of the Joint Committee of the American Association of State Highway and Transportation Officials, the Associated General Contractors of America and the American Road and Transportation Builders Association (the Joint AASHTO-AGC-ARTBA Committee) in the interest of information exchange, based on the combined technical expertise of the authors. As such, the opinions and conclusions implied or expressed herein do not necessarily reflect the official views or policies of the Joint Committee or its member organizations.

This report was approved for publication by the three member organizations comprising the Joint Committee, and was published on behalf of the Joint Committee by AASHTO.

All rights to this report are reserved to the Joint Committee. However, permission to make copies thereof can be obtained with the understanding that credit will be given to the Joint Committee. For permission to make copies write to AASHTO at the following address:

American Association of State Highway  
and Transportation Officials  
444 N. Capitol St. N.W., Suite 225  
Washington, D.C. 20001

Fax (202) 624-5806

August, 1990

## **FOREWORD**

These guide specifications were developed by a Joint Committee of the American Association of State Highway and Transportation Officials (AASHTO), The Associated General Contractors (AGC), and the American Road and Transportation Builders Association (ARTBA). The Joint Committee, AASHTO-AGC-ARTBA, formed Task Force 30 to address the need for guide specifications on proper design and construction of concrete overlays. This Task Force was divided into two subgroups, one to address pavement overlays (Roads Subgroup), and one to address bridge deck overlays (Bridge Subgroup).

**PART I** of the guide specifications addresses concrete overlays for pavements. **PART II** addresses concrete overlays for bridge decks. Each may be ordered separately depending on the user's preference.

The Task Force members of the Roads Subgroup and their affiliation are as follows:

**Stan LaHue**, *Chairman, American Concrete Pavement Association*  
**John Hallin**, *Secretary, FHWA, Pavements Division*  
**Wade Betensen**, *Utah Department of Transportation*  
**Bernie Brown**, *Iowa Department of Transportation*  
**Bill Cape**, *James Cape & Sons, Company*  
**Robert Chapin**, *Chapin & Chapin, Inc.*  
**Ray Collins**, *Koos Construction Company*  
**Leet E. Denton**, *Denton Construction Company*  
**Don Detwiler**, *New Enterprise Stone & Lime Company*  
**Edward Egan**, *Allstate Paving, Inc.*  
**Dan Flowers**, *Arkansas State Highway and Transportation Department*  
**Ray Forsyth**, *California Department of Transportation*  
**Wade Gramblin**, *Pennsylvania Department of Transportation*  
**Richard Hankins**, *Oklahoma Department of Transportation*  
**Ed Hughes**, *Hunt Contracting Company*  
**Mike Jaskaniec**, *Wisconsin Department of Transportation*  
**John Jones**, *Duit Construction Company*  
**Mike Lackey**, *Kansas Department of Transportation*  
**Aramis Lopez**, *FHWA, Pavements Division*  
**James Mays**, *T.L. James Company*  
**Jim Mikaulanec**, *Central Paving Corporation*  
**Earl Scyoc**, *West Virginia Department of Highways*

# TABLE OF CONTENTS

Foreword . . . . .	I-i
Table of Contents . . . . .	I-ii

## Guide Specifications for Bonded Portland Cement Concrete Overlay

<b>B.01 Introduction . . . . .</b>	<b>I-1</b>
<b>B.02 Description . . . . .</b>	<b>I-1</b>
<b>B.03 Material . . . . .</b>	<b>I-1</b>
B.03.1 Cement . . . . .	I-1
B.03.2 Aggregate . . . . .	I-1
B.03.3 Admixture . . . . .	I-1
B.03.4 Water . . . . .	I-1
B.03.5 Joint Filler . . . . .	I-1
B.03.6 Reinforcing Steel . . . . .	I-1
B.03.7 Curing Material . . . . .	I-1
B.03.8 Grout . . . . .	I-1
<b>B.04 Equipment . . . . .</b>	<b>I-2</b>
B.04.1 Surface Removal Equipment . . . . .	I-2
B.04.1.1 Cold Milling Equipment . . . . .	I-2
B.04.1.2 Shotblasting Equipment . . . . .	I-2
B.04.2 Secondary Cleaning Equipment . . . . .	I-2
B.04.2.1 Sandblasting Equipment . . . . .	I-2
B.04.2.2 High-Pressure Water with Abrasive Equipment . . . . .	I-2
B.04.2.3 High-Pressure Waterblasting Equipment . . . . .	I-2
B.04.3 Final Cleaning Equipment . . . . .	I-2
B.04.4 Sawing Equipment . . . . .	I-2
B.04.5 Batching and Mixing Equipment . . . . .	I-2
B.04.6 Placing and Finishing Equipment . . . . .	I-2
B.04.7 Grout Mixing Equipment . . . . .	I-2
B.04.8 Vibration Equipment . . . . .	I-3
<b>B.05 Pre-Overlay Repair . . . . .</b>	<b>I-3</b>
B.05.1 Slab Stabilization . . . . .	I-3
B.05.2 Full-Depth Repair . . . . .	I-3
B.05.3 Partial-Depth Repair . . . . .	I-3
B.05.4 Random Crack Treatment . . . . .	I-3

B.05.5 Unsealed Joints . . . . .	I-3
<b>B.06 Surface Preparation (Removal and Cleaning)</b> . . . . .	<b>I-3</b>
B.06.1 Asphaltic Materials . . . . .	I-3
B.06.2 Depth . . . . .	I-3
B.06.3 Reinforcing Steel . . . . .	I-3
B.06.4 Longitudinal Slab Edges . . . . .	I-4
<b>B.07 Placing and Finishing Overlay Concrete</b> . . . . .	<b>I-4</b>
B.07.1 Final Cleaning . . . . .	I-4
B.07.2 Joint Identification . . . . .	I-4
B.07.3 Bond Development . . . . .	I-4
B.07.3.1 Grout Preparation and Use . . . . .	I-5
B.07.3.2 Grout Application . . . . .	I-5
B.07.4 Placement . . . . .	I-5
B.07.5 Steel Reinforcement . . . . .	I-5
B.07.6 Texturing . . . . .	I-5
B.07.7 Curing . . . . .	I-5
<b>B.08 Joints</b> . . . . .	<b>I-5</b>
B.08.1 Transverse Joints . . . . .	I-6
B.08.1.1 Design Thickness 4" or Less . . . . .	I-6
B.08.1.2 Design Thickness >4" . . . . .	I-6
B.08.2 Expansion and Pressure Relief Joints . . . . .	I-6
B.08.3 Longitudinal Joints . . . . .	I-6
<b>B.09 Testing and Opening to Traffic</b> . . . . .	<b>I-6</b>
B.09.1 Slump . . . . .	I-6
B.09.2 Percent Entrained Air . . . . .	I-6
B.09.3 Bond Strength . . . . .	I-6
B.09.4 Compressive Strength . . . . .	I-6
B.09.5 Defective Concrete . . . . .	I-6
B.09.6 Rideability . . . . .	I-6
<b>B.10 Method of Measurement</b> . . . . .	<b>I-7</b>
B.10.1 Bonded Overlay, Furnish Only . . . . .	I-7
B.10.2 Bonded Overlay, Placement Only . . . . .	I-7
B.10.3 Pre-overlay Repair . . . . .	I-7
B.10.4 Surface Removal, Portland Cement Concrete Cold Milling . . . . .	I-7
B.10.5 Surface Removal, Shotblasting . . . . .	I-7
B.10.6 Secondary Cleaning (Sandblasting/Waterblasting/Waterblasting with Abrasive) . . . . .	I-7
B.10.7 Reinforcing Steel . . . . .	I-7
<b>B.11 Basis of Payment</b> . . . . .	<b>I-7</b>
B.11.1 Bonded Overlay, Furnish Only . . . . .	I-7
B.11.2 Bonded Overlay, Placement Only . . . . .	I-7
B.11.3 Pre-overlay Repair . . . . .	I-7
B.11.4 Surface Removal, Portland Cement Concrete Cold Milling . . . . .	I-8

B.11.5 Surface Removal, Shotblasting . . . . .	I-8
B.11.6 Secondary Cleaning (Sandblasting/Waterblasting) . . . . .	I-8
B.11.7 Reinforcing Steel . . . . .	I-8

## **Guide Specifications for Unbonded Portland Cement Concrete Overlay**

<b>U.01 Introduction . . . . .</b>	<b>I-9</b>
<b>U.02 Description . . . . .</b>	<b>I-9</b>
<b>U.03 Material . . . . .</b>	<b>I-9</b>
U.03.1 Cement . . . . .	I-9
U.03.2 Aggregate . . . . .	I-9
U.03.3 Admixture . . . . .	I-9
U.03.4 Water . . . . .	I-9
U.03.5 Joint Filler . . . . .	I-9
U.03.6 Reinforcing Steel . . . . .	I-9
U.03.7 Curing Material . . . . .	I-9
U.03.8 Bituminous Materials . . . . .	I-9
U.03.9 Lime . . . . .	I-10
<b>U.04 Equipment . . . . .</b>	<b>I-10</b>
U.04.1 Cold Milling Equipment . . . . .	I-10
U.04.2 Sawing Equipment . . . . .	I-10
U.04.3 Batching and Mixing Equipment . . . . .	I-10
U.04.4 Placing and Finishing Equipment . . . . .	I-10
U.04.5 Vibration Equipment . . . . .	I-10
<b>U.05 Pre-Overlay Repair . . . . .</b>	<b>I-10</b>
U.05.1 Joint Deterioration . . . . .	I-10
U.05.2 Broken Slabs . . . . .	I-10
U.05.3 Unstable Slabs . . . . .	I-10
U.05.4 Blowups . . . . .	I-10
<b>U.06 Interlayer . . . . .</b>	<b>I-11</b>
U.06.1 High-Severity Faulting . . . . .	I-11
U.06.2 Medium to Low-Severity Faulting . . . . .	I-11
U.06.3 Faulting Not Present . . . . .	I-11
<b>U.07 Whitewash . . . . .</b>	<b>I-11</b>
U.07.1 Lime Slurry . . . . .	I-11
U.07.2 Curing Compound . . . . .	I-11
<b>U.08 Placing and Finishing Overlay Concrete . . . . .</b>	<b>I-11</b>
U.08.1 Texturing . . . . .	I-12
U.08.2 Curing . . . . .	I-12
<b>U.09 Joints . . . . .</b>	<b>I-12</b>
U.09.1 Transverse Joints . . . . .	I-12
U.09.2 Longitudinal Joints . . . . .	I-12

<b>U.10 Testing and Opening to Traffic</b>	<b>I-12</b>
U.10.1 Slump	I-12
U.10.2 Percent Entrained Air	I-12
U.10.3 Compressive Strength	I-13
U.10.4 Thickness	I-13
U.10.5 Defective Concrete	I-13
U.10.6 Rideability	I-13
<b>U.11 Method of Measurement</b>	<b>I-13</b>
U.11.1 Unbonded Overlay, Furnish Only	I-13
U.11.2 Unbonded Overlay, Placement Only	I-13
U.11.3 Pre-overlay Repair	I-13
U.11.4 Surface Removal, Portland Cement Concrete Cold Milling	I-13
U.11.5 Asphalt Concrete Hot-Mix Interlayer Material	I-13
U.11.6 Slurry Seal Interlayer Material	I-13
U.11.7 MC-250 Cutback Asphalt with Sand Interlayer Material	I-13
U.11.8 Reinforcing Steel	I-13
U.11.8.1 Plain Doweled	I-14
U.11.8.2 Mesh Reinforced	I-14
U.11.8.3 Continuously Reinforced	I-14
<b>U.12 Basis of Payment</b>	<b>I-14</b>
U.12.1 Unbonded Overlay, Furnish Only	I-14
U.12.2 Unbonded Overlay, Placement Only	I-14
U.12.3 Pre-overlay Repair	I-14
U.12.4 Surface Removal, Portland Cement Concrete Cold Milling	I-14
U.12.5 Asphalt Concrete Hot-Mix Interlayer Material	I-14
U.12.6 Slurry Seal Interlayer Material	I-14
U.12.7 MC-250 Cutback Asphalt with Sand Interlayer Material	I-14
U.12.8 Reinforcing Steel	I-14
U.12.8.1 Plain Doweled	I-15
U.12.8.2 Mesh Reinforced	I-15
U.12.8.3 Continuously Reinforced	I-15

## **Guide Specifications for Portland Cement Concrete Overlay over Existing Asphalt Concrete Pavement (Whitetopping)**

<b>W.01 Introduction</b>	<b>I-16</b>
<b>W.02 Description</b>	<b>I-16</b>
<b>W.03 Material</b>	<b>I-16</b>
W.03.1 Cement	I-16
W.03.2 Aggregate	I-16
W.03.3 Admixture	I-16
W.03.4 Water	I-16



W.03.5 Joint Filler . . . . .	I-16
W.03.6 Reinforcing Steel . . . . .	I-16
W.03.7 Curing Material . . . . .	I-16
W.03.8 Bituminous Materials . . . . .	I-16
W.03.9 Lime . . . . .	I-16
<b>W.04 Equipment . . . . .</b>	<b>I-17</b>
W.04.1 Cold Milling Equipment . . . . .	I-17
W.04.2 Sawing Equipment . . . . .	I-17
W.04.3 Batching and Mixing Equipment . . . . .	I-17
W.04.4 Placing and Finishing Equipment . . . . .	I-17
W.04.5 Virbration Equipment . . . . .	I-17
W.04.6 Hot-Mix Paving Equipment . . . . .	I-17
<b>W.05 Pre-Overlay Repair . . . . .</b>	<b>I-17</b>
W.05.1 Pothole . . . . .	I-17
W.05.2 Deterioration . . . . .	I-17
W.05.3 Rutting . . . . .	I-17
<b>W.06 Cross Slope/Grade Correction . . . . .</b>	<b>I-17</b>
<b>W.07 Whitewash . . . . .</b>	<b>I-17</b>
W.07.1 Lime Slurry . . . . .	I-18
W.07.2 Curing Compound . . . . .	I-18
<b>W.08 Placing and Finishing Overlay Concrete . . . . .</b>	<b>I-18</b>
W.08.1 Texturing . . . . .	I-18
W.08.2 Curing . . . . .	I-18
<b>W.09 Joints . . . . .</b>	<b>I-18</b>
W.09.1 Transverse Joints . . . . .	I-19
W.09.2 Longitudinal Joints . . . . .	I-19
<b>W.10 Testing and Opening to Traffic . . . . .</b>	<b>I-19</b>
W.10.1 Slump . . . . .	I-19
W.10.2 Percent Entrained Air . . . . .	I-19
W.10.3 Compressive Strength . . . . .	I-19
W.10.4 Thickness . . . . .	I-19
W.10.5 Defective Concrete . . . . .	I-19
W.10.6 Rideability . . . . .	I-19
<b>W.11 Method of Measurement . . . . .</b>	<b>I-19</b>
W.11.1 PCC over AC Overlay, Furnish Only . . . . .	I-19
W.11.2 PCC over AC Overlay, Placement Only . . . . .	I-19
W.11.3 Pre-overlay Repair . . . . .	I-20
W.11.4 Surface Removal, Protland Cement Concrete Cold Milling . .	I-20
W.11.5 Asphalt Concrete Leveling Course . . . . .	I-20
W.11.6 Reinforcing Steel . . . . .	I-20
W.11.6.1 Plain Doweled . . . . .	I-20
W.11.6.2 Mesh Reinforced . . . . .	I-20
W.11.6.3 Continuously Reinforced . . . . .	I-20

<b>W.12 Basis of Payment</b>	<b>I-20</b>
W.12.1 PCC over AC Overlay, Furnish Only	I-20
W.12.2 PCC over AC Overlay, Placement Only	I-20
W.12.3 Pre-overlay Repair	I-20
W.12.4 Surface Removal, Portland Cement Concrete Cold Milling	I-20
W.12.5 Asphalt Concrete Leveling Course	I-21
W.12.6 Reinforcing Steel	I-21
W.12.6.1 Plain Doweled	I-21
W.12.6.2 Mesh Reinforced	I-21
W.12.6.3 Continuously Reinforced	I-21