

# **Guide for the Use of Polymers in Concrete**

Reported by ACI Committee 548



**American Concrete Institute®**



American Concrete Institute®  
Advancing concrete knowledge

First Printing  
March 2009

## Guide for the Use of Polymers in Concrete

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI. Proper use of this document includes periodically checking for errata at **[www.concrete.org/committees/errata.asp](http://www.concrete.org/committees/errata.asp)** for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

**Order information:** ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised *ACI Manual of Concrete Practice*

American Concrete Institute  
38800 Country Club Drive  
Farmington Hills, MI 48331  
U.S.A.

Phone: 248-848-3700  
Fax: 248-848-3701

**[www.concrete.org](http://www.concrete.org)**

This is a preview. [Click here to purchase the full publication.](#)

# Guide for the Use of Polymers in Concrete

Reported by ACI Committee 548

Michael S. Stenko  
Chair

James E. Maass\*  
Secretary

Herschel H. Allen, III  
Milton D. Anderson  
John J. Bartholomew  
Constantin Bodea  
James T. Dikeou  
Harold (Dan) R. Edwards  
Garth J. Fallis

David W. Fowler  
Robert W. Gaul  
Larry E. Good  
Albert O. Kaeding  
John R. Milliron  
Brad Nemunaitis  
Richard C. Prusinski

Mahmoud M. Reda Taha  
John R. Robinson  
Donald A. Schmidt  
Qizhong Sheng  
Joe Solomon  
Michael M. Sprinkel

Donald P. Tragianese  
Cumaraswamy Vipulanandan  
Wafeek S. Wahby  
Harold H. Weber, Jr.  
David White  
David P. Whitney

\*Deceased

*This guide presents information on how to use polymers in concrete to improve some characteristics of the hardened concrete. Recommendations are included for polymer-impregnated concrete, polymer concrete, polymer-cement concrete, and safety considerations for the use of polymers in concrete. Information is provided on types of materials and their storage, handling, and use, as well as concrete formulations, equipment to be used, construction procedures, and applications. Glossaries of terms and abbreviations are also included.*

**Keywords:** bridge deck; durability; latex; monomer; polymer; polymer concrete; polymerization; repair.

## CONTENTS

### Chapter 1—Introduction and scope, p. 548.1R-2

- 1.1—Introduction
- 1.2—Scope

### Chapter 2—Definitions, abbreviations, and acronyms, p. 548.1R-2

- 2.1—Definitions
- 2.2—Abbreviations and acronyms

ACI Committee Reports, Guides, Manuals, Standard Practices, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

### Chapter 3—Polymer-impregnated concrete, p. 548.1R-3

- 3.1—Introduction
- 3.2—Concrete requirements for impregnation
- 3.3—Monomer systems
- 3.4—Additives and modifiers
- 3.5—Polymerization techniques
- 3.6—Partially impregnated concrete
- 3.7—Fully impregnated concrete
- 3.8—Encapsulation techniques to reduce monomer losses

### Chapter 4—Polymer concrete, p. 548.1R-11

- 4.1—Introduction
- 4.2—Polymer concrete repair materials
- 4.3—Polymer concrete overlays
- 4.4—Precast polymer concrete

### Chapter 5—Polymer portland-cement concrete (PPCC), p. 548.1R-16

- 5.1—Introduction
- 5.2—Polymer-cement concrete polymers
- 5.3—Polymer-cement concrete applications
- 5.4—Mixture proportioning
- 5.5—Construction procedures
- 5.6—Quality control

ACI 548.1R-09 supersedes ACI 548.1R-97 and was adopted and published March 2009. Copyright © 2009, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

## Chapter 6—Safety aspects concerning use of polymers in concrete, p. 548.1R-18

- 6.1—Introduction
- 6.2—Chemicals
- 6.3—Construction practices
- 6.4—Other hazards
- 6.5—Summary

## Chapter 7—References, p. 548.1R-25

- 7.1—Referenced standards and reports
- 7.2—Cited references

## CHAPTER 1—INTRODUCTION AND SCOPE

### 1.1—Introduction

The mission of ACI Committee 548 is to report on the use of polymers in concrete. Since its organization in 1971, the committee has sponsored numerous symposia and technical sessions at ACI conventions, and has produced several documents on a variety of topics concerning the use of polymers in concrete (ACI 548.2R, 548.3R, 548.4, 548.5R, 548.6R).

Benefits derived from the use of polymers in concrete have worldwide appeal, as demonstrated by the extensive international attendance at the many symposia and congresses that have addressed this subject (ACI Committee 548 1973, 1978, 1981, 1985, 1987, 1989, 1993, 1996, 1997, 2003; Bartholomew et al. 1978; Fontana et al. 1978; Fowler et al. 1978; Fukuchi and Ohama 1978; Imamura et al. 1978; Kaeding 1978a,b; Koblischek 1978; Kukacka 1978; Locke and Hsu 1978; McClain 1978; Patty 1978; “Polymers in Concrete” 1976, 1978, 1981, 1984). The contributions made at these meetings, along with the practical experience gained within the growing industry that applies polymer technology to concrete, form the base of applied concrete technology that is limited only by the ingenuity of the concrete user.

### 1.2—Scope

This guide provides a fundamental background needed to apply the technology of polymers in concrete to a variety of engineering problems and applications.

The guide contains four basic sections that address polymer-impregnated concrete (PIC), polymer concrete (PC), polymer portland-cement concrete (now called polymer-cement concrete [PPCC]), and safety. Each of the three categories of concrete-containing polymers is usually applied to particular types of concrete elements or specific concrete property improvements, although there are significant overlapping areas. Safety, however, is a prerequisite for all polymer usage, and is discussed collectively. The guide does not contain extensive tabulated data from specific studies, as this type of information is available in other documents and does not contribute significantly to an understanding of how the polymers should actually be used in or applied to concrete.

## CHAPTER 2—DEFINITIONS, ABBREVIATIONS, AND ACRONYMS

ACI provides a comprehensive list of acceptable notation and definitions through an online resource. These were taken from the Cement and Concrete Terminology page of the

ACI Web site ([http://www.concrete.org/Technical/CCT/FlashHelp/ACI\\_Terminology.htm](http://www.concrete.org/Technical/CCT/FlashHelp/ACI_Terminology.htm)).

### 2.1—Definitions

**accelerator**—a material that increases the rate of a chemical reaction.

**additive**—a substance added to another in relatively small amounts to impart or improve desirable properties or suppress undesirable properties.

**auto-ignition temperature**—the temperature at which the vapor-air mixture above a liquid monomer spontaneously ignites at a normal atmosphere with no external ignition source.

**bulk polymerization**—the production of stable polymer or hardened epoxy by adding a polymerization catalyst and an initiator or heat to a monomer in open-top containers and allowing the monomer to polymerize. Hardeners are added to epoxies to accomplish this.

**catalyst**—a substance that accelerates a chemical reaction but is not permanently changed by the reaction.

**cross-linking agent**—a substance that increases the molecular weight of a polymer by chemically linking and bridging the polymer chains.

**dry pack placement**—method of producing polymer concrete by placing and tamping graded aggregate, completely wetting the aggregate with liquid monomer, and then polymerizing the composite.

**emulsifier**—a substance that modifies the surface tension of colloidal droplets, keeping them from coalescing and keeping them suspended.

**emulsion**—a two-phase liquid system in which small droplets of one liquid (the internal phase) are immiscible in, and dispersed uniformly throughout, a second continuous liquid phase (the external phase).

**encapsulation**—the production of fully impregnated concrete with minimal monomer evaporation and drainage losses during the polymerization process.

**endothermic**—pertaining to a reaction that occurs with the absorption of heat.

**epoxy resins**—a class of organic chemical bonding systems used in the preparation of special coatings or adhesives for concrete or as binders in epoxy-resin mortars, concretes, and fiber composites.

**exothermic**—pertaining to a reaction that occurs with the evolution of heat.

**explosive limit**—the upper or lower vapor concentration that supports combustion in air at room temperature and normal atmospheric pressure.

**flash point**—the lowest temperature at which the vapor of a combustible liquid can be made to ignite.

**glass-transition temperature ( $T_g$ )**—the midpoint of the temperature range over which an amorphous material (such as glass or a high polymer) changes from (or to) a brittle, vitreous state to (or from) a plastic state.

**hardener**—a chemical (including certain fluoro-silicates or sodium silicate) applied to concrete floors to reduce wear and dusting; or in a two-component adhesive or coating, the chemical component that causes the resin component to cure.