



An ACI Manual

Field Reference Manual

ACI 301-20 Specifications for Concrete Construction
with Selected ACI References



MNL-15(20)



American Concrete Institute
Always advancing

This is a preview. [Click here to purchase the full publication.](#)

FIELD REFERENCE MANUAL

Specifications for Concrete Construction ACI 301-20

with selected ACI references

PUBLICATION MNL-15(20)

**American Concrete Institute
Farmington Hills, MI**



American Concrete Institute
Always advancing

This is a preview. [Click here to purchase the full publication.](#)

CONTENTS

| | |
|--------------|---|
| 301-20 | Specifications for Concrete Construction |
| 117-10(15) | Specifications for Tolerances for Concrete Construction (ACI 117-10) and Materials and Commentary |
| 117.1R-14 | Guide for Tolerance Compatibility in Concrete Construction |
| 211.5R-14 | Guide for Submittal of Concrete Proportions |
| 224.1R-07 | Causes, Evaluation, and Repair of Cracks in Concrete Structures |
| 302.1R-15 | Guide for Concrete Floor and Slab Construction |
| 302.2R-06 | Guide for Concrete Slabs that Receive Moisture-Sensitive Flooring Materials |
| 303R-12 | Guide to Cast-in-Place Architectural Concrete Practice |
| 304R-00(09) | Guide for Measuring, Mixing, Transporting, and Placing Concrete |
| 304.2R-17 | Guide to Placing Concrete by Pumping Methods |
| 304.4R-20 | Guide to Placing Concrete with Belt Conveyors |
| 305R-20 | Guide to Hot Weather Concreting |
| 305.1-14(20) | Specification for Hot Weather Concreting |
| 306R-16 | Guide to Cold Weather Concreting |
| 306.1-90(02) | Standard Specification for Cold Weather Concreting |
| 308R-16 | Guide to External Curing of Concrete |
| 308.1-11 | Specification for Curing Concrete |
| 309R-05 | Guide for Consolidation of Concrete |
| 311.6-18 | Specification for Testing Ready-Mixed Concrete |
| 347R-14 | Guide to Formwork for Concrete |
| 347.3R-13 | Guide to Formed Concrete Surfaces |
| 364.17T | TechNote: How to Measure pH of a Concrete Surface Prior to Installation of a Floor Covering |
| 423.7-14 | Specification for Unbonded Single-Strand Tendon Materials |
| ITG-7-09 | Specification for Tolerances for Precast Concrete |

Copyright © 2020, American Concrete Institute, 38800 Country Club Dr., Farmington Hills, MI 48331
Printed in the United States of America.
First Printing, October 2020.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by any electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

[This is a preview. Click here to purchase the full publication.](#)

Specifications for Concrete Construction

An ACI Standard

Reported by ACI Committee 301

Michelle L. Wilson, Chair

Jason P. Bray, Secretary

VOTING MEMBERS

Roger J. Becker*
 Nicholas J. Carino
 Domingo J. Carreira
 Mark F. Chrzanowski
 Teck L. Chua
 James N. Cornell
 Anthony R. DeCarlo Jr.*
 Thano Drimalas
 Christopher C. Ferraro

John W. Gajda*
 Thomas M. Greene
 Kenneth S. Harmon*
 John L. Hausfeld*
 Kenneth C. Hover
 Steven C. Jaycox
 Eric P. Koehler*
 Larry B. Krauser
 Colin L. Lobo

Ward R. Malisch
 Frank Stephen Malits
 David R. Nau
 Theodore L. Neff*
 Aimee Pergalsky
 Eric S. Peterson
 Henry B. Prenger*
 Amy M. Reineke Trygestad
 David B. Scott

George W. Seegebrecht
 Matthew J. Sheehan
 Kuntay K. Talay
 Scott M. Tarr*
 David G. Tepke
 Daniel B. Toon*
 John B. Turner*
 Kevin D. Wolf

*Subcommittee Chairs

SUBCOMMITTEE MEMBERS

Oscar R. Antommattei
 Asit N. Baxi
 Eric Carleton
 Steven J. Crawford
 Ufuk Dilek
 Daniel P. Dorfmueller
 Rick Felder
 Chris A. Forster
 Charles S. Hanskat
 Todd R. Hawkinson

Roger S. Johnston†
 Phil Jones
 Neel R. Khosa
 Donald P. Kline
 Ronald L. Kozikowski Jr.
 Andrew R. Lloyd
 Andrew S. McPherson
 Todd R. Messerly
 Yvonne Nelson
 Joseph F. Neuber Jr.

Lance Osborne
 Karen Polanco
 Jonathon L. Poole
 Christopher James Perry
 Karen Polanco
 John P. Ries
 G. Michael Robinson
 John W. Rohrer
 Paul A. Rouis III
 Steven K. Rowe

Edith G. Smith
 Jason A. Swagert
 Ralph H. Tulis
 Miroslav Vejvoda
 Gregory R. Wagner
 David Wan
 Michael A. Whisonant
 Dennis M. Wittry
 William H. Wolfe
 Zuming Xia

CONSULTING MEMBERS

Jon B. Ardahl

Sidney Freedman

David P. Gustafson

W. Calvin McCall

This is a Reference Specification that the Architect/Engineer can apply to projects involving concrete construction by citing it in the Project Specification. A mandatory requirements checklist and an optional requirements checklist are provided to assist the Architect/Engineer in supplementing the provisions of this Specification as required or needed by designating or specifying individual project requirements.

The first five sections of this Specification cover general requirements for concrete construction. These sections cover materials and proportioning of concrete; reinforcement and prestressing steel; production, placing, finishing, and curing of concrete; formwork performance criteria and construction; treatment of joints; embedded items; repair of surface defects; and finishing of formed and unformed surfaces. Provisions governing testing, evaluation, and acceptance of concrete as well as acceptance of the structures are included. The remaining sections are devoted to architectural concrete, lightweight concrete, mass concrete, post-tensioned concrete, shrinkage-compensating concrete for interior slabs, industrial floor slabs, tilt-up construction, precast structural concrete, and precast architectural concrete.

The materials, processes, quality control measures, and inspections described in this document should be tested, monitored, or performed as applicable only by individuals holding the appropriate ACI Certification or equivalent.

Keywords: architectural concrete; cold weather; compressive strength; consolidation; curing; durability; finish; formwork; grouting; hot weather; industrial floors; inspection; joints; lightweight concrete; mass concrete; mixture proportions; placing; post-tensioned concrete; precast concrete; prestressing steel; repair; reshoring; shoring; shrinkage-compensating concrete; slabs-on-ground; steel reinforcement; testing; tilt-up; tolerance; welded wire reinforcement.

ACI 301-20 supersedes ACI 301-16, was adopted August 31, 2020, and published September 2020.

Copyright ©2020, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permitted in writing by the copyright proprietors.

This is a preview. Click here to purchase the full publication.



CONTENTS**SECTION 1—GENERAL REQUIREMENTS, p. 3**

- 1.1—Scope, p. 3
- 1.2—Interpretation, p. 3
- 1.3—Definitions, p. 3
- 1.4—Referenced standards, p. 5
- 1.5—Submittals, p. 8
- 1.6—Preconstruction conference, p. 8
- 1.7—Testing and inspection, p. 8
- 1.8—Acceptance of structure, p. 10
- 1.9—Protection of in-place concrete, p. 11

SECTION 2—FORMWORK AND FORMWORK ACCESSORIES, p. 12

- 2.1—General, p. 12
- 2.2—Products, p. 12
- 2.3—Execution, p. 13

SECTION 3—REINFORCEMENT AND REINFORCEMENT SUPPORTS, p. 14

- 3.1—General, p. 14
- 3.2—Products, p. 15
- 3.3—Execution, p. 16

SECTION 4—CONCRETE MIXTURES, p. 18

- 4.1—General, p. 18
- 4.2—Products, p. 19
- 4.3—Execution, p. 24

SECTION 5—HANDLING, PLACING, AND CONSTRUCTING, p. 24

- 5.1—General, p. 24
- 5.2—Products, p. 25
- 5.3—Execution, p. 25

SECTION 6—ARCHITECTURAL CONCRETE, p. 29

- 6.1—General, p. 29
- 6.2—Products, p. 30
- 6.3—Execution, p. 31

SECTION 7—LIGHTWEIGHT CONCRETE, p. 32

- 7.1—General, p. 32
- 7.2—Products, p. 32
- 7.3—Execution, p. 32

SECTION 8—MASS CONCRETE, p. 32

- 8.1—General, p. 32

8.2—Products, p. 33

8.3—Execution, p. 33

SECTION 9—POST-TENSIONED CONCRETE, p. 33

- 9.1—General, p. 33
- 9.2—Products, p. 35
- 9.3—Execution, p. 36

SECTION 10—SHRINKAGE-COMPENSATING CONCRETE FOR INTERIOR SLABS, p. 39

- 10.1—General, p. 39
- 10.2—Products, p. 39
- 10.3—Execution, p. 40

SECTION 11—INDUSTRIAL FLOOR SLABS, p. 40

- 11.1—General, p. 40
- 11.2—Products, p. 40
- 11.3—Execution, p. 41

SECTION 12—TILT-UP CONSTRUCTION, p. 42

- 12.1—General, p. 42
- 12.2—Products, p. 42
- 12.3—Execution, p. 42

SECTION 13—PRECAST STRUCTURAL CONCRETE, p. 44

- 13.1—General, p. 44
- 13.2—Products, p. 45
- 13.3—Execution, p. 48

SECTION 14—PRECAST ARCHITECTURAL CONCRETE, p. 50

- 14.1—General, p. 50
- 14.2—Products, p. 51
- 14.3—Execution, p. 53

(Nonmandatory information follows)

NOTES TO SPECIFIER, p. 53

- General notes, p. 53
- Foreword to checklists, p. 54
- Authored references, p. 55

MANDATORY REQUIREMENTS CHECKLIST, p. 56**OPTIONAL REQUIREMENTS CHECKLIST, p. 59**

SECTION 1—GENERAL REQUIREMENTS

1.1—Scope

1.1.1 This Specification covers construction of cast-in-place concrete, architectural concrete, lightweight concrete, mass concrete, post-tensioned concrete, shrinkage-compensating concrete for interior slabs, industrial floor slabs cast on ground, tilt-up construction, precast structural concrete, and precast architectural concrete.

1.1.2 Unless otherwise specified, Sections 1 through 5 apply to Work where this Specification is referenced. Work covered by Sections 6 through 14 apply only if that Work is designated in Contract Documents.

1.1.3 This Specification is incorporated by Contract Documents and provides requirements for Contractor.

1.1.4 This Specification governs for construction within its scope. If there are differences between requirements of this Specification and project-specific Contract Documents, project-specific Contract Documents govern.

1.1.5 Use shotcrete as designated in Contract Documents.

1.1.6 *Work not specified*—The following Work is not in the scope of this Specification:

- (a) Manufactured concrete products specified by ASTM standards
- (b) Environmental concrete structures
- (c) Heavyweight shielding concrete
- (d) Paving concrete
- (e) Terrazzo
- (f) Insulating concrete
- (g) Refractory concrete
- (h) Nuclear containment structures
- (i) Concrete piles; drilled piers; and caissons assigned to Seismic Design Categories A, B, and C
- (j) Fire safety
- (k) Slipformed concrete walls
- (l) Residential post-tensioned slabs-on-ground

1.1.7 This Specification governs if there is a conflict with referenced materials and testing standards.

1.1.8 Contractor is permitted to submit written alternatives to any provision in this Specification for consideration.

1.1.9 Ignore provisions of this Specification that are not applicable to Work.

1.1.10 *Units*—Values in this Specification are stated in inch-pound units. A companion specification in SI units is available.

1.1.11 Unless otherwise stated, the inch-pound system of units is applicable to ASTM combined standards referenced in this Specification.

1.1.12 The Notes to Specifier are not part of this Specification.

1.2—Interpretation

1.2.1 Unless otherwise explicitly stated, this Specification shall be interpreted using the following principles:

1.2.1.1 Interpret this Specification consistent with the plain meaning of the words and terms used.

1.2.1.2 Definitions provided in this Specification govern over the definitions of the same or similar words or terms found elsewhere.

1.2.1.3 Headings are part of this Specification and are intended to identify the scope of the provisions or sections that follow. If there is a difference in meaning or implication between the text of a provision and a heading, the meaning of the text governs.

1.2.1.4 Notes to a table are part of this Specification. The meaning of the provision text governs in the event of a difference in meaning or implication between the provision text and a note to a table.

1.2.1.5 If a provision of this Specification involves two or more items, conditions, requirements, or events connected by the conjunctions “and” or “or,” interpret the conjunction as follows:

- (a) “and” indicates that all the connected items, conditions, requirements, or events apply.
- (b) “or” indicates that the connected items, conditions, requirements, or events apply singularly.

1.2.1.6 The use of the verbs “may” or “will” indicates that the specification provision is for information to Contractor.

1.2.1.7 The phrases “as indicated in Contract Documents” and “as designated in Contract Documents” mean the specifier included provision requirements in Contract Documents.

1.2.1.8 The phrase “unless otherwise specified” means the specifier may have included an alternative to the default requirement in Contract Documents.

1.2.1.9 The phrase “if specified” means the specifier may have included a requirement in Contract Documents for which there is no default requirement in this Specification.

1.3—Definitions

acceptable or accepted—determined to be satisfactory by Architect/Engineer based on requirements of Contract Documents.

acceptance—acknowledgment by Architect/Engineer that submittal or completed Work is acceptable.

ACI Concrete Field Testing Technician Grade I—a person who has demonstrated knowledge and ability to perform and record the results of ASTM standard tests on freshly mixed concrete and to make and cure test specimens; knowledge and ability shall be demonstrated by passing prescribed written and performance examinations and having credentials that are current with the American Concrete Institute.

Architect/Engineer—Architect, Engineer, architectural firm, design or engineering firm, or architectural and engineering firm issuing Contract Documents, or administering the Work under Contract Documents, or both.

backshores—shores placed snugly under a concrete slab or structural member after the original formwork and shores have been removed from a small area at a time, without allowing the slab or member to deflect, or support its own weight or existing construction loads.

cast-in-place concrete—concrete that is deposited and allowed to harden in the place where it is required to be in the completed structure.

check test—test performed to verify result of previous test result of freshly-mixed concrete.

Contract Documents—a set of documents that form the basis of an agreement between Owner and Contractor; these documents can contain contract forms, contract conditions, specifications, drawings, addenda, and contract changes.

Contractor—the person, firm, or entity under contract for construction of Work.

defective work—construction or material that does not comply with Contract Documents.

design reference sample—sample of architectural concrete for color, finish, and texture that is submitted for initial verification of design intent.

drawings—graphic presentation that details requirements for Work.

duct—a conduit in a concrete member to accommodate the prestressing steel of a post-tensioning tendon and provide an annular space for protective coating.

encapsulated tendon—a tendon that is enclosed completely in a watertight covering from end to end, including anchorages, sheathing with coating, and caps over the strand tails.

equivalent diameter of bundle—the diameter of a circle having an area equal to the sum of the bar areas in a bundle of reinforcing bars.

expansive cement—a cement that, when mixed with water, produces a paste that, after setting, increases in volume and is used to compensate for volume decrease due to shrinkage or to induce tensile stress in reinforcement.

exposed to view—portion of structure that can be observed by the public during normal use.

high-early-strength concrete—concrete that, through the use of additional cement, high-early-strength cement, admixtures, or other acceptable methods, has accelerated early-age strength development.

jack clearance—minimum space required to safely install, operate, and remove a hydraulic jack through its full range of movement in stressing of a tendon.

licensed design engineer—an individual retained by the Contractor who is licensed to practice engineering as defined by the statutory requirements of the professional licensing laws of the state or jurisdiction in which the project is to be constructed.

movement joint—an interface between adjacent portions of Work that allows movement in one or more direction.

nonencapsulated tendon—a tendon that has bare metallic anchorages and sheathing that is continuous between anchorages but not connected to the anchorages.

normalweight concrete—concrete containing aggregate that conforms to **ASTM C33/C33M** and that typically has a density between 135 and 160 lb/ft³.

Owner—the corporation, association, partnership, individual, public body, or authority for whom Work is constructed.

placing drawing—drawing that gives size, location, and spacing of reinforcement, and other information required for site-cast concrete construction.

point of delivery—location where concrete is discharged from the vehicle used to transport concrete to the project site.

point of placement—location where concrete is placed in structure.

prestressing steel—high-strength steel element; for example, strand, bars, or wire, used to impart prestress forces to concrete.

quality assurance—actions taken by Owner or Owner's Representative to provide confidence that Work done and materials provided are in accordance with Contract Documents.

quality control—actions taken by Contractor to ensure that Work meets the requirements in Contract Documents.

reference specification—a standardized mandatory-language document prescribing materials, dimensions, and workmanship, incorporated by reference in Contract Documents.

referenced standards—standardized mandatory-language documents of a technical society, organization, or association, including codes of local or federal authorities, which are incorporated by reference in Contract Documents.

required—required in this Specification or in Contract Documents.

reshores—shores placed snugly under a stripped concrete slab or other structural member after the original forms and shores have been removed from a large area, thus requiring the new slab or structural member to deflect and support its own weight and existing construction loads.

sheathing—a material encasing prestressing reinforcement to prevent bonding of prestressing reinforcement with surrounding concrete, to provide corrosion protection, and to contain corrosion-inhibiting coating.

shop drawings—drawings that provide details for a particular portion of Work that are prepared by Contractor in accordance with Contract Documents and are reviewed by Architect/Engineer.

shore—vertical or inclined support members designed to support the weight of the formwork, concrete, and construction loads above.

strength test—standard test conducted for evaluation and acceptance of concrete determined as the average of the compressive strengths of at least two 6 x 12 in. cylinders or at least three 4 x 8 in. cylinders made from the same sample of concrete, taken in accordance with **ASTM C172/C172M** at the point of delivery, handled and standard cured in accordance with **ASTM C31/C31M**, and tested in accordance with **ASTM C39/C39M** at 28 days or at test age designated for f'_c .

structural concrete—plain or reinforced concrete in a member required to transfer gravity loads, lateral loads, or both, to the ground.

submit—provide to Architect/Engineer for review.

submittal—documents or materials provided to Architect/Engineer for review and acceptance.

surface defects—imperfections in concrete surfaces defined in Contract Documents requiring repair.

tendon—in pretensioned applications, the tendon is the prestressing steel; in post-tensioned applications, the tendon is a complete assembly consisting of anchorages, prestressing steel, and sheathing with coating for unbonded applications or ducts with grout for bonded applications.

testing agency—person, firm, or entity under contract for providing testing services that will be used to determine conformance to Contract Documents.

waste slab—temporary slab to provide a casting surface for tilt-up panels.

water-cementitious materials ratio (w/cm)—ratio of mass of water, excluding that absorbed by aggregate, to the mass of cementitious materials in a mixture, stated as a decimal.

Work—the entire construction or separately identifiable parts required to be furnished under Contract Documents.

1.4—Referenced standards

1.4.1 Standards cited in this Specification are listed with serial designation including year of adoption or revision.

1.4.1.1 *American Concrete Institute standards*

ACI 117-10(15)—Specification for Tolerances for Concrete Construction and Materials and Commentary

ACI 216.1-14(19)—Code Requirements for Determining Fire Resistance of Concrete and Masonry Construction Assemblies

ACI 423.7-14—Specification for Unbonded Single-Strand Tendon Materials

ACI ITG-7-09—Specification for Tolerances for Precast Concrete

1.4.1.2 *ASTM International standards*

ASTM A36/A36M-19—Standard Specification for Carbon Structural Steel

ASTM A47/A47M-99(2018)—Standard Specification for Ferritic Malleable Iron Castings

ASTM A108-18—Standard Specification for Steel Bar, Carbon and Alloy, Cold-Finished

ASTM A123/A123M-17—Standard Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products

ASTM A153/A153M-16a—Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware

ASTM A184/A184M-17—Standard Specification for Welded Deformed Steel Bar Mats for Concrete Reinforcement

ASTM A193/A193M-19—Standard Specification for Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications

ASTM A276/A276M-17—Standard Specification for Stainless Steel Bars and Shapes

ASTM A307-14—Standard Specification for Carbon Steel Bolts, Studs, and Threaded Rod 60000 PSI Tensile Strength

ASTM A325-14—Standard Specification for Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength

ASTM A416/A416M-18—Standard Specification for Low-Relaxation, Seven-Wire Steel Strand for Prestressed Concrete

ASTM A421/A421M-15—Standard Specification for Stress-Relieved Steel Wire for Prestressed Concrete

ASTM A490-14a—Standard Specification for Structural Bolts, Steel, Heat Treated, 150 ksi Minimum Tensile Strength

ASTM A500/A500M-18—Standard Specification for Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes

ASTM A563-15—Standard Specification for Carbon and Alloy Steel Nuts

ASTM A572/A572M-18—Standard Specification for High Strength Low-Alloy Columbium-Vanadium Structural Steel

ASTM A615/A615M-18e1—Standard Specification for Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement

ASTM A666-15—Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar

ASTM A675/A675M-14(2019)—Standard Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties

ASTM A706/A706M-16—Standard Specification for Deformed and Plain Low-Alloy Steel Bars for Concrete Reinforcement

ASTM A722/A722M-16—Standard Specification for High-Strength Steel Bars for Prestressing Concrete

ASTM A767/A767M-16—Standard Specification for Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement

ASTM A775/A775M-17—Standard Specification for Epoxy-Coated Steel Reinforcing Bars

ASTM A779/A779M-16—Standard Specification for Steel Strand, Seven-Wire, Uncoated, Compacted, for Prestressed Concrete

ASTM A780/A780M-09(2015)—Standard Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings

ASTM A820/A820M-16—Standard Specification for Steel Fibers for Fiber-Reinforced Concrete

ASTM A882/A882M-04a(2010)—Standard Specification for Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand

ASTM A884/A884M-14—Standard Specification for Epoxy-Coated Steel Wire and Welded Wire Reinforcement

ASTM A886/A886M-17—Standard Specification for Steel Strand, Indented, Seven-Wire, Stress-Relieved for Prestressed Concrete

ASTM A910/A910M-18—Standard Specification for Uncoated, Weldless, 2-Wire and 3-Wire Steel Strand for Prestressed Concrete

ASTM A934/A934M-16—Standard Specification for Epoxy-Coated Prefabricated Steel Reinforcing Bars

ASTM A955/A955M-18b—Standard Specification for Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement

ASTM A970/A970M-18—Standard Specification for Headed Steel Bars for Concrete Reinforcement

ASTM A992/A992M-11(2015)—Standard Specification for Structural Steel Shapes

ASTM A996/A996M-16—Standard Specification for Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement

ASTM A1022/A1022M-16b—Standard Specification for Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement

ASTM A1035/A1035M-16b—Standard Specification for Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement

ASTM A1044/A1044M-16a—Standard Specification for Steel Stud Assemblies for Shear Reinforcement of Concrete

ASTM A1055/A1055M-16—Standard Specification for Zinc and Epoxy Dual-Coated Steel Reinforcing Bars

ASTM A1060/A1060M-16b—Standard Specification for Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete

ASTM A1064/A1064M-18a—Standard Specification for Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete

ASTM C31/C31M-19—Standard Practice for Making and Curing Concrete Test Specimens in the Field

ASTM C33/C33M-18—Standard Specification for Concrete Aggregates

ASTM C39/C39M-18—Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens

ASTM C42/C42M-18a—Standard Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete

ASTM C67-14—Standard Test Methods for Sampling and Testing Brick and Structural Clay Tile

ASTM C94/C94M-18—Standard Specification for Ready-Mixed Concrete

ASTM C109/C109M-16—Standard Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or [50-mm] Cube Specimens)

ASTM C114-15—Standard Test Methods for Chemical Analysis of Hydraulic Cement

ASTM C126-15—Standard Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units

ASTM C138/C138M-17a—Standard Test Method for Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete

ASTM C143/C143M-15—Standard Test Method for Slump of Hydraulic-Cement Concrete

ASTM C144-11—Standard Specification for Aggregate for Masonry Mortar

ASTM C150/C150M-19a—Standard Specification for Portland Cement

ASTM C157/C157M-08(2014)e1—Standard Test Method for Length Change of Hardened Hydraulic-Cement Mortar and Concrete

ASTM C171-07—Standard Specification for Sheet Materials for Curing Concrete

ASTM C172/C172M-17—Standard Practice for Sampling Freshly Mixed Concrete

ASTM C173/C173M-16—Standard Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method

ASTM C192/C192M-15—Standard Practice for Making and Curing Concrete Test Specimens in the Laboratory

ASTM C216-15—Standard Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale)

ASTM C231/C231M-17a—Standard Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method

ASTM C260/C260M-10a(2016)—Standard Specification for Air-Entraining Admixtures for Concrete

ASTM C309-11—Standard Specification for Liquid Membrane-Forming Compounds for Curing Concrete

ASTM C330/C330M-17a—Standard Specification for Lightweight Aggregates for Structural Concrete

ASTM C373-14a—Standard Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Ceramic Tiles, and Glass Tiles

ASTM C387/C387M-15—Standard Specification for Packaged, Dry, Combined Materials for Concrete and High Strength Mortar

ASTM C404-11—Standard Specification for Aggregates for Masonry Grout

ASTM C469/C469M-14—Standard Test Method for Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression

ASTM C494/C494M-17—Standard Specification for Chemical Admixtures for Concrete

ASTM C567/C567M-14—Standard Test Method for Determining Density of Structural Lightweight Concrete

ASTM C578-15—Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation

ASTM C591-15—Standard Specification for Unfaced Preformed Rigid Cellular Polyisocyanurate Thermal Insulation

ASTM C595/C595M-18—Standard Specification for Blended Hydraulic Cements

ASTM C597-09—Standard Test Method for Pulse Velocity through Concrete

ASTM C618-19—Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete

ASTM C642-13—Standard Test Method for Density, Absorption, and Voids in Hardened Concrete

ASTM C650-04(2014)—Standard Test Method for Resistance of Ceramic Tile to Chemical Substances

ASTM C666/C666M-15—Standard Test Method for Resistance of Concrete to Rapid Freezing and Thawing

ASTM C685/C685M-17—Standard Specification for Concrete Made by Volumetric Batching and Continuous Mixing

ASTM C803/C803M-18—Standard Test Method for Penetration Resistance of Hardened Concrete

ASTM C805/C805M-13a—Standard Test Method for Rebound Number of Hardened Concrete

ASTM C834-14—Standard Specification for Latex Sealants

ASTM C845/C845M-18—Standard Specification for Expansive Hydraulic Cement

ASTM C873/C873M-15—Standard Test Method for Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds

ASTM C878/C878M-14a—Standard Test Method for Restrained Expansion of Shrinkage-Compensating Concrete

ASTM C881/C881M-15—Standard Specification for Epoxy-Resin-Base Bonding Systems for Concrete

ASTM C900-15—Standard Test Method for Pullout Strength of Hardened Concrete

ASTM C920-14a—Standard Specification for Elastomeric Joint Sealants

ASTM C979/C979M-16—Standard Specification for Pigments for Integrally Colored Concrete

ASTM C989/C989M-18a—Standard Specification for Slag Cement for Use in Concrete and Mortars

ASTM C1012/C1012M-18b—Standard Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution

ASTM C1017/C1017M-13e1—Standard Specification for Chemical Admixtures for Use in Producing Flowing Concrete

ASTM C1064/C1064M-12—Standard Test Methods for Temperature of Freshly Mixed Hydraulic-Cement Concrete

ASTM C1074-17—Standard Practice for Estimating Concrete Strength by the Maturity Method

ASTM C1077-17—Standard Practice for Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation

ASTM C1107/C1107M-14a—Standard Specification for Packaged Dry, Hydraulic-Cement Grout (Nonshrink)

ASTM C1116/C1116M-10a(2015)—Standard Specification for Fiber-Reinforced Concrete

ASTM C1152/C1152M-04(2012)e1—Standard Test Method for Acid-Soluble Chloride in Mortar and Concrete

ASTM C1157/C1157M-11—Standard Performance Specification for Hydraulic Cement

ASTM C1218/C1218M-17—Standard Test Method for Water-Soluble Chloride in Mortar and Concrete

ASTM C1240-15—Standard Specification for Silica Fume Used in Cementitious Mixtures

ASTM C1260-14—Standard Test Method for Potential Alkali Reactivity of Aggregates (Mortar Bar Method)

ASTM C1289-16—Standard Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board

ASTM C1293-08b(2015)—Standard Test Method for Determination Length of Change of Concrete Due to Alkali-Silica Reaction

ASTM C1315-11—Standard Specification for Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete

ASTM C1567-13—Standard Test Method for Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method)

ASTM C1602/C1602M-18—Standard Specification for Mixing Water Used in the Production of Hydraulic Cement Concrete

ASTM C1609/C1609M-12—Standard Test Method for Flexural Performance of Fiber-Reinforced Concrete (Using Beam with Third-Point Loading)

ASTM C1610/C1610M-17—Standard Test Method for Static Segregation of Self-Consolidating Concrete Using Column Technique

ASTM C1611/C1611M-14—Standard Test Method for Slump Flow of Self-Consolidating Concrete

ASTM C1621/C1621M-14—Standard Test Method for Passing Ability of Self-Consolidating Concrete Using Column Technique

ASTM C1761/C1761M-15—Standard Specification for Lightweight Aggregate for Internal Curing of Concrete

ASTM C1778-16—Standard Guide for Reducing the Risk of Deleterious Alkali-Aggregate Reaction in Concrete

ASTM C1797-17—Standard Specification for Ground Calcium Carbonate and Aggregate Mineral Fillers for use in Hydraulic Cement Concrete

ASTM D98-15—Standard Specification for Calcium Chloride

ASTM D412-15a—Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension

ASTM D638-14—Standard Test Method for Tensile Properties of Plastics

ASTM D698-12e2—Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort [12 400 ft-lbf/ft³ (600 kN-m/m³)]

ASTM D994/D994M-11—Standard Specification for Preformed Expansion Joint Filler for Concrete (Bituminous Type)

ASTM D1621-10—Standard Test Methods for Compressive Properties of Rigid Cellular Plastics

ASTM D1751-04(2013)e1—Standard Specification for Preformed Expansion Joint Fillers for Concrete Paving and Structural Construction (Non-extruding and Resilient Bituminous Types)

ASTM D1752-04a(2013)—Standard Specification for Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction

ASTM D2240-15—Standard Test Method for Rubber Property—Durometer Hardness

ASTM D2940/D2940M-15—Standard Specification for Graded Aggregate Material for Bases or Subbases for Highways or Airports

ASTM D3575-14—Standard Test Methods for Flexible Cellular Materials Made from Olefin Polymers

ASTM D4397-10—Standard Specification for Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications

ASTM E165/E165M-12—Standard Practice for Liquid Penetrant Examination for General Industry

ASTM E329-14a—Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection

ASTM E488/E488M-15—Standard Test Methods for Strength of Anchors in Concrete Elements

ASTM E1155-14—Standard Test Method for Determining F_F Floor Flatness and F_L Floor Levelness Numbers

ASTM E1444/E1444M-12—Standard Practice for Magnetic Particle Testing