


# **Specification for Crack Repair by Epoxy Injection**

An ACI Standard

Reported by ACI Committee 503



**American Concrete Institute®**



American Concrete Institute®  
*Advancing concrete knowledge*

First Printing  
September 2007

## Specification for Crack Repair by Epoxy Injection

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI. Proper use of this document includes periodically checking for errata at **[www.concrete.org/committees/errata.asp](http://www.concrete.org/committees/errata.asp)** for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

**Order information:** ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised *ACI Manual of Concrete Practice* (MCP).

**American Concrete Institute**  
**38800 Country Club Drive**  
**Farmington Hills, MI 48331**  
**U.S.A.**

**Phone: 248-848-3700**  
**Fax: 248-848-3701**

**[www.concrete.org](http://www.concrete.org)**

This is a preview. [Click here to purchase the full publication.](#)

# Specification for Crack Repair by Epoxy Injection

An ACI Standard

Reported by ACI Committee 503

Sheerang N. Nabar  
Chair

Myles A. Murray  
Secretary

Milton D. Anderson  
J. Christopher Ball  
Craig A. Ballinger  
John J. Bartholomew  
Robert R. Cain  
Frank J. Constantino  
Glenn W. DePuy

Floyd E. Dimmick, Sr.  
Jack J. Fontana  
Robert W. Gaul  
Steven H. Gebler\*  
Paul R. Hollenbach  
Bert P. Kriekemans  
Joseph A. McElroy

Peter Mendis  
Brad Nemunaitis  
Kelly M. Page  
Federico V. Palma, Jr.  
Suresh Sawant  
Raymond J. Schutz

W. Glenn Smoak  
Joe Solomon  
Michael M. Sprinkel  
D. Gerald Walters  
David White  
Richard E. Wollmershauser

\*Deceased.

*This Specification gives requirements for repairing cracks in concrete by injection of two-component epoxy-resin adhesive.*

**Keywords:** adhesive; concrete; crack; epoxy; repair injection; sealer.

## NOTES TO SPECIFIER

This Specification is incorporated by reference in the Project Specification using the wording in Section P3 of the Preface and including information from the Mandatory Requirements, Optional Requirements, and Submittals Checklists following this Specification.

## PREFACE

**P1.** ACI Specification 503.7 is intended to be used by reference or incorporation in its entirety in the Project Specification. Do not copy individual Sections, Parts, Articles, or Paragraphs into the Project Specification, because taking them out of context may change their meaning.

ACI Committee Reports, Guides, Standard Practices, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

**P2.** If Sections or Parts of ACI Specification 503.7 are copied into the Project Specification or any other document, do not refer to them as an ACI Specification, because the Specification has been altered.

**P3.** A statement such as the following will serve to make ACI Specification 503.7 a part of the Project Specification:

“Work on (Project Title) shall conform to all requirements of ACI Specification 503.7-07, “Specification for Crack Repair by Epoxy Injection,” published by the American Concrete Institute, Farmington Hills, Michigan, except as modified by these Contract Documents.”

**P4.** Each technical Section of ACI Specification 503.7 is written in the three-part Section format of the Construction Specifications Institute, as adapted for ACI requirements. The language is imperative and terse.

**P5.** The Specification is written to the Contractor. When a provision of this Specification requires action by the Contractor, the verb “shall” is used. If the Contractor is allowed to exercise an option when limited alternatives are available, the phrasing “either...or...” is used. Statements provided in the Specification as information to the Contractor use the verbs “may” or “will.” Informational statements typically identify activities or options that “will be taken” or “may be taken” by the Owner or Architect/Engineer.

ACI 503.7-07 was adopted and published September 2007.

Copyright © 2007, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.