AS 4100 Supp1—1999

AS 4100 Supplement 1—1999

Steel structures—Commentary

(Supplement to AS 4100—1998)

This Australian Standard was prepared by Committee BD/1, Steel Structures. It was approved on behalf of the Council of Standards Australia on 23 October 1998 and published on 5 March 1999.

The following interests are represented on Committee BD/1:

Association of Consulting Engineers Australia

Australasian Railway Association

Australian Building Codes Board

Australian Chamber of Commerce and Industry

Australian Industry Group

Australian Institute of Steel Construction

AUSTROADS

Bureau of Steel Manufacturers of Australia

CSIRO, Division of Building, Construction and Engineering

Institution of Engineers Australia

Metal Building Products Manufacturers Association

New Zealand Heavy Engineering Research Association

University of New South Wales

University of Queensland

University of Sydney

Welding Technology Institute of Australia

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

AS 4100 Supp1—1999

AS 4100 Supplement 1—1999

Steel structures

(Supplement to AS 4100-1998)

First published as AS 4100 Supp1—1990. Second edition 1999.

Published by Standards Australia (Standards Association of Australia) 1 The Crescent, Homebush NSW 2140

ISBN 0 7337 2348 9

This Commentary is intended to be read in conjunction with AS 4100-1998, *Steel structures*.

The objective of this edition of the Commentary is to align it with the revised edition of AS 4100 which was published in 1998, and to provide users with—

- (a) background reference material to AS 4100–1998;
- (b) the origins of particular requirements;
- (c) explanation to the application of certain clauses; and
- (d) guidance in the use of AS 4100–1998.

In this Commentary, AS 4100–1998 is referred to as 'the Standard'.

The clause numbers and titles used in this Commentary are the same as those in AS 4100—1998 except that the clause numbers are prefixed by the letter 'C', e.g. C7.2. To avoid possible confusion between Commentary and Standard clauses, a Commentary Clause is referred to as 'Clause C...' in accordance with Standards Australia policy.

ACKNOWLEDGEMENTS

The authors of this Commentary wish to acknowledge and thank all members of Standards Australia Committee BD/1, Steel Structures, and its Subcommittees whose discussions and suggestions contributed significantly to this Commentary.

The authors would also like to thank the following organizations for making it possible for them to contribute to this Commentary:

Australian Institute of Steel Construction

BHP Melbourne Research Laboratories

CSIRO, Division of Building, Construction and Engineeering

SCP Consulting Pty Ltd

University of New South Wales

University of Sydney

University of Western Sydney

The authors are grateful for the facilities, services and assistance provided by Standards Australia and in particular to Mr E. Go, Projects Manager, Committee BD/1.

CONTENTS

| SECTION | C1 SCOPE AND GENERAL |
|---|--|
| C1.1 | SCOPE7 |
| C1.2 | REFERENCED DOCUMENTS |
| C1.3 | DEFINITIONS |
| C1.4 | NOTATION |
| C1.5 | USE OF ALTERNATIVE MATERIALS OR METHODS |
| C1.6 | DESIGN |
| C1.7 | CONSTRUCTION |
| SECTION | C2 MATERIALS |
| C2.1 | YIELD STRESS AND TENSILE STRENGTH USED IN DESIGN |
| C2.1 C2.2 | STRUCTURAL STEEL |
| C2.2 C2.3 | FASTENERS |
| C2.3 | STEEL CASTINGS |
| 02.4 | 51122 CA5111005 |
| | C3 GENERAL DESIGN REQUIREMENTS |
| C3.1 | DESIGN11 |
| C3.2 | LOADS AND OTHER ACTIONS |
| C3.3 | STABILITY LIMIT STATE |
| C3.4 | STRENGTH LIMIT STATE |
| C3.5 | SERVICEABILITY LIMIT STATE |
| SECTION | C4 METHODS OF STRUCTURAL ANALYSIS |
| SECTION | C4 MILITIODS OF STRUCTURAL ANALISIS |
| C4.1 | METHODS OF DETERMINING ACTION EFFECTS |
| | METHODS OF DETERMINING ACTION EFFECTS |
| C4.1 | |
| C4.1 C4.2 | METHODS OF DETERMINING ACTION EFFECTS |
| C4.1 C4.2 C4.3 | METHODS OF DETERMINING ACTION EFFECTS |
| C4.1 C4.2 C4.3 C4.4 | METHODS OF DETERMINING ACTION EFFECTS |
| C4.1 C4.2 C4.3 C4.4 C4.5 | METHODS OF DETERMINING ACTION EFFECTS |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION | METHODS OF DETERMINING ACTION EFFECTS |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25I C5MEMBERS SUBJECT TO BENDINGDESIGN FOR BENDING MOMENT.28 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25I C5MEMBERS SUBJECT TO BENDINGDESIGN FOR BENDING MOMENT.28SECTION MOMENT CAPACITY FOR BENDING ABOUT |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25IC5MEMBERS SUBJECT TO BENDINGDESIGN FOR BENDING MOMENT.28SECTION MOMENT CAPACITY FOR BENDING ABOUT29 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25I C5MEMBERS SUBJECT TO BENDINGDESIGN FOR BENDING MOMENT.28SECTION MOMENT CAPACITY FOR BENDING ABOUT29MEMBER CAPACITY OF SEGMENTS WITH FULL29 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25IC5MEMBERS SUBJECT TO BENDINGDESIGN FOR BENDING MOMENT28SECTION MOMENT CAPACITY FOR BENDING ABOUT29MEMBER CAPACITY OF SEGMENTS WITH FULL32 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 | METHODS OF DETERMINING ACTION EFFECTS.17FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS18ASSUMPTIONS FOR ANALYSIS19ELASTIC ANALYSIS20PLASTIC ANALYSIS23MEMBER BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS23FRAME BUCKLING ANALYSIS25I C5MEMBERS SUBJECT TO BENDINGDESIGN FOR BENDING MOMENT28SECTION MOMENT CAPACITY FOR BENDING ABOUT29MEMBER CAPACITY OF SEGMENTS WITH FULL22LATERAL RESTRAINT32RESTRAINTS34 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 C5.5 | METHODS OF DETERMINING ACTION EFFECTS. 17 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS 18 ASSUMPTIONS FOR ANALYSIS 19 ELASTIC ANALYSIS 20 PLASTIC ANALYSIS 20 PLASTIC ANALYSIS 23 MEMBER BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 25 I C5 MEMBERS SUBJECT TO BENDING DESIGN FOR BENDING MOMENT 28 SECTION MOMENT CAPACITY FOR BENDING ABOUT 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 32 RESTRAINTS 34 CRITICAL FLANGE 36 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 | METHODS OF DETERMINING ACTION EFFECTS. 17 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS 18 ASSUMPTIONS FOR ANALYSIS 19 ELASTIC ANALYSIS 20 PLASTIC ANALYSIS 20 PLASTIC ANALYSIS 23 MEMBER BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 25 I C5 MEMBERS SUBJECT TO BENDING DESIGN FOR BENDING MOMENT 28 SECTION MOMENT CAPACITY FOR BENDING ABOUT 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 22 MEMBER CAPACITY OF SEGMENTS WITH FULL 32 RESTRAINTS 34 CRITICAL FLANGE 36 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL LATERAL 36 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 C5.5 C5.6 | METHODS OF DETERMINING ACTION EFFECTS. 17 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS 18 ASSUMPTIONS FOR ANALYSIS 19 ELASTIC ANALYSIS 20 PLASTIC ANALYSIS 20 PLASTIC ANALYSIS 23 MEMBER BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 25 C5 MEMBERS SUBJECT TO BENDING DESIGN FOR BENDING MOMENT 28 SECTION MOMENT CAPACITY FOR BENDING ABOUT 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 32 RESTRAINTS 34 CRITICAL FLANGE 36 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL LATERAL 36 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 C5.5 C5.6 C5.7 | METHODS OF DETERMINING ACTION EFFECTS. 17 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS 18 ASSUMPTIONS FOR ANALYSIS 19 ELASTIC ANALYSIS 20 PLASTIC ANALYSIS 23 MEMBER BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 23 MEMBER SUBJECT TO BENDING 25 C5 MEMBERS SUBJECT TO BENDING DESIGN FOR BENDING MOMENT 28 SECTION MOMENT CAPACITY FOR BENDING ABOUT 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 22 LATERAL RESTRAINT 32 RESTRAINTS 34 CRITICAL FLANGE 36 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL LATERAL RESTRAINT 36 BENDING IN A NON-PRINCIPAL PLANE 41 |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 C5.5 C5.6 C5.7 C5.8 | METHODS OF DETERMINING ACTION EFFECTS. 17 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS 18 ASSUMPTIONS FOR ANALYSIS 19 ELASTIC ANALYSIS 20 PLASTIC ANALYSIS 20 PLASTIC ANALYSIS 23 MEMBER BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 23 FRESTRAINT SUBJECT TO BENDING 28 SECTION MOMENT CAPACITY FOR BENDING ABOUT 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 22 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL LATERAL 32 RESTRAINT 36 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL |
| C4.1 C4.2 C4.3 C4.4 C4.5 C4.6 C4.7 SECTION C5.1 C5.2 C5.3 C5.4 C5.5 C5.6 C5.7 | METHODS OF DETERMINING ACTION EFFECTS. 17 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS 18 ASSUMPTIONS FOR ANALYSIS 19 ELASTIC ANALYSIS 20 PLASTIC ANALYSIS 23 MEMBER BUCKLING ANALYSIS 23 FRAME BUCKLING ANALYSIS 23 MEMBER SUBJECT TO BENDING 25 C5 MEMBERS SUBJECT TO BENDING DESIGN FOR BENDING MOMENT 28 SECTION MOMENT CAPACITY FOR BENDING ABOUT 29 MEMBER CAPACITY OF SEGMENTS WITH FULL 22 LATERAL RESTRAINT 32 RESTRAINTS 34 CRITICAL FLANGE 36 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL LATERAL RESTRAINT 36 BENDING IN A NON-PRINCIPAL PLANE 41 |

Page

| C5.11 | SHEAR CAPACITY OF WEBS | 43 |
|----------------|--|-----|
| C5.12 | INTERACTION OF SHEAR AND BENDING | |
| C5.13 | COMPRESSIVE BEARING ACTION ON THE EDGE OF A WEB | |
| C5.14 | DESIGN OF LOAD BEARING STIFFENERS | |
| C5.15 | DESIGN OF INTERMEDIATE TRANSVERSE WEB STIFFENERS | |
| C5.16 | DESIGNING OF LONGITUDINAL WEB STIFFENERS | |
| | | |
| SECTION | C6 MEMBERS SUBJECT TO AXIAL COMPRESSION | |
| C6.1 | DESIGN FOR AXIAL COMPRESSION | |
| C6.2 | NOMINAL SECTION CAPACITY | |
| C6.3 | NOMINAL MEMBER CAPACITY | |
| C6.4 | LACED AND BATTENED COMPRESSION MEMBERS | 59 |
| C6.5 | COMPRESSION MEMBERS BACK TO BACK | 61 |
| C6.6 | RESTRAINTS | 62 |
| | | |
| SECTION | C7 MEMBERS SUBJECT TO AXIAL TENSION | |
| C7.1 | DESIGN FOR AXIAL TENSION | 65 |
| C7.2 | NOMINAL SECTION CAPACITY | 65 |
| C7.3 | DISTRIBUTION OF FORCES | 66 |
| C7.4 | TENSION MEMBERS WITH TWO OR MORE MAIN COMPONENTS | 67 |
| C7.5 | MEMBERS WITH PIN CONNECTIONS | 67 |
| | | |
| | C8 MEMBERS SUBJECT TO COMBINED ACTIONS | |
| C8.1 | GENERAL | |
| C8.2 | DESIGN ACTIONS | |
| C8.3 | SECTION CAPACITY | |
| C8.4 | MEMBER CAPACITY | |
| C8.5 | TORSION | 73 |
| RECTION | | |
| | C9 CONNECTIONS GENERAL | 00 |
| C9.1 | | |
| C9.2 | DEFINITIONS | |
| | DESIGN OF BOLTS | |
| C9.4 | ASSESSMENT OF THE STRENGTH OF A BOLT GROUP | |
| C9.5 | DESIGN OF A PIN CONNECTION. | |
| C9.6 | DESIGN DETAILS FOR BOLTS AND PINS | |
| C9.7 | DESIGN OF WELDS | |
| C9.8 | ASSESSMENT OF THE STRENGTH OF A WELD GROUP | |
| C9.9 | PACKING IN CONSTRUCTION | 107 |
| SECTION | C10 BRITTLE FRACTURE | |
| | METHODS | 110 |
| | NOTCH-DUCTILE RANGE METHOD | |
| | DESIGN SERVICE TEMPERATURE | |
| | MATERIAL SELECTION | |
| | FRACTURE ASSESSMENT | |
| C10.0 | TRACI URE ASSESSIVIEN I | 112 |
| | | |

| SECTION | C11 FATIGUE | 117 |
|---------|--|-----|
| C11.1 | GENERAL | 119 |
| C11.2 | FATIGUE LOADING | 120 |
| C11.3 | DESIGN SPECTRUM | 121 |
| C11.4 | EXEMPTION FROM FURTHER ASSESSMENT | 122 |
| C11.5 | DETAIL CATEGORY | 122 |
| C11.6 | FATIGUE STRENGTH | 123 |
| C11.7 | EXEMPTION FROM FURTHER ASSESSMENT | 123 |
| C11.8 | FATIGUE ASSESSMENT | 123 |
| C11.9 | PUNCHING LIMITATION | 124 |
| SECTION | C12 FIRE | |
| C12.1 | REQUIREMENTS | 125 |
| | DEFINITIONS | |
| | DETERMINATION OF PERIOD OF STRUCTURAL ADEQUACY | |
| | VARIATION OF MECHANICAL PROPERTIES OF STEEL WITH | |
| | TEMPERATURE | 126 |
| C12.5 | DETERMINATION OF LIMITING STEEL TEMPERATURE | |
| | DETERMINATION OF TIME AT WHICH LIMITING TEMPERATURE | 120 |
| 01210 | IS ATTAINED FOR PROTECTED MEMBERS | 126 |
| C12.7 | DETERMINATION OF TIME AT WHICH LIMITING TEMPERATURE IS | 120 |
| 012.7 | ATTAINED FOR UNPROTECTED MEMBERS | 126 |
| C12.8 | DETERMINATION OF PSA FROM A SINGLE TEST | |
| | THREE-SIDED FIRE EXPOSURE CONDITION | |
| | SPECIAL CONSIDERATIONS | |
| 012.10 | | , |
| SECTION | C13 EARTHQUAKE | |
| C13.1 | GENERAL | 129 |
| C13.2 | DEFINITIONS | 129 |
| C13.3 | DESIGN AND DETAILING REQUIREMENTS | 129 |
| C13.4 | DESIGN REQUIREMENTS FOR NON-BUILDING STRUCTUES | 132 |
| ADDIT | IONAL COMMENTARY—SECOND ORDER EFFECTS | 132 |
| SECTION | C14 FABRICATION | |
| C14.1 | GENERAL | 134 |
| C14.2 | MATERIAL | 134 |
| C14.3 | FABRICATION PROCEDURES | 135 |
| C14.4 | TOLERANCES | 140 |
| C14.5 | INSPECTION | 142 |
| C14.6 | FABRICATION MATTERS AND CONTRACT DOCUMENTS | 143 |
| SECTION | C15 ERECTION | |
| | GENERAL | 145 |
| | ERECTION PROCEDURES | |
| | TOLERANCES | |
| | INSPECTION OF BOLTED CONNECTIONS | - |
| | GROUTING AT SUPPORTS | |
| | INSPECTION | |
| | ERECTION MATTERS AND CONTRACT DOCUMENTS | - |
| C13.7 | LINECTION WITH THIS INTE CONTINUET DOCUMENTS | |

SECTION C16 MODIFICATION OF EXISTING STRUCTURES

| C16.1 | GENERAL | |
|-------|--------------------|--|
| C16.2 | MATERIALS | |
| C16.3 | CLEANING | |
| C16.4 | SPECIAL PROVISIONS | |

| C17.2 | DEFINITIONS | 156 |
|-------|-------------------|-----|
| C17.3 | TEST REQUIREMENTS | 157 |
| C17.4 | PROOF TESTING | |
| C17.5 | PROTOTYPE TESTING | |
| C17.6 | REPORT OF TESTS | 158 |

APPENDICES

| CA | DOCUMENTS REFERENCED | 160 |
|----|---|-----|
| CB | SUGGESTED DEFLECTION LIMITS | 161 |
| CC | CORROSION PROTECTION | 162 |
| CD | ADVANCED STRUCTURAL ANALYSIS | 163 |
| CE | SECOND-ORDER ELASTIC ANALYSIS | 164 |
| CF | MOMENT AMPLIFICATION FOR A SWAY MEMBER | 165 |
| CG | BRACED MEMBER BUCKLING IN FRAMES | 166 |
| CH | ELASTIC RESISTANCE TO LATERAL BUCKLING | 167 |
| CI | STRENGTH OF STIFFENED WEB PANELS UNDER COMBINED ACTIONS | 169 |
| CJ | STANDARD TEST FOR EVALUATION OF SLIP FACTOR | 170 |
| СК | INSPECTION OF BOLT TENSION USING A TORQUE WRENCH | 171 |
| CL | LIMIT STATES DATA SHEETS | 172 |

STANDARDS AUSTRALIA

Australian Standard (Supplement to AS 4100–1998)

SECTION C1 SCOPE AND GENERAL by T. J. Hogan

C1.1 SCOPE

The Standard sets out the minimum requirements for the limit states design, fabrication, erection, and modification of safe, serviceable and durable steel structures. There may be additional requirements not specifically covered in the Standard which may also have to be considered by design engineers.

Road and railway bridges are covered by the Australian Bridge Design Code HB 77 (written in limit states format). HB 77 uses the Standard as the basis of its steel bridge design provisions.

Steel elements less than 3 mm thick are excluded for reasons of practicality and concern about corrosion, because members from thinner material are usually cold-formed and then they fall within the scope of AS/NZS 4600. In addition, the connections in elements less than 3 mm thick are better handled by the provisions of AS/NZS 4600 than by the Standard. The exceptions to this exclusion are hollow section members to AS 1163.

Hollow section members to AS 1163 are most commonly cold-formed, but have traditionally been designed using the previous editions of the Standard since they were for many years hot-formed. Tests carried out on members manufactured to AS 1163 confirm the applicability of the provisions of the Standard for such members including members with a wall thickness less than 3 mm. (Refs 1, 2 and 3). All other cold-formed members should be designed in accordance with AS/NZS 4600.

The limit of 450 MPa for the yield stress used in design stems from a lack of research data on steel grades above this value, and the applicability of all of the member design provisions for a higher design yield stress cannot be confirmed. Australian steel Standards generally contain no steel grades with a specified yield stress above 450 MPa, with the exception of one grade (XF500) in AS/NZS 1594. Additional provisions to those in the standards may be required for steels of higher yield stress.

Clause 1.1 does not preclude the use of steels having a specified yield stress greater than 450 MPa provided that the yield stress used in design (f_y) is limited to 450 MPa. Note, however, that the use of a steel having a specified yield stress greater than 450 MPa is specifically excluded from plastic design by Clause 4.5.2.

Composite steel-concrete members should be designed using the provisions of AS 2327, Composite structures.

The Standard is not intended to be used for thin-walled shell or plate structures since such structures are subject to failure modes not addressed in the Standard. It is, however, considered reasonable to design floor plates using the Standard. (See Introduction to Commentary on Section 5.)

COPYRIGHT

C1.2 REFERENCED DOCUMENTS

The Standards listed in Appendix A are subject to revision from time to time and the current issue should always be used. The currency of any standard may be checked with Standards Australia.

C1.3 DEFINITIONS

Technical definitions are provided in Clause 1.3. Some technical definitions that are applicable to only one Section are given in the Section in which they are relevant. A number of the terms defined are common to other Standards such as AS 1170.1, AS 1170.4, AS/NZS 1554.1, AS 1530.4 and AS 3600.

C1.4 NOTATION

The basis of the notation is generally in accordance with ISO 3898, Bases for Design of Structures — Notations— General Symbols. Standards Australia's policy is to use ISO recommendations on notation wherever practicable in structural design standards such as AS 4100, AS 1170, AS 3600, AS 2327 and AS/NZS 4600.

C1.5 USE OF ALTERNATIVE MATERIALS OR METHODS

Standards Australia Committee BD/1, Steel Structures, is responsible for the Standard and is available to offer opinions on new materials or methods. It is usually necessary to seek approval from the appropriate building authority for the use of new materials or methods.

C1.6 DESIGN

In the preparation of the Standard, the Committee made an assumption as to the level of knowledge and competence expected of users of the Standard. This assumption is that the user is either a professional engineer and experienced in the design of steel structures or, if not, is under the supervision of such a person.

The design data and design details required to be shown on the drawings are the minimum information that need to be provided to ensure adequate documentation. Further guidance on the requirements for engineering drawings for steel work may be found in Ref. 4.

C1.7 CONSTRUCTION

(No Commentary.)

REFERENCES

- 1 Hassan, S.W., Hancock, G.J., 'Plastic Bending Tests of Cold-Formed Rectangular Hollow Sections', Steel Construction, Australian Institute of Steel Construction, Vol. 23, No. 4, 1989, pp 2-19.
- 2 Key, P.W., Hasan, S.W., Hancock, G.J., 'Column Behaviour of Cold-Formed Hollow Sections', Journal of Structural Engineering, ASCE, Vol. 114, No. 2, 1998, pp 390-407.
- 3 Zhao, X.L., Hancock, G.J., 'Tests to Determine Plate Slenderness Limits for Cold-Formed Rectangular Hollow Sections of Grade C450', Steel Construction, Australian Institute of Steel Construction, Vol. 25, No. 4, 1991, pp 2-16.
- 4 Syam A.A., 'A Guide to the Requirements for Engineering Drawings of Structural Steelwork', Steel Construction, Australian Institute of Steel Construction, Vol. 29, No. 3, 1995, pp 2-14.

COPYRIGHT