

# Manual of uniform traffic control devices

# Part 3: Traffic control for works on roads



### AS 1742.3:2019

This Australian Standard® was prepared by MS-012, Road Signs And Traffic Signals. It was approved on behalf of the Council of Standards Australia on 25 November 2019.

This Standard was published on 11 December 2019.

The following are represented on Committee MS-012:

ARRB (Australian Road Research Board)

Association of Consultants in Access Australia

Australian Automobile Association

Australian Chamber of Commerce and Industry

Australian Industry Group

Australian Motorcycle Council

**Austroads** 

Department of Infrastructure, Planning and Logistics, NT

Department of Planning, Transport and Infrastructure, SA

Department of Transport and Main Roads, Qld

Engineers Australia

Institute of Public Works Engineering Australasia

Main Roads Western Australia

Rail Industry Safety and Standards Board

Roadmarking Industry Association of Australia

Roads and Infrastructure, Transport Canberra and City Services, ACT Government

Roads and Maritime Services

State Roads, Department of State Growth, Tas.

VicRoads

This Standard was issued in draft form for comment as DR AS 1742.3:2018.

### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting: <a href="https://www.standards.org.au">www.standards.org.au</a>

ISBN 978 1 76072 654 6

This is a preview. Click here to purchase the full publication.



# Manual of uniform traffic control devices

# Part 3: Traffic control for works on roads

Originated as part of AS CA14—1935. Fourth edition AS 1742.3—2009. This edition 2019.

#### COPYRIGHT

© Standards Australia Limited 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

# **Preface**

This Standard was prepared by the Standards Australia Committee MS-012, Road Signs and Traffic Signals, to supersede AS 1742.3—2009. It was prepared with major contributions from a working group comprising committee members from road agencies, work safety authorities and road working organizations.

The objective of this Standard, together with the Austroads *Guide to Temporary Traffic Management* is to provide organizations and individuals carrying out such works with a set of uniform practices for the signing, delineation and use of devices for works on roads which will promote the safety of workers and the safe and efficient movement of road users at the work site.

This Standard is one in a series of 14 Standards which together form the Manual of uniform traffic *control devices.* The series comprises the following Standards:

AS 1742.1, Manual of uniform traffic control devices, Part 1: General introduction and index of signs

AS 1742.2, Manual of uniform traffic control devices, Part 2: Traffic control devices for general use

AS 1742.3, Manual of uniform traffic control devices, Part 3: Traffic control for works on roads (this Standard)

AS 1742.4, Manual of uniform traffic control devices, Part 4: Speed controls

AS 1742.5, Manual of uniform traffic control devices, Part 5: Street name and community facility name signs

AS 1742.6, Manual of uniform traffic control devices, Part 6: Tourist and service signs

AS 1742.7, Manual of uniform traffic control devices, Part 7: Railway crossings

AS 1742.9, Manual of uniform traffic control devices, Part 9: Bicycle facilities

AS 1742.10, Manual of uniform traffic control devices, Part 10: Pedestrian control and protection

AS 1742.11, Manual of uniform traffic control devices, Part 11: Parking controls

AS 1742.12, Manual of uniform traffic control devices, Part 12: Bus, transit, tram and truck lanes

AS 1742.13, Manual of uniform traffic control devices, Part 13: Local area traffic management

AS 1742.14, Manual of uniform traffic control devices, Part 14: Traffic signals

AS 1742.15, Manual of uniform traffic control devices, Part 15: Direction signs, information signs and route numbering

This edition of the Standard includes substantial variations to the previous (2009) edition. The more significant of these are as follows:

- A complete restructure of the Standard to concentrate on the essential and regulatory traffic (a) control requirements to safely and effectively carry out works on roads.
- (b) Removal of a large amount of the guideline information that appeared in the previous (2009) edition, in recognition that this information has now been enhanced and included in the Austroads Guide to Temporary Traffic Management.
- Alteration of information on temporary speed limits, traffic controllers and traffic signals in (c) recognition that the controls place mandatory requirements on road workers and road users, and the inclusion of information relating to vulnerable pedestrians and cyclists.
- Changes to the former Section 3 (Description and use of signs and devices) which is in Section (d) 4 (Function, description and use of standard signs and devices) of this edition, including the

addition of an alternative series of "multi-message" signs, which comprise a maximum of three logically related messages in a single display.

(e) Clarification of the terms "traffic management plan" and "traffic guidance scheme".

The relationship between Australian Standards and publications produced by Austroads should be noted. The former provide specifications and procedures that ensure that products and services are safe and reliable, and consistently perform the way they are intended. Austroads provides guidance documents that deal with the design, construction maintenance and operation of the road network. Austroads documents are also used by road authorities in New Zealand.

In cases of similar subject matter, this is dealt with across both sets of documents. Where this occurs, each document aims to provide information that is consistent, complimentary and supportive of the other.

The terms "normative" and "informative" are used in Standards to define the application of the appendices to which they apply. A "normative" appendix is an integral part of a Standard, whereas an "informative" appendix is only for information and guidance.

# **Contents**

Preface		ii
Section 1	Scope and general	1
1.1	Scope	
1.2	Normative references	1
1.3	Terms and definitions	
1.4	Responsibility for safety at work sites	4
Section 2	Traffic management plans	5
2.1	General	5
2.2	Preparation of traffic management plans	5
Section 3	Traffic guidance scheme	6
3.1	General	
3.2	Preparation of traffic guidance schemes	6
3.3	Implementation of traffic guidance schemes	6
3.4	Creating a temporary speed zone	7
	3.4.1 General	7
	3.4.2 Requirements and recommendations	7
	3.4.3 Duration	7
	3.4.4 Advance warning of temporary speed zones (buffer zones)	7
	3.4.5 Temporary speed zone	
	3.4.6 Temporary offset speed zones	
Section 4	Function, description and use of standard signs and devices	9
4.1	Functions of devices	9
4.2	Selection and use	
	4.2.1 General	
	4.2.2 Multi-message signs	
	4.2.3 Delineation	
	4.2.4 Night conditions	10
	4.2.5 Adjustment to existing devices	
	4.2.6 Covering of signs and devices	
	4.2.7 Safety barriers	
	4.2.8 Vehicle size and load restrictions	12
4.3	Installation and removal	12
	4.3.1 Condition of devices	12
	4.3.2 Positioning of devices	12
	4.3.3 Setting out of devices	13
	4.3.4 Orientation of sign	
	4.3.5 Inspection	14
	4.3.6 Public awareness	14
	4.3.7 Removal	14
4.4	Format and size of signs	15
	4.4.1 Format of signs	15
	4.4.2 Retroreflective material	15
	4.4.3 Sign sizes in the T Series (excludes multi-message signs)	15
	4.4.4 Sign panel sizes in the TM Series (for use in multi-message sign frames)	
4.5	Sign mountings	
	4.5.1 General	16
	4.5.2 Multi-message sign frame	16
4.6	Signs and devices for work site approaches and departures	
	4.6.1 General	
	4.6.2 ROADWORK AHEAD (T1-1, TM1-1, T1-31), ROADWORK X km	
	AHEAD (T1-16)	
	4.6.3 BRIDGEWORK AHEAD (T1-2, TM1-2), BRIDGEWORK X km AHEAD(T1-29).	19

	4.6.4	ROAD PLANT AHEAD (T1-3-1, TM1-3-1, T1-3-2, TM1-3-2), GRADER	
		AHEAD (T1-4, TM1-4)	
	4.6.5	Workers (symbolic) (T1-5, TM1-5)	
		ROADWORK NEXT X km (T1-24)	22
	4.6.7	ROADWORK ON SIDE ROAD (T1-25, TM1-25), ROAD PLANT ON SIDE ROAD	
		(T1-27, TM1-27)	23
	4.6.8	NEXT X km (T1-28, TM1-28)	
	4.6.9	SIDE ROAD CLOSED (T1-32, TM1-32)	25
	4.6.10	END ROADWORK (T2-16, T2-17, TM2-17)	25
4.7	Signs an	d devices for regulatory control of traffic	27
	4.7.1	General	27
	4.7.2	Manual control	27
	4.7.3	Sign control, single lane operation	29
	4.7.4	Traffic signal control	31
	4.7.5	Boom Barrier	33
	4.7.6	Temporary speed limits	
4.8	Detour s	signs	38
	4.8.1	DETOUR AHEAD (T1-6, TM1-6)	
	4.8.2	END DETOUR (T2-23, TM2-23)	
	4.8.3	DETOUR (T5-1, TM5-1)	
	4.8.4	Detour marker (T5-6, TM5-6A)	
	4.8.5	LOW BRIDGE AHEAD m, HIGH VEHICLES DETOUR (G9-3) LOAD LIMIT	
		ON BRIDGE t, HEAVY VEHICLES DETOUR (G9-4)	41
	4.8.6	DETOUR FOR VEHICLES (G9-5)	42
	4.8.7	Two-way Traffic (W4-11, T2-24, TM2-24)	43
	4.8.8	All Traffic Turn (R2-14, RM2-14)	
	4.8.9	No Left Turn [R2-6(L), RM2-6(L)], No Right Turn [R-6(R), RM2-6(R)], NO	
		ENTRY (R2-4, RM2-4)	45
	4.8.10		
4.9		ndition signs	
,	4.9.1	Slippery, (T3-3, TM3-3), SOFT EDGES (T3-6, TM3-6), ROUGH SURFACE	27
		(T3-7, TM3-7), Loose Stones (T3-9, TM3-9), GRAVEL ROAD (T3-13, TM3-	
		13), LOOSE SURFACE (T3-14, TM3-14)	47
	4.9.2	Advisory Speed signs (T3-16, TM6-16)	50
	4.9.3	NEW WORK, NO LINES MARKED (T3-11, TM3-11) NO LINES DO NOT	
	11710	OVERTAKE UNLESS SAFE (T3-12, TM3-12) NO LINES DO NOT OVERTAKE	
		(G9-89, GM9-89)	51
4.10	Signs a	nd devices for road and lane closures	53
1110	4.10.1		
	4.10.2		
4.11	_	s for delineating and indicating the travelled path	
1.11	4.11.1		
	4.11.2		
	4.11.3		
	4.11.4		
	4.11.5	<u> </u>	
	4.11.6		
4.12		nment fences and road safety barrier systems	
1.12	4.12.1		
	4.12.2		
	4.12.3		
	4.12.3		
4.13		Temporary crash attenuators	
4.14			
1.1.1		Vehicle-mounted warning device	
	4.14.2		
	4.14.3		
		Variable message signs	6.5

	4.14.5 Truck-mounted and trailer mounted crash attenuator	65
4.15	Roadwork pilot vehicle	65
4.16	4.14.5 Truck-mounted and trailer mounted crash attenuator	67
4.17	Signs and devices for managing pedestrians	68
4.18	Signs and devices for managing cyclists	71
4.19	Signs and devices for vehicle height and mass restrictions	71
4.20	Other signs and devices	
	4.20.1 General	73
	4.20.2 Antiglare screen	75
	4.20.3 Work site screens (anti-gawking or anti-debris screen)	75
4.21		75
4.22	Variable message signs used at roadworks	76
	4.22.1 General	/b
	4.22.2 Application	76
	4.22.2 Application	77
Appendix A	(normative) Additional multi-message signs	78
Appendix E	3 (informative) Multi-message sign combinations	97
Bibliograpl	hy	98

# Australian Standard®

# Manual of uniform traffic control devices

# Part 3: Traffic control for works on roads

# **Section 1 Scope and general**

# 1.1 Scope

This Standard specifies the principles relating to the devices for the control of traffic for works on roads. It specifies the traffic control measures and devices to be used to warn, instruct and guide road users in the safe negotiation of work sites on roads including unsealed roads and footpaths. The principles may also be appropriate for work on shared paths and bicycle paths. It is applicable to traffic guidance schemes for road and bridge construction and maintenance sites, works associated with other public utilities and services, or any other activities which cause interference or obstruction to the normal use of a road or path by any road user.

NOTE 1 Detailed specifications for the design and manufacture of the standard signs in this Standard are given in AS 1743. At the time of the publication of this Standard, AS 1743 does not yet cover multi-message signs.

NOTE 2 This Standard is intended for use in conjunction with the relevant Austroads guidelines, including the Austroads *Guide to Temporary Traffic Management* and various Commonwealth, state and territory requirements relating to safe work and works on roads.

# 1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 1428.1, Design for access and mobility Part 1: General requirements for access—New building work

AS 1742.2, Manual of uniform traffic control devices, Part 2: Traffic control devices for general use

AS 1742.4, Manual of uniform traffic control devices, Part 4: Speed controls

AS 1742.14, Manual of uniform traffic control devices, Part 14: Traffic signals

AS 1743, Road signs—Specifications

AS 1744, Standard alphabets for road signs

AS 1906.3, Retroreflective materials and devices for road traffic control purposes, Part 3: Raised pavement markers (retroreflective and non-retroreflective)

AS 2187.2, Explosives—Storage and use, Part 2: Use of explosives

AS 4852.1, Variable message signs, Part 1: Fixed signs

AS 4852.2, Variable message signs, Part 2: Portable signs

AS/NZS 1906.1, Retroreflective materials and devices for road traffic control purposes, Part 1: Retroreflective sheeting

AS/NZS 1906.2, Retroreflective materials and devices for road traffic control purposes, Part 2: Retroreflective devices (non-pavement application)

AS/NZS 3845.2, Road safety barrier systems, Part 2: Road safety devices

AS/NZS 4192, Illuminated flashing arrow signs

AS/NZS 4602, High visibility safety garments

Austroads, AP-C87-15, Glossary of Terms

Austroads, Guide to Temporary Traffic Management

### 1.3 Terms and definitions

For the purpose of this Standard, the terms and definitions in Austroads *Glossary of Terms* (AP-C87-15) and those below apply.

#### 1.3.1

## built-up area

roadside development comprising property accesses at spacings averaging less than 100 m over distances of at least 500 m or where street lights are provided and are not more than 100 m apart

#### 1.3.2

# competent person

person who has, through a combination of training, qualification and experience, acquired knowledge and skills enabling that person to correctly perform a specified task

Note 1 to entry: Competency requirements have been defined by Austroads *Guide to Temporary Traffic Management*.

## 1.3.3

## frequently changing work area

where the area that work activities are carried out in is variable

Note 1 to entry: Examples include where minor maintenance is carried out along a pavement or shoulder, and longitudinal survey work and road furniture maintenance at successive closely spaced locations.

Note 2 to entry: Guidelines for frequently changing work areas are given in the Austroads *Guide to Temporary Traffic Management*.

#### 1.3.4

# long-term

where a traffic guidance scheme is required to operate both day and night and may be left unattended

# 1.3.5

#### may

indicates the existence of an option

## 1.3.6

### multilane

two or more running lanes in one direction

#### 1.3.7

#### open road area

roadside development less frequent than that specified for a built-up area (1.3.1)

### 1.3.8

#### road safety barrier system

physical barrier separating the work area and the travelled path, designed to resist penetration by an out-of-control vehicle and as far as reasonably practicable, to redirect out of control vehicles back into the travelled path

#### 1.3.9

### road user

any driver, rider, passenger or pedestrian, including people with disabilities, using the road