Australian/New Zealand Standard[™]

Timber—Bond performance of structural adhesives





AS/NZS 4364:2010

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TM-004, Glued Laminated Timber Products. It was approved on behalf of the Council of Standards Australia on 27 October 2010 and on behalf of the Council of Standards New Zealand on 29 October 2010. This Standard was published on 1 December 2010.

The following are represented on Committee TM-004:

A3P BRANZ CSIRO Decorative Wood Veneers Association Engineered Wood Products Association of Australasia Forest Industries Association of Tasmania Forests New South Wales Glued Laminated Timber Association of Australia Institution of Professional Engineers New Zealand Monash University New Zealand Pine Manufacturers Association New Zealand Timber Industry Federation Scion Structural Engineered Timber Manufacturers Association Timber Queensland

Additional Interests:

Prof Bob Milner

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4364.

Australian/New Zealand Standard[™]

Timber—Bond performance of structural adhesives

First published as AS/NZS 4364:1996. Interim revision 2007. AS/NZS 4364:1996 and AS/NZS 4364(Int):2007 revised and designated as AS/NZS 4364:2010.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

PREFACE

This Australian/New Zealand Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TM-004, Glued Laminated Timber Products, to supersede AS/NZS 4364:1996, *Adhesives, phenolic and aminoplastic for load-bearing timber structures—Classification and performance requirements*, and AS/NZS 4364(Int):2007.

The objective of this Australian/New Zealand Standard is to provide requirements for bond performance of adhesives formed in structural finger-jointed timber and glulam products. It is largely based on the Canadian Standards Association document CSA O112.9, *Evaluation of adhesives for structural wood products (exterior exposure)*. Alternative requirements, taken from the European Standards, are also included.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

CONTENTS

Page

FOREW	ORD
1	SCOPE
2	APPLICATION
3	NORMATIVE REFERENCES
4	DEFINITIONS
5	NOTATION
6	REQUIREMENTS76.1 Classification and specification76.2 Adhesive formulation and application76.3 Fillers and extenders76.4 Anti-fungal properties76.5 pH of cured adhesive film76.6 Shear strength and wood failure86.7 Delamination resistance9
7	6.8 Creep resistance9SAMPLE PREPARATION AND TEST METHODS107.1 Anti-fungal properties107.2 pH of cured adhesive film107.3 Wood species and density107.4 Wood moisture content117.5 Shear test and wood failure assessment117.6 Delamination resistance test167.7 Creep resistance test20
8	REPORT288.1General288.2Product details288.3Specimen preparation and testing288.4Test results29

APPENDICES

А	MEASUREMENT AND COMPUTATION OF BONDLINE CREEP FOR	
	ENVIRONMENTS A, B AND C	30
В	INTERRUPTING THE BOIL-DRY-FREEZE CONDITIONING	
С	EXAMPLE OF CALCULATING TOTAL DELAMINATION WITHIN AN	
	INDIVIDUAL BONDLINE	
BIBLI	OGRAPHY	