



Asphalt — A guide to good practice



This is a preview. Click here to purchase the full publication.

AS 2150:2020

This Australian Standard® was prepared by CE-006, Asphalt And Sprayed Surfacing. It was approved on behalf of the Council of Standards Australia on 26 August 2020.

This Standard was published on 11 September 2020.

The following are represented on Committee CE-006:
Australian Road Research Board (ARRB)
Australian Asphalt Pavement Association
Australian Chamber of Commerce and Industry
Austroads
National Association of Testing Authorities Australia

This Standard was issued in draft form for comment as DR AS 2150:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting: www.standards.org.au

ISBN 978 1 76072 965 3

This is a preview. Click here to purchase the full publication.

Asphalt — A guide to good practice

Originated as AS 2150—1978 and AS 2734—1984. Previous edition AS 2150—2005. Fourth edition AS 2150:2020.

- © All rights reserved
- © Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee CE-006, Asphalt and Sprayed Surfacing, to supersede AS 2150—2005, *Hot mix asphalt—A guide to good practice*.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this document as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide manufacturers, specifiers and designers of asphalt mixes with recommendations for the manufacture and placing of asphalt for use in pavements.

This Standard is not intended for use as a project specification. Project specifications for most road pavement applications include standard specification documents issued by state road authorities, local government, the Australian Asphalt Pavement Association and AUS-SPEC (NatSpec).

Reference to this Standard may be made in specifications for minor works, in which case the Standard may be used to determine appropriate selection of materials, asphalt manufacture and standards of workmanship.

The objective of this revision is to incorporate improvements based on user experience and reflect technical developments taking place in the industry.

The major changes in this edition are as follows:

- (a) Amendment of the title.
- (b) Addition of a definition and description for warm mix asphalt.
- (c) Revision of <u>Appendix A</u> to remove some details relating to safe working practices that are defined elsewhere in relevant legislation and supplier responsibilities.
- (d) Deletion of <u>Appendix C</u> referring to basis of payment for asphalt work.

The terms "normative" and "informative" are used in Standards to define the application of the appendices to which they apply. A "normative" appendix is an integral part of a Standard, whereas an "informative" appendix is only for information and guidance.

Contents

1	-				
2	Norma	Normative references			
3	Terms	Terms and definitions			
4	Materials				
	4.1	Aggregates	5		
		4.1.1 Coarse aggregate			
		4.1.2 Fine aggregate			
		4.1.3 Crushed recycled glass	5		
	4.2	Filler			
	4.3	Binder			
		4.3.1 Bitumen binder			
		4.3.2 Polymer-modified binder			
	4.4	Fibre			
	4.5	Adhesion agent			
	4.6	Reclaimed asphalt pavement (RAP)			
	4.7	Rejuvenating agents			
	4.8				
5	_	ties of asphalt mixes and their evaluation			
	5.1	General			
	5.2	Composition and volumetric properties			
		5.2.1 General			
		5.2.2 Particle size distribution (aggregate grading)	9		
		5.2.3 Binder content			
		5.2.4 Air voids			
		5.2.6 Bulk density			
		5.2.7 Voids in mineral aggregate			
		5.2.8 Voids filled with binder			
	5.3	Mechanical properties by Marshall method			
	0.0	5.3.1 General			
		5.3.2 Stability			
	5.4	Other properties			
6	Specification and design of an asphalt mix				
U	-	General			
	6.2	Mix design procedure			
	6.3	Production tolerances			
7	Manufa				
7	7.1	acturing and storage of mix General			
	7.1	7.1.1 Design and construction			
		7.1.2 Storage of materials			
		7.1.3 RAP			
		7.1.4 Feeding of cold aggregates and RAP			
	7.2	Batch plant processing			
		7.2.1 Drying and heating			
		7.2.2 Screening and storage of hot aggregate			
		7.2.3 Proportioning			
		7.2.4 Mixing			
	7.3	Continuous plant processing			
		7.3.1 Drying and heating			
		7.3.2 Addition of binder			
		7.3.3 Mixing	20		

8		21	
•		21	
		21	
	· · · · · · · · · · · · · · · · · · ·	21	
9	Sampling and testing	22	
		22	
	9.2 Sampling of asphalt	22	
	9.3 Testing of asphalt	22	
	9.4 Sampling and testing of aggregates	22	
		22	
		22	
	9.7 Sampling and testing of RAP	23	
10		23	
		ices23	
		23	
		24	
		24	
11		24	
		24	
		24	
	* *		
12	1		
12			
	12.2 Spreading by self-propelled paving m	nachine	
		27	
		27	
	12.6.2 Longitudinal joints	27	
	12.6.3 Transverse joints	28	
	12.6.4 Automatic level control	28	
	12.6.5 Techniques	28	
13	3 Compaction	29	
		29	
		29	
		30	
		30	
	o contract of the contract of	30	
		rolling31	
		31	
		31	
		31	
	•		
14			
		32	
		32	
	14.3 Shape		
	14.3.1 30014CP	3.4	