

Australian/New Zealand Standard™

Structural steel welding

Part 4: Welding of high strength quenched and tempered steels



AS/NZS 1554.4:2004

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee WD-003, Welding of Structures. It was approved on behalf of the Council of Standards Australia on 16 December 2003 and on behalf of the Council of Standards New Zealand on 5 March 2004. It was published on 24 March 2004.

The following are represented on Committee WD-003:

Australian Chamber of Commerce and Industry
Australian Industry Group
AUSTROADS
Bureau of Steel Manufacturers of Australia
Electricity Supply Association of Australia
Institution of Engineers Australia
New Zealand Heavy Engineering Research Association
New Zealand Non-destructive Testing Association
New Zealand Welding School
Steel Reinforcement Institute of Australia
University of Sydney
Welding Technology Institute of Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 02617.

Australian/New Zealand Standard™

Structural steel welding

Part 4: Welding of high strength quenched and tempered steels

Originated as AS 1554.4—1989.
Previous edition AS/NZS 1554.4:1995.
Third edition 2004.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 5731 6

This is a preview. [Click here to purchase the full publication.](#)

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee WD-003, Welding of Structures, to supersede AS/NZS 1554.4:1995.

The objective of this Standard is to provide rules for the welding of a wide range of steel constructions, using high strength quenched and tempered steel parent material.

The objective of this edition is to update the Standard and bring it in line with the latest edition of AS/NZS 1554.1, *Structural steel welding*, Part 1: *Welding of steel structures*.

The Standard requires that weld preparations, welding consumables and welding procedures be qualified before commencement of welding. Prequalified joint preparations, welding consumables and welding procedures are also given in the Standard.

The Standard, in catering for structures subject to fatigue conditions as well as statically loaded structures, provides three categories of welds with three differing levels of weld quality assurance associated with the different types of service to which the welds are subjected. The intention is that the designer should select the category suited to the severity of the service and nominate this on the drawings. Where a structure contains more than one category, this nomination of appropriate categories will ensure that appropriate levels of supervision and inspection will be applied to the relevant parts of the structure.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 EXCLUSIONS	6
1.3 INNOVATION	6
1.4 REFERENCED DOCUMENTS	7
1.5 DEFINITIONS	7
1.6 WELD CATEGORIES	7
1.7 BASIC WELDING REQUIREMENTS	8
1.8 SAFETY	8
SECTION 2 MATERIALS OF CONSTRUCTION	
2.1 PARENT MATERIAL	9
2.2 BACKING MATERIAL	9
2.3 WELDING CONSUMABLES	9
SECTION 3 DETAILS OF WELDED CONNECTIONS	
3.1 GENERAL	11
3.2 BUTT WELDS	11
3.3 FILLET WELDS	12
3.4 COMPOUND WELDS	16
3.5 SEAL WELDS	17
3.6 PLUG WELDS	17
3.7 SLOT WELDS	17
SECTION 4 QUALIFICATION OF PROCEDURES AND PERSONNEL	
4.1 QUALIFICATION OF WELDING PROCEDURE	18
4.2 METHOD OF QUALIFICATION OF WELDING PROCEDURE	20
4.3 PREQUALIFIED WELDING PROCEDURES	20
4.4 PORTABILITY OF QUALIFIED WELDING PROCEDURES	20
4.5 PREQUALIFIED JOINT PREPARATIONS	21
4.6 QUALIFICATION OF WELDING CONSUMABLES	28
4.7 QUALIFICATION OF WELDING PROCEDURE BY TESTING	29
4.8 EXTENSION OF QUALIFICATION	34
4.9 COMBINATION OF PROCESSES	34
4.10 RECORDS OF TESTS	35
4.11 REQUALIFICATION OF WELDING PROCEDURES	35
4.12 QUALIFICATION OF WELDING PERSONNEL	35
SECTION 5 WORKMANSHIP	
5.1 PREPARATION OF EDGES FOR WELDING	41
5.2 ASSEMBLY	41
5.3 PREHEATING AND INTER-RUN CONTROL	42
5.4 WELDING UNDER ADVERSE WEATHER CONDITIONS	44
5.5 TACK WELDS	45
5.6 WELD DEPTH-TO-WIDTH RATIO	45
5.7 CONTROL OF DISTORTION AND RESIDUAL STRESS	45
5.8 BACKGOUGING AND REPAIR OF DEFECTS IN WELDS	46
5.9 TEMPORARY ATTACHMENTS	47
5.10 ARC STRIKES	47

	<i>Page</i>
5.11 CLEANING OF FINISHED WELDS	48
5.12 DRESSING OF BUTT WELDS	48
SECTION 6 QUALITY OF WELDS	
6.1 WELD CATEGORIES	49
6.2 METHODS OF INSPECTION AND PERMISSIBLE LEVELS OF IMPERFECTIONS	49
6.3 RADIOGRAPHY	50
6.4 ULTRASONIC EXAMINATION	51
6.5 MAGNETIC PARTICLE EXAMINATION	51
6.6 LIQUID PENETRANT EXAMINATION	53
6.7 WELD DEFECTS.....	53
6.8 REPORTING.....	53
SECTION 7 INSPECTION	
7.1 GENERAL	58
7.2 QUALIFICATIONS OF INSPECTORS	58
7.3 VISUAL INSPECTION OF WORK.....	58
7.4 NON-DESTRUCTIVE EXAMINATION OTHER THAN VISUAL	58
APPENDICES	
A LIST OF REFERENCED DOCUMENTS	60
B BRITTLE FRACTURE	62
C TYPICAL FORMS FOR WELDING PROCEDURES	66
D CHECK LIST OF MATTERS FOR DISCUSSION	69
E WELDED JOINT AND PROCESS IDENTIFICATION	70

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard **Structural steel welding**

Part 4: Welding of high strength quenched and tempered steels

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for the welding of steel structures made up of combinations of steel plate, sheet or sections, including hollow sections and built-up sections, or castings and forgings, by the following processes:

- (a) Manual metal-arc welding (MMAW).
- (b) Submerged arc welding (SAW).
- (c) Gas metal-arc welding (GMAW), including pulsed mode.
- (d) Gas tungsten-arc welding (GTAW or TIG).
- (e) Flux-cored arc welding (FCAW).
- (f) Electroslag (including consumable guide) welding (ESW) (see Note).
- (g) Electrogas welding (EGW) (see Note).

NOTE: These processes may not be suitable for welding quenched and tempered steels in all cases (see WTIA Technical Note 15).

The Standard is limited to the welding of quenched and tempered steel parent material complying with Clause 2.1.

The Standard applies to the welding of steelwork in structures complying with appropriate Standards. Where welded joints in these structures are governed by dynamic loading conditions, the Standard applies only to those welded joints that comply with the fatigue provisions of AS 3990, as limited by Item (ii) below, or with the directly equivalent fatigue provisions of other application Standards.

The Standard applies to welded joints that are—

- (i) not subject to fatigue conditions; or
- (ii) subject to fatigue conditions; and—
 - (A) the stress range in the welded joint complies with the permissible stress range of stress Categories C, D, E or F of AS 3990, or weld categories lower than or equal to detail Category 112 of AS 4100 or NZS 3404.1; or
 - (B) the stress range in the welded joint is not more than 80% of the permissible stress range of stress Category B of AS 3990, (Category SP weld, see Clause 1.5.2); or

- (C) the stress range in the welded joint is greater than 80% of the permissible stress range for stress Category B of AS 3990, or exceeds the stress range permitted for detail Category 112 of AS 4100 or NZS 3404.1 (Category FP weld, see Clause 1.5.2), but does not exceed the maximum stress ranges permitted for these categories.

In addition to the abovementioned structures, the Standard applies to the welding of bridges, cranes, hoists, earthmoving equipment, other dynamically loaded structures and steelwork in applications other than structural.

NOTES:

- 1 Further information on this Standard, which the drafting committee could not incorporate, is given in WTIA Technical Note 11.
- 2 Complementary codes that facilitate design and fabrication of high strength quenched and tempered steels include the following:
 - (a) American Institute of Steel Construction Specification for the Design, Fabrication and Erection of Structural Steel for Buildings.
 - (b) American Association of State Highway and Transportation Officials, Standard Specifications for Highway Bridges.
 - (c) American Railway Engineering Association Specifications for Steel Railway Bridges.
- 3 The Standard requires that weld preparations, welding consumables and welding procedures be qualified before commencement of welding. Prequalified joint preparations, welding consumables and welding procedures are also given in the Standard.
- 4 In catering for structures subject to fatigue conditions as well as statically loaded structures, the Standard provides three categories of welds with three differing levels of weld quality assurance, associated with the different types of service to which the welds are subjected. The intention is for designer to elect the category suited to the severity of the service and nominate this on the drawings, where a structure contains more than one category, this will ensure that appropriate levels of supervision and inspection will be applied to the relevant parts of the structure.

1.2 EXCLUSIONS

The Standard does not apply to the welding of structures by the following processes:

- (1) Oxy-fuel gas welding (GW).
- (2) Resistance welding (RW).
- (3) Friction welding (FW).
- (4) Thermit welding (TW).

The Standard does not apply to the welding of pressure vessels and pressure piping.

The Standard does not cover the design of welded connections and permissible stresses in welds, nor the production, rectification or repair of castings.

1.3 INNOVATION

Any alternative materials, welding processes, consumables, methods of construction or testing that give equivalent results to those specified, but do not comply with the specific requirements of this Standard or are not mentioned in it, are not necessarily prohibited.

The Joint Standards Australia/Standards New Zealand Committee on welding of structures can act in an advisory capacity concerning equivalent suitability, but specific approval remains the prerogative of the inspecting authority.

1.4 REFERENCED DOCUMENTS

The documents referred to in this Standard are listed in Appendix A.

1.5 DEFINITIONS

For the purpose of this Standard, the symbols and definitions given in AS 1101.3 and AS 2812 and those below apply.

1.5.1 Fabricator

The person or organization responsible for the welding of the structure during fabrication or erection.

1.5.2 Inspecting authority

The authority having statutory powers to control the design and erection of buildings or structures.

NOTE: Where the structure is not subject to statutory jurisdiction, the principal is deemed to be the inspecting authority.

1.5.3 Inspector

A person employed by or acceptable to the inspecting authority or principal for the purpose of inspecting welding, in accordance with this Standard.

1.5.4 May

Indicates the existence of an option.

1.5.5 Principal

The purchaser or owner of the structure being fabricated or erected, or a nominated representative.

NOTE: The nominated representative should be suitably qualified to deal with the technical issues of this Standard.

1.5.6 Shall

Indicates that a statement is mandatory.

1.5.7 Should

Indicates a recommendation.

1.6 WELD CATEGORIES

The Standard provides three categories of welds based on the type of application (see Clause 6.1), which in turn necessitates two levels of quality assurance (i.e., inspection and acceptance of weld imperfections) suitable for different weld applications and service conditions.

The three weld categories shall be designated as follows:

- (a) *GP (general purpose)*—to be generally be selected where —
 - (i) the weld is essentially statically loaded and designed to meet the appropriate requirements of AS 4100 or NZS 3404.1;
 - (ii) the weld is stressed to not more than 50% of the relevant maximum permissible stress as specified in AS 3990; or
 - (iii) the welding application is other than structural.

NOTE: Welds nominated as Category SP, but not complying with the requirements for that category, may be considered as Category GP welds, provided the requirements of the design Standard are satisfied and the principal has agreed.

- (b) *SP (structural purpose)*—to be generally be selected where —
 - (i) the weld is essentially statically loaded and designed to meet the appropriate requirements of AS 4100 or NZS 3404.1;
 - (ii) the weld is stressed to more than 50% of the relevant maximum permissible stress as specified in AS 3990; or
 - (iii) the weld is subject to dynamic loading within the limits specified in Clause 1.1.
- (c) *FP (Fatigue purposes)*—to be only be selected where the weld is subjected to high levels of dynamic loading where the stress ranges exceed detail Category 112 of AS 4100 or NZS 3404.1; or where they exceed 80% of the permissible stress range for Category B of AS 3990.

1.7 BASIC WELDING REQUIREMENTS

The basis of this Standard is that a weld shall—

- (a) be made in accordance with a qualified welding procedure;
- (b) be carried out by a welder suitably qualified to carry out such a procedure;
- (c) be carried out under the supervision of a welding supervisor who is employed by or contracted to the fabricator; and
- (d) comply with the appropriate requirements of this Standard.

For certain conditions prescribed herein, the welding procedure is deemed to be prequalified and may not require full qualification testing (see Clause 4.3 and Table 4.7.1).

NOTE: Fabricators may find it useful to refer to AS/NZS ISO 3834 and its part where fabrication activities require the approval of the principal or the inspecting authority, or where the fabrication of large, complex or critical structures is being undertaken.

1.8 SAFETY

1.8.1 Safety equipment and procedures

Welding shall be carried out in accordance with the relevant requirements of AS 1470, AS 1674.1, AS 1674.2, AS/NZS 1336, AS/NZS 1337, AS/NZS 1338.1 and AS/NZS 2865.

1.8.2 Welding equipment

Welding plant and equipment shall comply with the relevant sections of the appropriate regulations, and the relevant requirements of AS 1966.1, AS 1966.2, AS 2799, AS/NZS 1995 and IEC 60974-1.

1.8.3 Other hazards

The fabricator shall identify and manage any other risks and hazards from welding that are not covered by Clauses 1.8.1 and 1.8.2. In particular, due consideration shall be given to the control of emitted fumes, especially when welding through paints, primers and other surface coatings.

NOTES:

- 1 Guidance on the management of risk is given in AS/NZS 4360.
- 2 Further guidance on safety precautions is given in WTIA Technical Notes 7 and 22.