

AS 1684.3—2010 Residential timber-framed construction (Incorporating Amendment No. 1)

# Part 3: Cyclonic Areas



This Australian Standard® was prepared by Committee TM-002, Timber Framing. It was approved on behalf of the Council of Standards Australia on 21 December 2009. This Standard was published on 21 June 2010.

The following are represented on Committee TM-002:

- A3P
- Association of Consulting Engineers, Australia
- Australian Building Codes Board
- Australian Institute of Building
- Building Research Association of New Zealand
- CSIRO Manufacturing and Infrastructures Technology
- Engineered Wood Products Association of Australasia
- Engineers Australia
- Forest Industries Federation (WA)
- Frame and Truss Manufacturers Association Australia
- Housing Industry Association
- Master Builders, Australia
- New Zealand Timber Industry Federation
- Scion
- South Australian Housing Trust
- Timber and Building Materials Association, NSW
- Timber Development Association, NSW
- Timber Queensland

Additional Interests:

• Mr Peter Juniper

This Standard was issued in draft form for comment as DR AS 1684.3.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

#### Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

AS 1684.3—2010 (Incorporating Amendment No. 1)

Australian Standard<sup>®</sup>

## **Residential timber-framed construction**

# Part 3: Cyclonic areas

First published as AS O56—1946. Second edition 1948. Revised and redesignated as AS CA38—1971. Revised and redesignated as AS 1684—1975. Third edition 1992. Revised and redesignated in part as AS 1684.3—1999. Third edition 2010. Reissued incorporating Amendment No. 1 (June 2012).

### COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 0 7337 9434 6

### PREFACE

This Standard was prepared by the Joint Standards Australian/Standards New Zealand Committee TM-002, Timber Framing, to supersede AS 1684.3—2006.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

This Standard incorporates Amendment No. 1 (June 2012). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide the building industry with procedures that can be used to determine building practice, to design or check construction details, and to determine member sizes, and bracing and fixing requirements for timber-framed construction in cyclonic areas.

The objectives of this revision are to-

- (a) include editorial amendments and some technical changes to correct mistakes, clarify interpretation and enhance the application of the document;
- (b) incorporate the outcomes of recent research projects that considered the role and function of wall noggings (Clause 6.2.1.5) and alternative simplified tie-down systems for higher wind areas in particular using ring beam construction methods;
- (c) include information on generic building practices for EWPs (engineered wood products), which are being widely used in timber-framed construction (see Appendix J); and
- (d) provide some adjustments to the Span Table values in Supplements for stress grades MGP 10, MGP 12 and MGP 15 in response to changes to the design characteristic values for these stress grades in AS 1720.1.

NOTE: These adjustments have been made recognizing that MGP stress grades represent the major product usage in the marketplace. Further work is required to assess and more fully respond to existing and expected changes to the related loading, design, and design criteria Standards, and this may result in a future revision of Span Tables in the Supplements for all stress grades.

The increased scope and application of this Standard to cater for these conditions has also led to the need to perform a more rigorous design check on a wider range of members and construction practices including windowsill trimmers and roof bracing.

This Standard is a companion publication to the following:

AS

- 1684 Residential timber-framed construction
- 1684.1 Part 1: Design criteria
- 1684.2 Part 2: Non-cyclonic areas
- 1684.4 Part 4: Simplified—Non-cyclonic areas

It should also be noted that AS 1684.4 includes additional differences to AS 1684.2 and 1684.3.

Supplement	0	General introduction and index
C1 Supp.	1	Wind classification C1—Seasoned softwood—Stress grade F5
C1 Supp.	2	Wind classification C1—Seasoned softwood—Stress grade F7
C1 Supp.	3	Wind classification C1—Seasoned softwood—Stress grade F8
C1 Supp.	4	Wind classification C1—Seasoned softwood—Stress grade MGP 10
C1 Supp.	5	Wind classification C1—Seasoned softwood—Stress grade MGP 12
C1 Supp.	6	Wind classification C1—Seasoned softwood—Stress grade MGP 15
C1 Supp.	7	Wind classification C1—WA seasoned hardwood—Stress grade F14
C1 Supp.	8	Wind classification C1—Seasoned hardwood—Stress grade F17
C1 Supp.	9	Wind classification C1—Seasoned hardwood—Stress grade F27
C1 Supp.	10	Wind classification C1—Unseasoned softwood—Stress grade F5
C1 Supp.	11	Wind classification C1—Unseasoned softwood—Stress grade F7
C1 Supp.	12	Wind classification C1—Unseasoned hardwood—Stress grade F8
C1 Supp.	13	Wind classification C1—Unseasoned hardwood—Stress grade F11
C1 Supp.	14	Wind classification C1—Unseasoned hardwood—Stress grade F14
C1 Supp.	15	Wind classification C1—Unseasoned hardwood—Stress grade F17
C2 Supp.	1	Wind classification C2—Seasoned softwood—Stress grade F5
C2 Supp.	2	Wind classification C2—Seasoned softwood—Stress grade F7
C2 Supp.	3	Wind classification C2—Seasoned softwood—Stress grade F8
C2 Supp.	4	Wind classification C2—Seasoned softwood—Stress grade MGP 10
C2 Supp.	5	Wind classification C2—Seasoned softwood—Stress grade MGP 12
C2 Supp.	6	Wind classification C2—Seasoned softwood—Stress grade MGP 15
C2 Supp.	7	Wind classification C2—WA seasoned hardwood—Stress grade F14
C2 Supp.	8	Wind classification C2—Seasoned hardwood—Stress grade F17
C2 Supp.	9	Wind classification C2—Seasoned hardwood—Stress grade F27
C2 Supp.	10	Wind classification C2—Unseasoned softwood—Stress grade F5
C2 Supp.	11	Wind classification C2—Unseasoned softwood—Stress grade F7
C2 Supp.	12	Wind classification C2—Unseasoned hardwood—Stress grade F8
C2 Supp.	13	Wind classification C2—Unseasoned hardwood—Stress grade F11
C2 Supp.	14	Wind classification C2—Unseasoned hardwood—Stress grade F14
C2 Supp.	15	Wind classification C2—Unseasoned hardwood—Stress grade F17
C3 Supp.	1	Wind classification C3—Seasoned softwood—Stress grade F5
C3 Supp.	2	Wind classification C3—Seasoned softwood—Stress grade F7
C3 Supp.	3	Wind classification C3—Seasoned softwood—Stress grade F8
C3 Supp.	4	Wind classification C3—Seasoned softwood—Stress grade MGP 10
C3 Supp.	5	Wind classification C3—Seasoned softwood—Stress grade MGP 12
C3 Supp.	6	Wind classification C3—Seasoned softwood—Stress grade MGP 15
C3 Supp.	7	Wind classification C3—WA seasoned hardwood—Stress grade F14
C3 Supp.	8	Wind classification C3—Seasoned hardwood—Stress grade F17
C3 Supp.	9	Wind classification C3—Seasoned hardwood—Stress grade F27
C3 Supp.	10	Wind classification C3—Unseasoned softwood—Stress grade F5
C3 Supp.	11	Wind classification C3—Unseasoned softwood—Stress grade F7
C3 Supp.	12	Wind classification C3—Unseasoned hardwood—Stress grade F8
C3 Supp.	13	Wind classification C3—Unseasoned hardwood—Stress grade F11
C3 Supp.	14	Wind classification C3—Unseasoned hardwood—Stress grade F14
C3 Supp.	15	Wind classification C3—Unseasoned hardwood—Stress grade F17
11		

The following Supplements form an integral part of, and must be used in conjunction with, this Standard:

Span tables in Supplements for unseasoned hardwood F8 and F11 may be used for unseasoned F8 and F11 softwood as well.

A CD-ROM, which contains the above Supplements, is attached to this Standard.

This Standard does not preclude the use of framing, fastening or bracing methods or materials other than those specified. Alternatives may be used, provided they satisfy the requirements of the Building Code of Australia.

Statements expressed in mandatory terms in Notes to tables and figures are deemed to be requirements of this Standard.

Notes to the text contain information and guidance. They are not an integral part of the Standard.

Statements expressed in mandatory terms in Notes to the Span Tables are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

## Page

SECTIO	ON 1 SCOPE AND GENERAL	
1.1	SCOPE AND APPLICATION	7
1.2	COMPANION DOCUMENTS	7
1.3	NORMATIVE REFERENCES	8
1.4	LIMITATIONS	9
1.5	DESIGN CRITERIA	12
1.6	FORCES ON BUILDINGS	12
1.7	LOAD PATHS—OFFSETS AND CANTILEVERS	13
1.8	DURABILITY	14
1.9	DIMENSIONS	15
1.10	BEARING	15
1.11	STRESS GRADES	15
1.12	ENGINEERED TIMBER PRODUCTS AND	
	ENGINEERED WOOD PRODUCTS (EWPs)	16
1.13	SIZE TOLERANCES	16
1.14	ALTERNATIVE TIMBER DIMENSIONS	17
1.15	STEEL GRADE AND CORROSION PROTECTION	17
1.16	CONSIDERATIONS FOR DESIGN USING THIS STANDARD	18
1.17	INTERPOLATION	18
SECTIO	ON 2 TERMINOLOGY AND DEFINITIONS	
2.1	GENERAL	19
2.2	TERMINOLOGY OF FRAMING MEMBERS	19
2.3	VERTICAL LAMINATION	22
2.4	STUD LAMINATION	24
2.5	HORIZONTAL NAIL LAMINATION—WALL PLATES ONLY	24
2.6	LOAD WIDTH AND AREA SUPPORTED	25
2.7	DEFINITIONS—GENERAL	30
SECTIO	ON 3 SUBSTRUCTURE	
3.1	GENERAL	34
3.2	SITE PREPARATION AND DRAINAGE	34
3.3	GROUND CLEARANCE AND SUBFLOOR VENTILATION	34
3.4	DURABILITY	34
3.5	SUBSTRUCTURE BRACING	34
3.6	SUBFLOOR SUPPORTS	34
SECTIO	DN 4 FLOOR FRAMING	
4.1	GENERAL	38
4.1 4.2	GENERAL BUILDING PRACTICE	38 39
4.1 4.2 4.3	GENERAL BUILDING PRACTICE MEMBER SIZES	38 39 43

SECTIO	ON 5 FLOORING AND DECKING	
5.1	GENERAL	50
5.2	PLATFORM FLOORS	
5.3	FITTED FLOORS (CUT-IN FLOORS)	
5.4	EXPANSION JOINTS	
5.5	LAYING AND FIXING	
5.6	WET AREA FLOORS	
5.7	JOIST SPACING—FLOORING	
5.8	DECKING	55
~ ~ ~ ~ ~		
SECTIC	ON 6 WALL FRAMING	
6.1	GENERAL	
6.2	BUILDING PRACTICE	
6.3	MEMBER SIZES	65
SECTIO	ON 7 ROOF FRAMING	
7.1	GENERAL	
7.2	BUILDING PRACTICE	
7.3	MEMBER SIZES	
arowie		
SECTIC	JN 8 KACKING AND SHEAK FORCES (BRACING)	110
8.1	GENERAL	
8.2	TEMPORARY BRACING	
8.3	WALL AND SUBFLOOR BRACING	
SECTIO	ON 9 FIXINGS AND TIE-DOWN DESIGN	
9.1	GENERAL	
9.2	GENERAL CONNECTION REQUIREMENTS	
9.3	PROCEDURE FLOW CHART	
9.4	NOMINAL AND SPECIFIC FIXING REQUIREMENTS	
9.5	NOMINAL FIXINGS (MINIMUM FIXINGS)	
9.6	SPECIFIC TIE-DOWN FIXINGS	
9.7	SHEAR FORCES	

A	TYPICAL CONSTRUCTION MASS	.219
В	DURABILITY	. 222
С	INTERPOLATION	. 226
D	EXAMPLES—FOUNDATION BEARING AREA AND EVEN DISTRIBUTION	[
	OF BRACING	. 227
E	MOISTURE CONTENT AND SHRINKAGE	. 230
F	RACKING FORCES—ALTERNATIVE PROCEDURE	. 233
G	TIMBER SPECIES AND PROPERTIES	. 243
Н	STORAGE AND HANDLING	. 254
Ι	COLLAR TIES WITH MULTIPLE ROWS OF UNDERPURLINS	. 255
J	BUILDING PRACTICES FOR ENGINEERED WOOD PRODUCTS (EWPs)	. 256
BIBI	JOGRAPHY	. 269

## STANDARDS AUSTRALIA

7

## Australian Standard Residential timber-framed construction

## Part 3: Cyclonic areas

## SECTION 1 SCOPE AND GENERAL

### 1.1 SCOPE AND APPLICATION

### 1.1.1 Scope

This Standard specifies requirements for building practice and the selection, placement and fixing of the various structural elements used in the construction of timber-framed Class 1 and Class 10 buildings as defined by the Building Code of Australia and within the limitations given in Clause 1.4. The provisions of this Standard also apply to alterations and additions to such buildings.

This Standard also provides building practice and procedures that assist in the correct specification and determination of timber members, bracing and connections, thereby minimizing the risk of creating an environment that may adversely affect the ultimate performance of the structure.

This Standard may also be applicable to the design and construction of other classes of buildings where the design criteria, loadings and other parameters applicable to those classes of building are within the limitations of this Standard.

NOTES:

- 1 See AS 1684.1 for details of design criteria, loadings and other parameters.
- 2 Whilst this Standard may be used to design Class 10 buildings, less conservative levels of design for this building class may be permitted by building regulations and other Australian Standards.
- 3 Advisory information for the construction and specifications of timber stairs, handrails and balustrades is provided in the FWPA's publication (see the Bibliography).

#### 1.1.2 Application

Throughout this Standard, reference is made to the Span Tables in the Supplements. The Supplements are an integral part of, and shall be used in conjunction with, this Standard.

### **1.2 COMPANION DOCUMENTS**

This Standard is a companion publication to the following:

AS

1684 Residential timber-framed construction

- 1684.1 Part 1: Design criteria
- 1684.2 Part 2: Non-cyclonic areas
- 1684.4 Part 4: Simplified—Non-cyclonic areas

### **1.3 NORMATIVE REFERENCES**

The following are the normative documents referenced in this Standard:

NOTE: Documents referenced for informative purposes are listed in the Bibliography.

AS

- 1170 Structural design actions
- 1170.4 Part 4: Earthquake actions in Australia
- 1214 Hot-dip galvanized coatings on threaded fasteners (ISO metric coarse thread series)
- 1397 Steel sheet and strip—Hot-dip zinc-coated or aluminium/zinc-coated
- 1684 Residential timber-framed construction
- 1684.1 Part 1: Design criteria
- 1691 Domestic oil-fired appliances—Installation
- 1720 Timber structures
- 1720.1 Part 1: Design methods
- 1720.2 Part 2: Timber properties
- 1810 Timber—Seasoned cypress pine—Milled products
- 1860 Particleboard flooring
- 1860.2 Part 2: Installation
- 2796 Timber—Hardwood—Sawn and milled products
- 2796.1 Part 1: Product specification
- 2870 Residential slabs and footings—Construction
- 3700 Masonry structures
- 4055 Wind loads for housing
- 4440 Installation of nailplated timber trusses
- 4785 Timber—Softwood—Sawn and milled products
- 4785.1 Part 1: Product specification
- 5604 Timber—Natural durability ratings

AS/NZS

- 1170 Structural design actions
- 1170.1 Part 1: Permanent, imposed and other actions
- 1170.2 Part 2: Wind actions
- 1604 Specification for preservative treatment (all Parts)
- 1859 Reconstituted wood-based panels—Specifications
- 1859.4 Part 4: Wet-processed fibreboard
- 1860 Particleboard flooring
- 1860.1 Part 1: Specifications
- 2269 Plywood—Structural
- 2269.0 Part 0: Specifications
- 2918 Domestic solid fuel burning appliances—Installation
- 4534 Zinc and zinc/aluminium-alloy coatings on steel wire
- 4791 Hot-dip galvanized (zinc) coatings on ferrous open sections, applied by an in-line process