

AS 3600 Supplement 1—1994

---

**Concrete structures—Commentary  
(Supplement to AS 3600—1994)**

---

This Australian Standard was prepared by Committee BD/2, Concrete Structures. It was approved on behalf of the Council of Standards Australia on 27 July 1994 and published on 10 October 1994.

---

The following interests are represented on Committee BD/2:

Association of Consulting Engineers, Australia  
Australian Construction Services  
Australian Federation of Construction Contractors  
Australian Precast Concrete Manufacturers Association  
AUSTROADS  
Bureau of Steel Manufacturers of Australia  
Cement and Concrete Association of Australia  
CSIRO, Division of Building, Construction and Engineering  
Department of Public Works, N.S.W.  
Hydro-electric Commission, Tas.  
Institution of Engineers, Australia  
Master Builders Construction and Housing Association, Australia  
National Ash Association of Australasia  
National Ready Mixed Concrete Association  
Steel Reinforcement Institute of Australia  
South Australian Department of Housing and Construction  
University of Adelaide  
University of New South Wales  
University of Sydney  
University of Technology, Sydney  
Water Board—Sydney, Illawarra and Blue Mountains

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

## AS 3600 Supplement 1—1994

---

### **Concrete structures—Commentary (Supplement to AS 3600—1994)**

---

AS 3600 Supplement 1 first published in part as  
SAA MP28.C4 — 1975.  
SAA MP28.C6 first published 1977.  
SAA MP28.C9 first published 1975.  
SAA MP28.C10 first published 1975.  
SAA MP28.C11 first published 1977.  
SAA MP28.C12 to C15 first published 1977.  
SAA MP28.C19 first published 1978.  
SAA MP28.C21 first published 1978.  
SAA MP28.C22 first published 1978.  
SAA MP28.C23 first published 1978.  
SAA MP28.C25 first published 1978.  
SAA MP28.C26 first published 1975.  
These Standards revised, amalgamated and redesignated  
AS 3600 Supplement 1—1990.  
Second edition 1994.  
Incorporating:  
Amdt 1 — 1996

PUBLISHED BY STANDARDS AUSTRALIA  
(STANDARDS ASSOCIATION OF AUSTRALIA)  
1 THE CRESCENT, HOMEBUSH, NSW 2140

## PREFACE

This Commentary (AS 3600—Supplement 1) was prepared by Standards Australia Committee on Concrete Structures and first published in 1990 to replace MP 28, *Commentary on AS 1480—Concrete Structures Code*, which was withdrawn in January 1991. While it is intended that it be read in conjunction with AS 3600, *Concrete structures*, it does not form an integral part of that Standard.

**Objective** The objective of this Commentary is—

- (a) to provide background reference material to the Clauses in the Standard;
- (b) to indicate the origin of particular requirements;
- (c) to indicate departures from previous practice; and
- (d) to explain the application of certain Clauses.

The clause numbers and titles used in the Commentary are the same as those in AS 3600 except that they are prefixed by the letter C. To avoid possible confusion between Commentary and Standard clauses cross-referenced within the text, Commentary clauses are referred to as 'Paragraph C ...' in accordance with Standards Australia policy.

Gaps in the numerical sequence of Commentary Paragraphs indicate that either the technical requirements of the corresponding clauses in the Standard are essentially the same as those previously given in AS 1480, *Concrete Structures Code* or AS 1481, *Prestressed Concrete Code*, or the committee considered that commentary on these clauses was not needed.

Where appropriate, each Section of the Commentary concludes with a list of references which are cross-referenced numerically in the text, e.g. (Ref. 6) or (Refs 6, 7 and 8). In some Sections additional references for further reading, or as a lead to specialist literature, have also been listed.

As noted in the Preface to AS 3600, the Standard represents a comprehensive revision and amalgamation of AS 1480 and AS 1481. To put things in perspective, AS 1480 and AS 1481 largely dated back to 1973 and essentially represented the technology of the 1960s. Since then there have been considerable advances in materials and construction technology. Also, due to the increased application of computers to modelling and analytical techniques, an improved understanding of both material and member behaviour in complete structures has been realized. More sophisticated analysis and design procedures are now readily available to design-office staff via desktop computers, while complex formulas can be quickly evaluated using electronic calculators.

While the Standard inevitably reflects the abovementioned changes, a considerable amount of material and concepts have been retained from AS 1480 and AS 1481, particularly in those areas where the benefits of technical change seemed doubtful to the committee. However, in all such instances the opportunity was taken to edit retained requirements, in order to remove ambiguities which in the past have led to conflicting interpretations.

### Background to second edition

The background to the second edition of this Commentary is essentially the same as that given in the Preface of the second edition of AS 3600, with respect to new and revised reference Standards. Furthermore, in agreeing to a second edition of the Standard rather than the usual 'green-slip' amendments, the Committee also agreed that the same philosophy should in addition apply to the Commentary so that consistency would be maintained between corresponding editions of the two documents.

As the Commentary had not been amended since its publication, the opportunity was taken to include improvements suggested in the interim by users, as well as the appropriate changes necessitated by the 1990 and 1994 amendments to AS 3600. All such changes are indicated by a single bar in the left-hand margin for the extent of the affected text or figure.

**Objective of second edition**

The objective of the second edition is to provide a clean, updated version of the Commentary that is consistent with the second edition of AS 3600.

Like the Standard itself, this Commentary is neither an immutable nor a perfect document. Suggestions for improvement to the Commentary, in either the content or extent of that provided, are therefore welcomed by Standards Australia.

---

**ACKNOWLEDGMENTS**

Standards Australia wishes to acknowledge and thank the following members of BD/2 and its subcommittees who have contributed significantly to this Commentary.

Assoc. Prof. R Q Bridge  
Mr B J Corcoran  
Prof. K A Faulkes  
Mr B J Ferguson  
Dr I Gilbert  
Dr D Gunasekera  
Mr H P Isaacs  
Dr F S Pitman  
Mr R J Potter  
Prof. B V Rangan  
Mr W J Semple  
Mr D J Smee  
Mr G C Verge  
Dr P F Walsh  
Prof. R T Warner  
Mr A C Whitting  
Mr P J Wyche

## CONTENTS

	<i>Page</i>
SECTION C1 SCOPE AND GENERAL	
C1.1 SCOPE AND APPLICATION .....	8
C1.2 REFERENCED DOCUMENTS .....	8
C1.3 INTERPRETATIONS AND USE OF ALTERNATIVE MATERIALS OR METHODS .....	8
C1.4 DESIGN .....	9
C1.5 CONSTRUCTION .....	9
C1.6 DEFINITIONS .....	9
C1.7 NOTATION .....	10
SECTION C2 DESIGN REQUIREMENTS AND PROCEDURES	
C2.1 DESIGN REQUIREMENTS .....	19
C2.3 DESIGN FOR STRENGTH .....	19
C2.4 DESIGN FOR SERVICEABILITY .....	20
C2.6 DESIGN FOR DURABILITY .....	21
C2.7 DESIGN FOR FIRE RESISTANCE .....	21
C2.8 OTHER DESIGN REQUIREMENTS .....	22
SECTION C3 LOADS AND LOAD COMBINATIONS FOR STABILITY, STRENGTH AND SERVICEABILITY	
C3.1 LOADS AND OTHER ACTIONS .....	24
C3.2 LOAD COMBINATION FOR STABILITY DESIGN .....	24
C3.3 LOAD COMBINATIONS FOR STRENGTH DESIGN .....	24
SECTION C4 DESIGN FOR DURABILITY	
C4.1 APPLICATION OF SECTION .....	26
C4.2 DESIGN FOR DURABILITY .....	27
C4.3 EXPOSURE CLASSIFICATION .....	28
C4.4 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATIONS A1 AND A2 .....	30
C4.5 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATIONS B1, B2 AND C .....	30
C4.6 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATION U .....	31
C4.7 ADDITIONAL REQUIREMENTS FOR ABRASION .....	31
C4.8 ADDITIONAL REQUIREMENTS FOR FREEZING AND THAWING ....	31
C4.9 RESTRICTION ON CHEMICAL CONTENT IN CONCRETE .....	32
C4.10 REQUIREMENTS FOR COVER TO REINFORCING STEEL AND TENDONS .....	32
SECTION C5 DESIGN FOR FIRE RESISTANCE	
C5.1 SCOPE OF SECTION .....	35
C5.2 DEFINITIONS .....	37
C5.3 DESIGN REQUIREMENTS .....	37
C5.4 FIRE-RESISTANCE PERIODS FOR BEAMS .....	38
C5.5 FIRE-RESISTANCE PERIODS FOR SLABS .....	40
C5.6 FIRE-RESISTANCE PERIODS FOR COLUMNS .....	40

	<i>Page</i>
C5.7 FIRE-RESISTANCE PERIODS FOR WALLS . . . . .	40
C5.8 FIRE-RESISTANCE PERIODS FROM FIRE TESTS . . . . .	41
C5.9 CALCULATION OF FIRE TEST PERFORMANCE . . . . .	41
C5.10 INCREASE OF FIRE-RESISTANCE PERIODS BY USE OF INSULATING MATERIALS . . . . .	41
 SECTION C6 DESIGN PROPERTIES OF MATERIALS	
C6.1 PROPERTIES OF CONCRETE . . . . .	45
C6.2 PROPERTIES OF REINFORCEMENT . . . . .	51
C6.3 PROPERTIES OF TENDONS . . . . .	52
C6.4 LOSS OF PRESTRESS . . . . .	54
 SECTION C7 METHODS OF STRUCTURAL ANALYSIS	
C7.1 METHODS OF ANALYSIS . . . . .	59
C7.2 SIMPLIFIED METHOD FOR REINFORCED CONTINUOUS BEAMS AND ONE-WAY SLABS . . . . .	60
C7.3 SIMPLIFIED METHOD FOR REINFORCED TWO-WAY SLABS SUPPORTED ON FOUR SIDES . . . . .	60
C7.4 AND C7.5 TWO-WAY SLAB SYSTEMS . . . . .	60
C7.4 SIMPLIFIED METHOD FOR REINFORCED TWO-WAY SLAB SYSTEMS HAVING MULTIPLE SPANS . . . . .	61
C7.5 IDEALIZED FRAME METHOD FOR STRUCTURES INCORPORATING TWO-WAY SLAB SYSTEMS . . . . .	61
C7.6 LINEAR ELASTIC ANALYSIS . . . . .	62
C7.7 ELASTIC ANALYSIS OF FRAMES INCORPORATING SECONDARY BENDING MOMENTS . . . . .	64
C7.8 RIGOROUS STRUCTURAL ANALYSIS . . . . .	65
C7.9 PLASTIC METHODS OF ANALYSIS FOR SLABS . . . . .	65
 SECTION C8 DESIGN OF BEAMS FOR STRENGTH AND SERVICEABILITY	
C8.1 STRENGTH OF BEAMS IN BENDING . . . . .	67
C8.2 STRENGTH OF BEAMS IN SHEAR . . . . .	73
C8.3 STRENGTH OF BEAMS IN TORSION . . . . .	79
C8.4 LONGITUDINAL SHEAR IN BEAMS . . . . .	80
C8.5 DEFLECTION OF BEAMS . . . . .	82
C8.6 CRACK CONTROL OF BEAMS . . . . .	86
C8.7 VIBRATION OF BEAMS . . . . .	88
C8.8 T-BEAMS AND L-BEAMS . . . . .	88
C8.9 SLENDERNESS LIMITS FOR BEAMS . . . . .	88
 SECTION C9 DESIGN OF SLABS FOR STRENGTH AND SERVICEABILITY	
C9.1 STRENGTH OF SLABS IN BENDING . . . . .	92
C9.2 STRENGTH OF SLABS IN SHEAR . . . . .	93
C9.3 DEFLECTION OF SLABS . . . . .	95
C9.4 CRACK CONTROL OF SLABS . . . . .	96
C9.5 VIBRATION OF SLABS . . . . .	97
C9.6 MOMENT RESISTING WIDTH FOR ONE-WAY SLABS SUPPORTING POINT LOADS . . . . .	97

## SECTION C10 DESIGN OF COLUMNS FOR STRENGTH AND SERVICEABILITY

C10.1	GENERAL . . . . .	99
C10.2	DESIGN PROCEDURES . . . . .	100
C10.3	DESIGN OF SHORT COLUMNS . . . . .	103
C10.4	DESIGN OF SLENDER COLUMNS . . . . .	103
C10.5	SLENDERNESS . . . . .	107
C10.6	STRENGTH OF COLUMNS IN COMBINED BENDING AND COMPRESSION . . . . .	109
C10.7	REINFORCEMENT REQUIREMENTS FOR COLUMNS . . . . .	112
C10.8	TRANSMISSION OF AXIAL FORCE THROUGH FLOOR SYSTEMS . . . . .	113

## SECTION C11 DESIGN OF WALLS

C11.1	APPLICATION . . . . .	116
C11.2	DESIGN PROCEDURES . . . . .	116
C11.3	BRACING OF WALLS . . . . .	116
C11.4	SIMPLIFIED DESIGN METHOD FOR BRACED WALLS SUBJECTED TO VERTICAL FORCES ONLY . . . . .	116
C11.5	DESIGN OF WALLS FOR IN-PLANE HORIZONTAL FORCES . . . . .	116
C11.6	REINFORCEMENT REQUIREMENTS FOR WALLS . . . . .	118

## SECTION 12 DESIGN OF NON-FLEXURAL MEMBERS, END ZONES AND BEARING SURFACES

C12.1	DESIGN OF NON-FLEXURAL MEMBERS . . . . .	119
C12.2	ANCHORAGE ZONES FOR PRESTRESSING ANCHORAGES . . . . .	122
C12.3	BEARING SURFACES . . . . .	126

## SECTION C13 STRESS DEVELOPMENT AND SPLICING OF REINFORCEMENT AND TENDONS

C13.1	STRESS DEVELOPMENT IN REINFORCEMENT . . . . .	128
C13.2	SPLICING OF REINFORCEMENT . . . . .	132
C13.3	STRESS DEVELOPMENT IN TENDONS . . . . .	133
C13.4	COUPLING OF TENDONS . . . . .	133

## SECTION C14 JOINTS, EMBEDDED ITEMS, FIXINGS AND CONNECTIONS

C14.1	DESIGNS OF JOINTS . . . . .	134
C14.2	EMBEDDED ITEMS AND HOLES IN CONCRETE . . . . .	134
C14.3	REQUIREMENTS FOR FIXINGS . . . . .	134

## SECTION C15 PLAIN CONCRETE MEMBERS

C15.1	APPLICATION . . . . .	135
C15.2	DESIGN . . . . .	135
C15.3	STRENGTH IN BENDING . . . . .	135
C15.4	STRENGTH IN SHEAR . . . . .	135
C15.5	STRENGTH IN AXIAL COMPRESSION . . . . .	135



	<i>Page</i>
SECTION C16 CONCRETE PAVEMENTS, FLOORS AND RESIDENTIAL FOOTINGS	
C16.1 APPLICATION . . . . .	136
C16.2 ADDITIONAL DESIGN CONSIDERATIONS FOR PAVEMENTS AND INDUSTRIAL AND COMMERCIAL FLOORS . . . . .	136
C16.3 RESIDENTIAL FLOORS AND FOOTINGS . . . . .	136
SECTION C17 LIQUID RETAINING STRUCTURES	
C17.1 GENERAL . . . . .	137
SECTION C18 MARINE STRUCTURES	
C18.1 APPLICATION . . . . .	138
C18.2 ADDITIONAL LOADS AND ACTIONS . . . . .	138
C18.3 ADDITIONAL DURABILITY AND DESIGN REQUIREMENTS . . . . .	138
SECTION C19 MATERIAL AND CONSTRUCTION REQUIREMENTS	
C19.1 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR CONCRETE AND GROUT . . . . .	141
C19.2 MATERIALS AND CONSTRUCTION REQUIREMENTS FOR REINFORCING STEEL . . . . .	144
C19.3 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR PRESTRESSING DUCTS, ANCHORAGES AND TENDONS . . . . .	145
C19.4 CONSTRUCTION REQUIREMENTS FOR JOINTS AND EMBEDDED ITEMS . . . . .	147
C19.5 TOLERANCES FOR STRUCTURES AND MEMBERS . . . . .	147
C19.6 FORMWORK . . . . .	148
SECTION C20 TESTING AND ASSESSMENT FOR COMPLIANCE OF CONCRETE SPECIFIED BY COMPRESSIVE STRENGTH	
C20.1 GENERAL . . . . .	155
C20.2 MANUFACTURE OF CONCRETE . . . . .	155
C20.3 PROJECT ASSESSMENT . . . . .	155
C20.4 PRINCIPLES FOR ASSESSMENT OF CONCRETE SPECIFIED BY GRADE . . . . .	156
C20.5 ALTERNATIVE ASSESSMENT METHODS . . . . .	156
C20.6 DEEMED TO COMPLY PROVISIONS . . . . .	156
SECTION C21 TESTING OF MEMBERS AND STRUCTURES	
C21.1 PROOF TESTING OF BEAMS AND SLABS . . . . .	157
C21.2 PROTOTYPE TESTING . . . . .	157
C21.3 QUALITY CONTROL TESTING OF MANUFACTURED UNITS . . . . .	158
C21.4 TESTING FOR STRENGTH OF HARDENED CONCRETE IN PLACE . . . . .	158
APPENDIX CA ADDITIONAL REQUIREMENTS FOR STRUCTURES SUBJECT TO SEISMIC ACTIONS . . . . .	160

## STANDARDS AUSTRALIA

## Australian Standard

## AS 3600 Supp 1

## Concrete structures—Commentary (Supplement to AS 3600—1994)

## SECTION C1 SCOPE AND GENERAL

## C1.1 SCOPE AND APPLICATION

**C1.1.1 Scope** The Standard sets out the minimum requirements for the design and construction of safe, serviceable and durable concrete structures. There may be other requirements, not covered by the Standard, which also have to be considered.

**C1.1.2 Application** A lower concrete strength limit of 20 MPa has been imposed, as strength grades less than this are not considered suitable for structures.

An upper concrete strength limit of 50 MPa has been adopted, because much of the research on which the Standard is based involved concrete strengths at or below this value. Nevertheless, higher strength concretes are being used in Australia and overseas (Refs. 1 and 2). The Standard may possibly be applied without change to concretes with 28-day compressive strengths up to 65 MPa. However, beyond 50 MPa, concrete becomes increasingly brittle in its structural behaviour and, as indicated in Note 2, current detailing requirements may be inadequate for ensuring the necessary elastic and ductile behaviour assumed in the various design Sections.

Concretes made from naturally occurring Australian coarse aggregates have surface-dry densities falling in the range 2100 kg/m<sup>3</sup> to 2800 kg/m<sup>3</sup>. Lightweight structural concretes in Australia generally use naturally occurring sands combined with manufactured lightweight aggregates, for which the surface-dry density is seldom less than 1800 kg/m<sup>3</sup>. Density limits for structural concretes have been set accordingly.

Design of road and pedestrian bridges is covered by the 'Austroads Bridge Design Code'.

In the preparation of a Standard such as this, a certain level of knowledge and competence of the majority of users must be assumed. As indicated by the Note, it was assumed that the predominant users of this Standard would be professionally qualified civil or structural engineers experienced in the design of concrete structures, or equally qualified but less experienced persons working under their guidance. It is therefore intended that the Standard be applied and interpreted primarily by such persons.

**C1.2 REFERENCED DOCUMENTS** The Standards listed in Appendix B are subject to revision from time to time. A check should be made with Standards Australia as to the currency of any Standard referenced in the text.

**C1.3 INTERPRETATIONS AND USE OF ALTERNATIVE MATERIALS OR METHODS** It is intended that where Committee Interpretations or Opinions are given, which may relate initially to particular projects but have general application, they will be collated and published in a separate document as 'Rulings', which will be updated on a regular basis. The Rulings will then form the basis for future amendments or revisions of the Standard or its Commentary and will be in line with similar 'Rulings' applying to other Australian Standards.