


Snow Loads


A Guide to the Use and Understanding of the Snow Load Provisions of ASCE 7-02



Michael O'Rourke and Peter D. Wrenn

ASCE
PRESS






Snow Loads

About the Authors

Michael O'Rourke, Ph.D, P.E., received his B.S. in Civil Engineering from Illinois Institute of Technology and his Masters and Ph.D. from Northwestern. During most of his 29 years on the faculty in Civil Engineering at Rensselaer Polytechnic Institute, he has been involved in snow load research sponsored by the U.S. Army Cold Regions Research and Engineering Lab, National Bureau of Standards, National Science Foundation, and the Metal Building Manufacturers Association, among others. This research work has resulted in publication of roughly two dozen referred journal papers and conference proceedings. Dr. O'Rourke has been a member of the ASCE 7 Snow and Rain Loads Committee since 1978 and has been Chair since 1997.

Peter D. Wrenn, P.E., received his BS and Masters in Civil Engineering from Rensselaer Polytechnic Institute. He is an Associate Structural Engineer with the Quality Assurance Unit for the Dormitory Authority–State of New York (DASNY). Prior to joining DASNY, he specialized in the structural rehabilitation and restoration of historic buildings, working on a number of national landmark structures throughout the United States. He was first involved with snow load research as an undergraduate assistant. His graduate work involved the similitude of backward stepped, flat roof snow loads utilizing a water flume. He has participated in snow-related structural failure investigations, case-study design snow load analysis at the U.S. Army Cold Region Research and Engineering Lab, and snow load research for the Metal Building Manufacturers Association.



Snow Loads

A Guide to the Use and Understanding of the Snow Load Provisions of ASCE 7-02

Michael O'Rourke
Peter D. Wrenn

ASCE
PRESS

This is a preview. [Click here to purchase the full publication.](#)

Library of Congress Cataloging-in-Publication Data

O'Rourke, Michael.

Snow loads : a guide to the use and understanding of the snow load provisions of ASCE 7-02 / Michael O'Rourke, Peter D. Wrenn.

p. cm.

Includes bibliographical references and index.

ISBN 0-7844-0725-8

1. Snow loads. 2. Structural dynamics. I. Wrenn, Peter D. II. Title.

TA654.4.O76 2004

624.1'72—dc22

2004049718

Authors' Disclaimer

Although the authors have done their best to ensure that any advice, recommendation, interpretation, or information given herein is accurate, no liability or responsibility of any kind (including liability for negligence) is accepted by the authors.

Published by the American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, VA 20191

www.asce.org

The material presented in this publication has been prepared in accordance with generally recognized engineering principles and practices, and is for general information only. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application.

The contents of this publication are not intended to be and should not be construed to be a standard of the American Society of Civil Engineers (ASCE) and are not intended for use as a reference in purchase of specifications, contracts, regulations, statutes, or any other legal document.

No reference made in this publication to any specific method, product, process, or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefore.

Anyone utilizing this information assumes all liability arising from such use, including but not limited to infringement of any patent or patents.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies: Authorization to photocopy material for internal or personal use under circumstances not falling within the fair use provisions of the Copyright Act is granted by ASCE to libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$18.00 per chapter plus \$.50 per page is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923. The identification for ASCE Books is 0-7844-0725-8/04/\$18.00 + \$.50 per page. Requests for special permission or bulk copying should be addressed to Permissions & Copyright Department, ASCE.

Copyright © 2004 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 0-7844-0725-8

Manufactured in the United States of America.

15 14 13 12 11 10 09 08 07 4 5 6 7 8

Contents

List of Figures	vii
List of Tables	xi
Preface	xiii
Acknowledgments	xv
1. Introduction	1
2. Ground Snow Load	5
2.1 Influence of Latitude, Elevation, and Coastlines	6
2.2 Site-Specific Case Studies	8
2.3 Example 2.1: Ground Snow Loads	10
3. Flat Roof Snow Loads	11
3.1 Measured Conversion Factors	11
3.2 Flat Roof Snow Load	14
3.3 Exposure Factor (C_e)	16
3.4 Example 3.1: Roof Exposure	19
3.5 Thermal Factor (C_t)	20
3.6 Importance Factor (I)	21
3.7 Minimum Roof Loads	21
4. Sloped Roof Snow Load	25
4.1 Example 4.1: Uniform Snow Load, Monoslope Roof (1 on 12)	27
4.2 Example 4.2: Uniform Snow Load, Monoslope Roof (4 on 12)	29
4.3 Example 4.3: Uniform Snow Load, Wide Gable Roof	29
4.4 Example 4.4: Uniform Snow Load, Narrow Gable Roof	30
5. Partial Loading	33
5.1 Continuous-Beam Systems	34
5.2 Other Structural Systems	35
5.3 Example 5.1: Uniform and Partial Snow Load, Monoslope Roof with Overhang	38
5.4 Example 5.2: Partial Snow Load, Continuous Purlins in Gable Roof (1 on 12)	39

5.5	Example 5.3: Partial Snow Load, Continuous Purlins in Gable Roof (3 on 12)	42
5.6	Example 5.4: Partial Snow Load, Continuous Purlins with Low Ground Load	43
6.	Unbalanced Loads	45
6.1	Hip and Gable Roofs	45
6.2	Example 6.1: Unbalanced Snow Load, Narrow Gable Roof	48
6.3	Example 6.2: Unbalanced Snow Load, Wide Gable Roof	48
6.4	Curved Roofs	49
6.5	Example 6.3: Balanced and Unbalanced Snow Load, Curved Roof	51
6.6	Sawtooth-Type Roofs	53
6.7	Example 6.4: Unbalanced Snow Load, Sawtooth Roof	54
6.8	Domes	54
7.	Drifts on Lower Roofs	57
7.1	Leeward Drift	58
7.2	Windward Drift	65
7.3	Example 7.1: Roof Step Drift Load	65
7.4	Example 7.2: Roof Step Drift, Limited Height	68
7.5	Example 7.3: Roof Step Drift, Adjacent Structure	69
7.6	Example 7.4: Roof Step Drift, Low Ground Snow Load	69
8.	Roof Projections	73
8.1	Example 8.1: Parapet Wall Drift	74
8.2	Example 8.2: Roof Top Unit (RTU) Drift	77
8.3	Example 8.3: Parapet Wall Drift, Low Ground Snow Load	78
9.	Sliding Snow Loads	81
9.1	Example 9.1: Sliding Snow Load, Residential Gable Roof (4 on 12)	83
9.2	Example 9.2: Sliding Snow Load, Commercial Gable Roof (1 on 12)	85
9.3	Example 9.3: Sliding Load, Low Ground Snow Area	87
10.	Rain-on-Snow Surcharge Loads	89
10.1	Example 10.1: Uniform Design Snow Load, Monoslope Roof ($\frac{1}{4}$ on 12)	93
10.2	Example 10.2: Uniform Design Snow Load, Gable Roof ($\frac{1}{4}$ on 12)	94
11.	Ponding Instability and Existing Roofs	95
11.1	Ponding Instability	95
11.2	Existing Roofs	96
12.	Frequently Asked Questions	97
	References	113
	Appendix	115
	Index	131

List of Figures

II-1	Relationship between 50-yr Ground Snow Load and 50-yr Ground Snow Depth Used in Determining ASCE 7-02 Snow Load Map . . .	6
II-2	Portion of ASCE 7-02 Ground Snow Load Map Showing Increase in p_g with Distance from Shoreline in New Jersey	7
II-3	Case Study Plot of 50-yr Ground Snow Load versus Elevation for Sites Near Freedland, Pa.	8
II-4	Portion of ASCE 7-02 Ground Snow Load Map Showing Chicago, Ill., and Williamsport, Pa. (Zone for Williamsport is Cross-Hatched)	10
III-1	Sample Variation of Ground and Roof Snow Loads for One Structure during 1976–1977 Winter	12
III-2	Example of Sheltered Roof in CRREL Study	13
III-3	Example of Semisheltered Roof in CRREL Study	13
III-4	Example of Windswept Roof in CRREL Study	14
III-5	Conversion Factor Mean and Standard Deviation for Three Exposure Ratings	15
III-6	Conversion Factor Mean and Standard Deviation for Two Thermal Ratings	16
III-7	Variation of Wind Speed with Elevation for Three Terrain Categories and Constant Geostrophic Speed	17
III-8	North Elevation of Proposed Building Located in a Clearing for Ex. 3.1	19
IV-1	Idaho Conversion Factor Data versus Roof Slope	27
IV-2	Uniform Design Load and Elevation of a Monoslope Roof for Ex. 4.1	28
IV-3	Uniform Design Load and Elevation of a Gable Roof for Ex. 4.3.	30
IV-4	Uniform Design Load and Elevation of a Gable Roof for Ex. 4.4.	31

V-1	West Elevation of a Building with a Pediment. Wind out of the West Results in Nonuniform Loading	34
V-2	West Elevation of a Gable Roof Structure. (a) Wind from the East Results in Partial Loading. (b) Wind from the North Results in Across-the-Ridge Drifting.	36
V-3	Example of a Cantilevered Roof Girder System.	36
V-4	Partial Load Case “A” for a Cantilevered Roof Girder System. (a) Exterior Girder. (b) Interior Girder.	37
V-5	Partial Load Case “B” for a Cantilevered Roof Girder System. (a) Exterior Girder. (b) Interior Girder.	37
V-6	Emergency Vehicle Storage Garage for Ex. 5.1. (a) Roof Framing Plan. (b) North Elevation.	38
V-7	Uniform and Partial Load Cases for Roof Trusses in Ex. 5.1. (a) Uniform Loading. (b) Partial Load Case 1. (c) Partial Load Case 2.	40
V-8	Symmetric Gable Roof Framing Plan for Ex. 5.2	40
V-9	Partial Load Cases for Roof Purlins in Ex. 5.2	41
VI-1	Space Available for Gable Roof Drift Accumulation	46
VI-2	Unbalanced Snow Load and Elevation for Ex. 6.1.	49
VI-3	Unbalanced Snow Load and Elevation for Ex. 6.2.	49
VI-4	Typical Curved Roof Drift Formation.	51
VI-5	Balanced and Unbalanced Snow Loads for Curved Roof in Ex. 6.3.	52
VI-6	Balanced and Unbalanced Snow Loads for Sawtooth Roof in Ex. 6.4.	55
VII-1	Windward and Leeward Snow Drifts.	58
VII-2	Windward Drift Morphing from Quadrilateral to Triangular Shape	58
VII-3	Observed Drift Surcharge Height versus Predicted Drift Surcharge Height, per Eq. (VII-1)	59
VII-4	Surcharge Drift Height versus Drift Width.	61
VII-5	Snowpack Density versus Snowpack Depth, per Eq. (7-4)	62
VII-6	Snow Load versus Snow Depth	63
VII-7	Ratio of Drift Area to Source Area versus 50-yr Ground Snow Load	64
VII-8	West Elevation of Stepped Roof Structure for Ex. 7.1	65
VII-9	Roof Step Snow Loading for Ex. 7.1	67
VII-10	Roof Step Snow Loading for Ex. 7.2	68
VII-11	Drift Loading for Lower, Separated Roof in Ex. 7.3	69

VII-12	Two Load Cases for Step Roof in Ex. 7.4. (a) Uniform Load Case. (b) Balanced Plus Drift Load Case.....	71
VIII-1	Comparison of Observed Windward Surcharge Drift Height with Values Predicted by ASCE 7-02	74
VIII-2	Plan of Monoslope Roof for Ex. 8.1	75
VIII-3	Parapet Wall Drift at Southwest Corner for Ex. 8.1	76
VIII-4	Plan View of Monoslope Roof for Ex. 8.2.....	77
VIII-5	Parapet Wall Drift at Southwest Corner for Ex. 8.3.....	80
IX-1	Onset of Sliding on a Sloped Roof	83
IX-2	Adjacent Roof Elevations for Ex. 9.1	84
IX-3	Garage Roof Design Snow Load for Ex. 9.1	85
IX-4	Adjacent Roof Elevations for Ex. 9.2	86
IX-5	Lower Roof Design Snow Load for Ex. 9.2.....	86
IX-6	Governing Garage Roof Design Snow Load for Ex. 9.3	88
X-1	Uniform Design Load and Elevation of a Gable Roof for Ex. 10.2	94
XI-1	Positive Slope to Drainage for ¼-on-12 Roof Slope and $\delta/L = 1/100$ Deflection Criterion.....	96
XII-1	Classic Nor'easter—Low Pressure System Traveling from New York City to Boston with a Resulting Wind Shift from Easterly to Northerly at Albany.	99
XII-2	Elevation of Mansard Roof for Question 4.....	101
XII-3	Suggested Design Drift Load for Mansard Roof in Question 4 .	102
XII-4	East Elevation of Asymmetric Gable Roof in Question 5	102
XII-5	Suggested Unbalanced Snow Loads for Asymmetric Gable Roof in Question 5. (a) Wind from North. (b) Wind from South.	104
XII-6	New Addition with a Snow Bay	105
XII-7	Reduction of Space Available for Drift Formation. (a) Geofoam Blocks on Existing Roof. (b) Inclined Roof over Drift Accumulation Area.	105
XII-8	Tall Parapet Wall Approaches. (a) Wall at Adjacent/Shared Column Line. (b) Wall at Far End of Addition.....	106
XII-9	Wind Redirection Baffles.....	108
XII-10	Elevation of a Three-Level Roof for Question 7	108