**ASCE STANDARD** 

ASCE/SEI

55-16

# Tensile Membrane Structures





**ASCE/SEI** 

55-16

## Tensile Membrane Structures





PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

This is a preview. Click here to purchase the full publication.

#### Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers.

Title: Tensile membrane structures / American Society of Civil Engineers.

Description: Reston, Virginia: American Society of Civil Engineers, 2017. | "ASCE/SEI

55-16." | Includes index.

Identifiers: LCCN 2016034190 | ISBN 9780784414378 (soft cover : alk. paper) | ISBN 9780784474378

9780784479995 (PDF)

Subjects: LCSH: Tensile architecture–Standards–United States. | Lightweight construction–Standards–United States. | Roofs, Fabric–Standards–United States. | Synthetic fabrics–Standards–United States. | Structural frames–Standards–United States.

Classification: LCC TA663 .T45 2017 | DDC 624.1/77–dc23 LC record available at https://lccn.loc.gov/2016034190

Published by American Society of Civil Engineers 1801 Alexander Bell Drive Reston, Virginia, 20191-4382

www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity. ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an e-mail to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (http://cedb.asce.org) or ASCE Library (http://ascelibrary.org) and using the "Permissions" link.

Errata: Errata, if any, can be found at http://dx.doi.org/10.1061/9780784414378.

Copyright © 2016 by the American Society of Civil Engineers. All Rights Reserved.
ISBN 978-0-7844-1437-8 (soft cover)
ISBN 978-0-7844-7999-5 (PDF)
Manufactured in the United States of America.


23 22 21 20 19 18 17 16 1 2 3 4 5

#### **ASCE STANDARDS**

In 2014, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee, and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent right or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (http://ascelibrary.org/page/books/s-standards).



### **CONTENTS**

2.1.1   Membranes   2.1.2   Qualify   2.2.1   Testing Qualifications   2.2.1   Tests   2.3.1   Prequency   2.3.1   Frequency   2.3.2   Conditions   2.3.3   Flexfold   2.3.4   Biaxial Testing   2.3.5   Uniaxial Testing   2.3.5   Uniaxial Testing   2.3.6   Frequency   2.4.1   General   2.4.1   General   2.4.2   Published Values   2.4.3   Biaxial Testing for Compensation (Fabrication Properties)   2.5.1   Classification   2.5.2   Liners   2.5.3   Height Limitations   2.5.3   Height Limitations   2.5.4   Conformance   2.5.1   General   2.6.2   Processes   2.6.3   Tolerances   2.6.4   Quality   2.6.5   Characteristics   2.6.6   Strength   2.6.7   Breaking Strength   2.7   Cables and Reinforcing   CONNECTIONS   3.1   General   3.2   Fabric to Fabric   3.3   Fabric to Nonfabric   3.4   Other	NOV	LEDGMENTS			
1.1   Scope	GEN	FR AI			
1.2   Definitions					
1.3   Design Documents     1.4   Field Observation     1.4.1   Qualifications     1.4.2   Records     1.5   Alternate Designs     1.6   References					
1.4.1   Qualifications   1.4.2   Records   1.4.1   Qualifications   1.4.2   Records   1.5   Alternate Designs   1.6   References   1.6   References   1.6   References   1.7   References   1.7   References   1.7   References   1.8   Referen					
1.4.1   Qualifications   1.4.2   Records   1.5   Alternate Designs   1.6   References					
1.4.2   Records   1.5   Alternate Designs   1.6   References       References	1.4				
MEMBRANE MATERIALS.					
MEMBRANE MATERIALS.     2.1   General.       2.1.1   Membranes.       2.1.2   Quality.       2.2.1   Testing Qualifications       2.2.3   Physical Testing       2.3.1   Frequency       2.3.2   Conditions       2.3.3   Flexfold       2.3.4   Biaxial Testing       2.3.5   Uniaxial Testing       2.3.6   Frequency       2.4.0   Physical Properties.       2.4.1   General.       2.4.2   Published Values       2.4.3   Biaxial Testing for Compensation (Fabrication Properties)     2.5   Membrane Classification and Fire Performance       2.5.1   Classification and Fire Performance       2.5.2   Liners       2.5.3   Height Limitations       2.5.4   Conformance       2.6.6   Seams       2.6.1   General.       2.6.2   Processes       2.6.3   Tolerances       2.6.4   Quality       2.6.5   Characteristics       2.6.6   Strength       2.6.7   Breaking Strength       2.7   Cables and Reinforcing       CONNECTIONS       3.1   General       3.2   Fabric to Fabric       3.3   Fabric to Nonfabric       3.4   Other					
MEMBRANE MATERIALS.         2.1 General.         2.1.1 Membranes.         2.1.2 Quality         2.2 Testing Qualifications         2.2.1 Tests         2.3.1 Frequency         2.3.2 Conditions         2.3.3 Fiexfold         2.3.4 Biaxial Testing         2.3.5 Uniaxial Testing         2.3.5 Uniaxial Testing         2.3.5 Prequency         2.4 Physical Properties.         2.4.1 General.         2.4.2 Published Values         2.4.3 Biaxial Testing for Compensation (Fabrication Properties)         2.5 Membrane Classification and Fire Performance         2.5.1 Classification         2.5.2 Liners         2.5.3 Height Limitations         2.5.4 Conformance         2.6 Seams         2.6.1 General.         2.6.2 Processes.         2.6.3 Tolerances         2.6.4 Quality         2.6.5 Characteristics         2.6.6 Strength         2.6.7 Breaking Strength         2.7 Cables and Reinforcing     CONNECTIONS  3.1 General.  3.2 Fabric to Nonfabric  3.3 Fabric to Nonfabric  3.4 Other					
2.1.1   Membranes   2.1.2   Quality   2.2   Testing Qualifications   2.2.1   Tests   3.2.2   Testing Qualifications   2.3.1   Frequency   2.3.2   Conditions   2.3.3   Flexfold   2.3.4   Biaxial Testing   2.3.5   Uniaxial Testing   2.3.5   Uniaxial Testing   2.3.6   Frequency   2.3.6   Frequency   2.4.1   General   2.4.2   Published Values   2.4.1   General   2.4.2   Published Values   2.4.3   Biaxial Testing for Compensation (Fabrication Properties)   2.5.5   Membrane Classification and Fire Performance   2.5.1   Classification   2.5.2   Liners   2.5.3   Height Limitations   2.5.4   Conformance   2.5.1   General   2.6.2   Processes   2.6.3   Tolerances   2.6.4   General   2.6.5   Characteristics   2.6.6   Strength   2.6.7   Breaking Strength   2.6.7   Fabric to Fabric   3.3   Fabric to Fabric   3.3   Fabric to Nonfabric   3.4   Other   DESIGN	1.6	References			
2.1.1   General	MEI	IEMBRANE MATERIALS			
2.1.1   Membranes   2.1.2   Quality		General			
2.1.2   Quality					
2.2.1 Tests       2.2.1 Tests         2.3 Physical Testing       2.3.1 Frequency         2.3.2 Conditions       2.3.3 Flexfold         2.3.3 Flexfold       2.3.4 Biaxial Testing         2.3.5 Uniaxial Testing       2.3.6 Frequency         2.4 Physical Properties       2.4.1 General         2.4.2 Published Values       2.4.3 Biaxial Testing for Compensation (Fabrication Properties)         2.5 Membrane Classification and Fire Performance       2.5.1 Classification         2.5.2 Liners       2.5.3 Height Limitations         2.5.4 Conformance       2.5.4 Conformance         2.6 Seams       2.6.1 General         2.6.2 Processes       2.6.3 Tolerances         2.6.4 Quality       2.6.5 Characteristics         2.6.6 Strength       2.6.6 Strength         2.7 Cables and Reinforcing       CONNECTIONS         3.1 General       3.1 General         3.2 Fabric to Fabric       3.3 Fabric to Nonfabric         3.4 Other       DESIGN					
2.2.1 Tests  2.3 Physical Testing 2.3.1 Frequency 2.3.2 Conditions 2.3.3 Flexfold 2.3.4 Biaxial Testing 2.3.5 Uniaxial Testing 2.3.6 Frequency 2.4 Physical Properties 2.4.1 General 2.4.2 Published Values 2.4.3 Biaxial Testing for Compensation (Fabrication Properties) 2.5 Membrane Classification and Fire Performance 2.5.1 Classification 2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance 2.6 Seams 2.6.1 General 2.6.2 Processes 2.6.3 Tolerances 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other	2.2				
2.3 Physical Testing 2.3.1 Frequency 2.3.2 Conditions 2.3.3 Flexfold 2.3.4 Biaxial Testing 2.3.5 Uniaxial Testing 2.3.6 Frequency 2.4 Physical Properties 2.4.1 General 2.4.2 Published Values 2.4.3 Biaxial Testing for Compensation (Fabrication Properties) 2.5 Membrane Classification and Fire Performance 2.5.1 Classification 2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance 2.6 Seams 2.6.1 General 2.6.2 Processes 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other					
2.3.1 Frequency 2.3.2 Conditions 2.3.3 Flexfold 2.3.4 Biaxial Testing. 2.3.5 Uniaxial Testing. 2.3.5 Frequency 2.4.1 General. 2.4.1 General. 2.4.2 Published Values. 2.4.3 Biaxial Testing for Compensation (Fabrication Properties). 2.5 Membrane Classification and Fire Performance 2.5.1 Classification. 2.5.2 Liners 2.5.3 Height Limitations. 2.5.4 Conformance. 2.6.6 Seams 2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances. 2.6.4 Quality. 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other.	2.3				
2.3.2 Conditions 2.3.3 Flexfold 2.3.4 Biaxial Testing. 2.3.5 Uniaxial Testing 2.3.6 Frequency 2.4 Physical Properties. 2.4.1 General. 2.4.2 Published Values. 2.4.3 Biaxial Testing for Compensation (Fabrication Properties). 2.5 Membrane Classification and Fire Performance 2.5.1 Classification. 2.5.2 Liners 2.5.3 Height Limitations. 2.5.4 Conformance. 2.6 Seams 2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other	2.5	·			
2.3.3 Flexfold 2.3.4 Biaxial Testing 2.3.5 Uniaxial Testing 2.3.6 Frequency 2.4 Physical Properties 2.4.1 General 2.4.2 Published Values 2.4.3 Biaxial Testing for Compensation (Fabrication Properties) 2.5 Membrane Classification and Fire Performance 2.5.1 Classification 2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance 2.6.1 General 2.6.2 Processes 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other		1 7			
2.3.4   Biaxial Testing   2.3.5   Uniaxial Testing   2.3.6   Frequency   2.4.7   Physical Properties   2.4.1   General   2.4.2   Published Values   2.4.3   Biaxial Testing for Compensation (Fabrication Properties)   2.5.1   Classification and Fire Performance   2.5.1   Classification   2.5.2   Liners   2.5.3   Height Limitations   2.5.4   Conformance   2.5.1   Conformance   2.5.1   Classification   2.5.2   Conformance   2.5.3   General   2.6.1   General   2.6.2   Processes   2.6.3   Tolerances   2.6.4   Quality   2.6.5   Characteristics   2.6.6   Strength   2.6.7   Breaking Strength   2.6.7   Cables and Reinforcing   CONNECTIONS   3.1   General   3.2   Fabric to Pabric   3.3   Fabric to Nonfabric   3.4   Other   CDESIGN   CD					
2.3.5 Uniaxial Testing 2.3.6 Frequency 2.4 Physical Properties 2.4.1 General 2.4.2 Published Values 2.4.3 Biaxial Testing for Compensation (Fabrication Properties).  2.5 Membrane Classification and Fire Performance 2.5.1 Classification 2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance.  2.6.1 General 2.6.2 Processes 2.6.3 Tolerances 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN	2.4				
2.3.6 Frequency 2.4 Physical Properties. 2.4.1 General. 2.4.2 Published Values. 2.4.3 Biaxial Testing for Compensation (Fabrication Properties). 2.5 Membrane Classification and Fire Performance 2.5.1 Classification. 2.5.2 Liners 2.5.3 Height Limitations. 2.5.4 Conformance. 2.6 Seams 2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other.					
2.4       Physical Properties.         2.4.1       General.         2.4.2       Published Values.         2.4.3       Biaxial Testing for Compensation (Fabrication Properties).         2.5       Membrane Classification and Fire Performance         2.5.1       Classification.         2.5.2       Liners         2.5.3       Height Limitations.         2.5.4       Conformance.         2.6       Seams         2.6.1       General.         2.6.2       Processes.         2.6.3       Tolerances         2.6.4       Quality.         2.6.5       Characteristics         2.6.6       Strength         2.6.7       Breaking Strength         2.7       Cables and Reinforcing         CONNECTIONS         3.1       General.         3.2       Fabric to Fabric         3.3       Fabric to Nonfabric         3.4       Other         DESIGN		e			
2.4.1 General         2.4.2 Published Values         2.4.3 Biaxial Testing for Compensation (Fabrication Properties)         2.5 Membrane Classification and Fire Performance         2.5.1 Classification         2.5.2 Liners         2.5.3 Height Limitations         2.5.4 Conformance         2.6 Seams         2.6.1 General         2.6.2 Processes         2.6.3 Tolerances         2.6.4 Quality         2.6.5 Characteristics         2.6.6 Strength         2.6.7 Breaking Strength         2.7 Cables and Reinforcing          CONNECTIONS         3.1 General         3.2 Fabric to Fabric         3.3 Fabric to Nonfabric         3.4 Other		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
2.4.2 Published Values. 2.4.3 Biaxial Testing for Compensation (Fabrication Properties).  2.5 Membrane Classification and Fire Performance 2.5.1 Classification. 2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance.  2.6 Seams 2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other.					
2.4.3 Biaxial Testing for Compensation (Fabrication Properties).  2.5 Membrane Classification and Fire Performance 2.5.1 Classification. 2.5.2 Liners 2.5.3 Height Limitations. 2.5.4 Conformance.  2.6 Seams 2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing.					
2.5       Membrane Classification and Fire Performance         2.5.1       Classification         2.5.2       Liners         2.5.3       Height Limitations         2.5.4       Conformance         2.6       Seams         2.6.1       General         2.6.2       Processes         2.6.3       Tolerances         2.6.4       Quality         2.6.5       Characteristics         2.6.6       Strength         2.6.7       Breaking Strength         2.7       Cables and Reinforcing         CONNECTIONS         3.1       General         3.2       Fabric to Fabric         3.3       Fabric to Nonfabric         3.4       Other					
2.5.1 Classification 2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance  2.6 Seams 2.6.1 General 2.6.2 Processes 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other	2.5				
2.5.2 Liners 2.5.3 Height Limitations 2.5.4 Conformance.  2.6 Seams 2.6.1 General 2.6.2 Processes 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other	2.5				
2.5.3 Height Limitations 2.5.4 Conformance  2.6 Seams  2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other					
2.5.4 Conformance  2.6 Seams  2.6.1 General. 2.6.2 Processes. 2.6.3 Tolerances 2.6.4 Quality. 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing   CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other.  DESIGN					
2.6       Seams         2.6.1       General         2.6.2       Processes         2.6.3       Tolerances         2.6.4       Quality         2.6.5       Characteristics         2.6.6       Strength         2.6.7       Breaking Strength         2.7       Cables and Reinforcing         CONNECTIONS         3.1       General         3.2       Fabric to Fabric         3.3       Fabric to Nonfabric         3.4       Other		č			
2.6.1 General. 2.6.2 Processes 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General. 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other.					
2.6.2 Processes 2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN	2.6				
2.6.3 Tolerances 2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN					
2.6.4 Quality 2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other					
2.6.5 Characteristics 2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other					
2.6.6 Strength 2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN					
2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN		2.6.5 Characteristics			
2.6.7 Breaking Strength 2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN					
2.7 Cables and Reinforcing  CONNECTIONS 3.1 General 3.2 Fabric to Fabric 3.3 Fabric to Nonfabric 3.4 Other  DESIGN					
3.1 General	2.7	Cables and Reinforcing			
3.1 General. 3.2 Fabric to Fabric	CON	NECTIONS			
3.2 Fabric to Fabric					
3.3 Fabric to Nonfabric	3.2				
3.4 Other       Other    DESIGN					
DESIGN					
	J. <del>4</del>	Ould			
4.1 Notation					
	4.1	Notation			

4.2	Loads.	
	4.2.1	General
	4.2.2	Dead Load
	4.2.3	Superimposed Loads
	4.2.4	
		Snow, Rain, and Seismic Loads
	4.2.5	Wind Loads
	4.2.6	Minimum Roof Live Loads
	4.2.7	Ice Loads
	4.2.8	Temporary Loads
	4.2.9	Internal Pressure for Air-Supported Membranes
4.3		erations for Design and Analysis
4.5	4.3.1	General
	4.3.2	Disproportionate Collapse
	4.3.3	Structural Stability
	4.3.4	Design
	4.3.5	Analysis
	4.3.6	Strength Requirements under Sustained Loading
	4.3.7	Corrosion Protection
	4.3.8	Deterioration
4.4		r Proportioning.
4.4		
	4.4.1	General
	4.4.2	Life-cycle Factor
4.5		ombinations
	4.5.1	Applicability
	4.5.2	Load Combinations and Strength Reduction Factors
4.6	Compo	nent Resistance
	4.6.1	Membrane
	4.6.2	Cables, Webs, and Mechanical Joints.
4.7		
4.7		
	4.7.1	Reactions
	4.7.2	Design Considerations
5 FA 5.1		N AND ERECTION
	5.1.2	Tolerances
	5.1.3	Quality
	5.1.4	Records
	5.1.5	Membrane Compensation
5.2		1
3.2	5.2.1	General
	5.2.2	Analysis
	5.2.3	Safety
	5.2.4	Rigging
6 SPI	CIAL DDO	VICIONS FOR AID SUPPORTED STRUCTURES
		VISIONS FOR AIR-SUPPORTED STRUCTURES
6.1		n
6.2		l
6.3	Inflatio	n Air Supply Equipment
	6.3.1	Requirements
		6.3.1.1 Equipment Requirements
		6.3.1.2 Auxiliary Inflation System
		6.3.1.3 Blower Equipment
		6.3.1.4 Standby Power
		6.3.1.5 Support Provisions
		6.2.1.6 Alama Crystam
	600	6.3.1.6 Alarm System
٠	6.3.2	Deflation Index
6.4	Ducting	Deflation Index
6.5	Ducting Ventilat	Deflation Index
	Ducting Ventilat	Deflation Index
6.5	Ducting Ventilat	Deflation Index