
Water Resources Engineering

Handbook of Essential
Methods and Design

Anand Prakash

ASCE
PRESS

Water Resources Engineering

Handbook of Essential
Methods and Design

Anand Prakash



This is a preview. [Click here to purchase the full publication.](#)

Cataloging-in-Publication Data on file with the Library of Congress

Published by American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia 20191
www.asce pubs.asce.org

Any statements expressed in these materials are those of the individual authors and do not necessarily represent the views of ASCE, which takes no responsibility for any statement made herein. No reference made in this publication to any specific method, product, process or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE. The materials are for general information only and do not represent a standard of ASCE, nor are they intended as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefore. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application. Anyone utilizing this information assumes all liability arising from such use, including but not limited to infringement of any patent or patents.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies: Authorization to photocopy material for internal or personal use under circumstances not falling within the fair use provisions of the Copyright Act is granted by ASCE to libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$18.00 per article is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923. The identification for ASCE Books is 0-7844-0683-9/03/\$18.00. Requests for special permission or bulk copying should be addressed to Permissions & Copyright Dept., ASCE.

Copyright © 2004 by the American Society of Civil Engineers.
All Rights Reserved.
ISBN 0-7844-0674-X
Manufactured in the United States of America.

CONTENTS

List of Figures	ix
List of Tables	x
Preface	xiii
Acknowledgments	xiv
Chapter 1. Introduction	1
Water Resources Engineering	1
Planning of Water Resources Engineering Projects	2
Documentation of Water Resources Engineering Studies	2
Chapter 2. Hydrologic Analyses	5
Estimation of Peak Flows	6
<i>Rational Method</i>	6
<i>Regression Equations</i>	19
<i>Statistical Analysis of Available Data</i>	22
Surface Runoff Hydrographs.	25
<i>Unit Hydrograph</i>	29
<i>Kinematic Wave Method</i>	32
<i>Design Storm Duration and Depth</i>	32
<i>Soil Losses</i>	33
<i>Snowmelt and Snow Loads</i>	37
<i>Baseflow</i>	39
<i>Combining Hydrographs and Routing through Channels</i>	39
<i>Probable Maximum Flood Hydrograph</i>	40
<i>Risk Analysis and Estimation of Failure Probabilities</i>	46
<i>Benefit-Cost Analysis</i>	49
Reservoir Operation Studies	50
<i>Generation of Streamflow Sequences</i>	50
<i>Flow Duration Analysis</i>	53
<i>Mass Curve (Rippl) Analysis</i>	54
<i>Estimation of 7-day Average 10-yr Low Flow</i>	56
Hydrologic Models	62
<i>Models for Development and Routing of Storm Runoff Hydrographs</i>	62
<i>Continuous Flow Simulation Models</i>	64
<i>Other Useful Models</i>	65
Chapter 3. Hydraulic Analysis.	67
Classification of Flows	67
Steady Uniform Flow in Open Channels.	68
Design of Nonerrodible Channels	69
Design of Erodible Channels.	72

<i>Maximum Permissible Velocity</i>	72
<i>Nonsilting, Nonscouring Velocity</i>	74
<i>Design of Vegetated Channels</i>	78
Flow Through Bends	82
Freeboard	83
Water Surface Profiles	83
Critical Flow	86
Hydraulics of Weirs and Spillways	87
<i>Broad-Crested and Sharp-Crested Weirs</i>	87
<i>Ogee Crest</i>	88
<i>Flow along Steep Slopes</i>	91
<i>Hydraulic Jump</i>	91
<i>Unsteady Flow</i>	99
<i>Overland Flow along Slopes</i>	100
<i>Soil Erosion on Slopes</i>	103
<i>Sediment Yield Analysis</i>	105
<i>Wind Erosion</i>	110
<i>Sediment Transport Analysis</i>	111
<i>Open-Channel Dispersion</i>	114
<i>Far-Field Dispersion</i>	117
<i>Estimation of Dispersion Coefficients</i>	124
<i>Dissolved Oxygen Concentrations in Streams</i>	126
Pipe Flow	130
<i>Laminar Flow in Pipes</i>	130
<i>Turbulent Flow in Pipes</i>	131
<i>Hydraulics of Diffusers</i>	136
<i>Water Hammer</i>	143
Hydraulic Models	144
Chapter 4. Groundwater	147
Occurrence of Groundwater and Types of Porous Media	147
Properties of Porous Media	148
<i>Permeability and Hydraulic Conductivity</i>	148
One-Dimensional Steady-State Groundwater Flow	151
<i>Darcian Flow</i>	151
<i>Non-Darcian Flow</i>	153
Steady-State Radial Flow	155
<i>Flow to a Single Well</i>	155
<i>Groundwater Mound</i>	156
<i>Capture Zone</i>	157
<i>Partially Penetrating Well</i>	159
<i>Radius of Influence</i>	160
<i>Well Interference</i>	161
<i>Induced Recharge</i>	162
<i>Recharge by Precipitation</i>	163
<i>Seawater Intrusion</i>	164
<i>Effect of Barometric Pressure Fluctuations</i>	166
<i>Subsidence</i>	167
<i>Safe Yield, Specific Capacity, and Efficiency</i>	169

Transient (Unsteady) Groundwater Flow	170
<i>Unsteady One-Dimensional Flow</i>	170
<i>Bank Storage</i>	171
<i>Flow toward Drains and Drain Spacing</i>	174
<i>Response of Groundwater Levels to River Stage Fluctuations</i>	177
<i>Unsteady Radial Flow to a Well Fully Penetrating a Confined Aquifer</i>	178
<i>Unsteady Radial Flow to a Well Fully Penetrating an Unconfined Aquifer</i>	183
<i>Estimation of Aquifer Parameters</i>	184
<i>Slug Tests</i>	188
<i>Contaminant Transport in Saturated Zone</i>	192
<i>Flow and Contaminant Transport through Fractured Rock</i>	199
Contaminant Transport through Unsaturated (Vadose) and Saturated Soil Zones	200
<i>Gas Phase Transport</i>	203
Monitoring Well Installation	206
<i>Groundwater Flow and Transport Models</i>	207
Chapter 5. Hydraulic Designs	209
Introduction	209
Channel Transitions	209
<i>Flood Control</i>	212
<i>Erosion Protection</i>	217
<i>Dams and Reservoirs</i>	236
Stilling Basins and Energy Dissipation Devices	263
<i>Hydroelectric Power</i>	270
Chapter 6. Economic Analysis	289
Estimates of Costs and Benefits of Water Resources	
Engineering Projects	289
<i>Benefit-Cost Analysis</i>	290
<i>Evaluation of Water Resources Engineering Project Alternatives</i>	292
Chapter 7. Environmental Issues and Monitoring	299
Introduction	299
Environmental Impact Statement	301
<i>Definition and Format of an EIS</i>	301
<i>Content of an EIS</i>	302
Environmental Impacts of Water Resources Engineering Projects	303
<i>Environmental Impacts of Dams</i>	303
<i>Environmental Impacts of Other Water Resources Engineering Projects</i>	305
Evaluation and Analysis of Impacts	306
Environmental Monitoring	308
Introduction	308
<i>Components of Environmental Monitoring</i>	309
Evaluation of Environmental Significance of Projects	312
<i>Significance for Fish Habitat Sustainability and Enhancement</i>	312
<i>Significance for Recreational Activities</i>	313
Remedial Investigation and Feasibility Studies (RI/FS)	314

Definition and Scope 314
Regulatory Perspective. 318
Relevant Hydrologic Processes and Simulations. 319
Remediation Technologies 324
References **327**
Index **341**

FIGURES

2-1(a).	IDF curves (arithmetic scale)	16
2-1(b).	IDF curves (log scale)	16
2-2.	Typical surface runoff hydrograph	29
2-3.	Watershed map	40
2-4.	Line diagram of hydrologic network	43
2-5.	Hurricane-prone watershed	47
2-6(a).	Mass curves of flow and demand	58
2-6(b).	Mass curve analysis	59
2-7.	Flow duration curve	61
3-1.	Split flow schematic	85
3-2.	Typical ogee crest shape	89
3-3.	Hydraulic jump in a horizontal channel	92
3-4.	Typical specific energy curve	95
3-5.	Typical Blench curve	95
3-6.	Drop with sloping apron	96
3-7(a).	Hydraulic jump on mild slope	97
3-7(b).	Hydraulic jump on steep slope	97
3-8.	Overland flow along embankment slope	102
3-9.	Schematic of low-level outlet	134
3-10.	Schematic of water supply lines	137
4-1.	Schematic of tile drains	153
4-2.	Schematic of saltwater interface and upconing	165
4-3.	Schematic of slug test well	189
4-4.	Pollutograph reaching water table	202
4-5.	Schematic of gaseous diffusion	204
5-1.	Channel contraction and expansion	211
5-2.	Typical groin	215
5-3(a).	Weighted creep length	233
5-3(b).	Line diagram of drop structure floor	234
5-4.	Morning glory spillway discharge curve	257
5-5.	Siphon spillway schematic	258
5-6.	Plan view of four cycles of labyrinth spillway	262
5-7.	Schematic of ski jump bucket	270
5-8.	Simple surge tank	279
5-9.	Line diagram of draft tube	282

TABLES

2-1.	Commonly used values of runoff coefficients	7
2-2.	Typical values of K_n	10
2-3.	Approximate overland flow velocities (cm/s)	11
2-4.	Typical values of Manning's n for sheet flow	12
2-5.	Typical values of retardance coefficient	13
2-6(a).	Rainfall depth-duration-frequency table	15
2-6(b).	Rainfall intensity-duration-frequency table	15
2-7.	Rainfall data for mine site	17
2-8.	Annual maximum 10-min rainfall (mm)	19
2-9.	10-min annual maximum screened rainfall (mm)	20
2-10.	Regression coefficients and errors of prediction for USGS regression equation for Kansas	21
2-11.	Estimated 100-yr peak flows.	21
2-12.	Selected values of frequency factor for normal or log-normal distribution	23
2-13.	Statistical analysis of annual peak flows of Ohio River at Louisville, Kentucky	26
2-14.	Time distribution and sequencing of design storms.	34
2-15.	Typical runoff curve numbers (AMC II and $I_a = 0.2 S_a$)	36
2-16(a).	Hydraulic parameters of subwatersheds	41
2-16(b).	Kinematic wave parameters for Subwatersheds 11 and 12	41
2-16(c).	Sequence of rainfall-runoff computations.	42
2-17(a).	PMP depths	46
2-17(b).	Subwatershed parameters	46
2-17(c).	Sequence of rainfall-runoff computations for hurricane-prone watershed	47
2-17(d).	PMP depths for 5- to 30-min durations	47
2-18(a).	Computation of expected damage protection or benefits	49
2-18(b).	Computation of benefit-cost ratio	50
2-19(a).	Monthly streamflow and rainfall data for gauged watershed	52
2-19(b).	Known monthly rainfall and estimated monthly flows	53
2-20(a).	Monthly streamflow data (m^3/s)	55
2-20(b).	Mass curve analysis with variable demand.	55
2-20(c).	Mass curve analysis with constant demand	57
2-21(a).	Daily streamflow data (1 year) (m^3/s)	60
2-21(b).	Flow duration table	61
2-22(a).	7-day average annual low flows	63
2-22(b).	Computation of 7-day average low flow.	63
2-22(c).	Statistical parameters of 7-day average annual low flows.	64
3-1.	Typical values of Manning's roughness coefficient.	70
3-2.	Suitable side slopes for nonerodible channels	71
3-3.	Trial computations for concrete-lined channel	72
3-4.	Typical values of Manning's roughness coefficients and maximum permissible velocities	73

3-5.	Suitable side slopes for erodible channels	73
3-6.	Approximate values of coefficient a in Shields equation	76
3-7.	Retardance classes for different vegetal covers	79
3-8.	Guide for selection of retardance class	80
3-9.	Permissible velocities for channels lined with vegetation	80
3-10(a).	VR and n values for different retardation classes	81
3-10(b).	n and VR values for different retardation classes	81
3-11.	Coefficients and exponents of ogee profile equation	89
3-12(a).	Discharge coefficients for vertical-faced ogee crest with varying values of P	90
3-12(b).	Discharge coefficients for vertical-faced ogee crest for other than design head	90
3-13.	Toe velocities for spillways with downstream face slopes of $0.6H:1V$ to $0.8H:1V$	91
3-14.	Selected values of x , y , m , n , and l	94
3-15.	Length of jump on horizontal floor	96
3-16.	Hydraulic jump calculations for location of horizontal floor below sloping aprons	99
3-17.	Typical values of roughness factor, c	101
3-18.	Overland flow computations using Horton's method	103
3-19.	Typical values of soil erodibility factor, K	107
3-20.	Suspended sediment load and streamflow data	109
3-21.	Coefficients in sediment transport capacity equation	110
3-22.	Soil loss in tons/acre (t/ha) on unridged surface, WEG = 2, $C = 30\%$, in Wyoming	112
3-23.	Particle size distribution of annual sediment load	114
3-24.	Computations of trap efficiency	115
3-25.	Rates of seepage of contaminated water	122
3-26.	Concentration distribution in stream	123
3-27.	First-order biodegradation rate constants and Henry's law constants for selected chemicals	123
3-28.	Typical values of volatilization rate constants	124
3-29.	Longitudinal dispersion coefficients for selected streams	125
3-30.	Transverse dispersion coefficients for selected streams	125
3-31.	Solubility of oxygen in water at atmospheric pressure	129
3-32(a).	Typical values of Manning's n for pipes	132
3-32(b).	Typical values of Hazen-Williams, C_H	133
3-33.	Typical values of pipe wall roughness, e	133
3-34.	Saturated vapor pressure of water	134
3-35.	Computed hydraulic parameters at selected diffuser ports	141
4-1.	Porosity, particle unit weight, and dry bulk unit weight of porous media	149
4-2.	Physical properties of pure water	149
4-3.	Typical values of permeability (k) and hydraulic conductivity (K)	150
4-4.	Typical values of $Wm^{0.50}$	154
4-5(a).	Coordinates of capture zone for a single well in uniform flow	159
4-5(b).	Coordinates of capture zone for two wells in uniform flow	159
4-6.	Maxey-Eakin coefficients	164
4-7(a).	Water table elevations near shoreline	165
4-7(b).	Position of saltwater–freshwater interface	166
4-8.	Typical values of specific storage	171