

AWS D1.8/D1.8M:2021
An American National Standard

Structural Welding Code— Seismic Supplement



This is a preview. [Click here to purchase the full publication.](#)

AWS D1.8/D1.8M:2021
An American National Standard

Approved by the
American National Standards Institute
August 16, 2021

Structural Welding Code— Seismic Supplement

4th Edition

Revises AWS D1.8/D1.8M:2016

Prepared by the
American Welding Society (AWS) D1 Committee on Structural Welding

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This code supplements the requirements of AWS D1.1/D1.1M, *Structural Welding Code—Steel*. This code is intended to be applicable to welded joints in Seismic Force Resisting Systems designed in accordance with the AISC Seismic Provisions. Clauses 1–7 constitute a body of rules for the regulation of welding in Seismic Force Resisting Systems. There are seven mandatory annexes in this code. A commentary of the code is included with the document.



This is a preview. [Click here to purchase the full publication.](#)

ISBN Print: 978-1-64322-206-6

ISBN PDF: 978-1-64322-207-3

© 2021 by American Welding Society

All rights reserved

Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: www.copyright.com.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be revised, corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex I). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS D1 Committee on Structural Welding. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are requested and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS D1 Committee on Structural Welding and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS D1 Committee on Structural Welding to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

...

[This is a preview. Click here to purchase the full publication.](#)

This page is intentionally blank.

Personnel

AWS D1 Committee on Structural Welding

T. L. Niemann, Chair	<i>Fickett Structural Solutions</i>
R. D. Medlock, Vice Chair	<i>High Steel Structures, LLC</i>
N. S. Lindell, Second Vice Chair	<i>Project & Quality Solutions</i>
J. A. Molin, Secretary	<i>American Welding Society</i>
U. W. Aschemeier	<i>Subsea Global Solutions</i>
E. L. Bickford	<i>International Inspection Services, Incorporated</i>
T. W. Burns	<i>Thom Burns Consulting, LLC</i>
H. H. Campbell, III	<i>Pazuzu Engineering</i>
R. D. Campbell	<i>Bechtel</i>
B. M. Connelly	<i>Eustis Engineering, LLC</i>
R. B. Corbit	<i>Retired</i>
M. E. Gase	<i>Midwest Steel</i>
T. P. Green	<i>Wiss, Janney, Elstner Associates</i>
M. A. Grieco	<i>MassDOT Research and Materials Laboratory</i>
J. J. Kenney	<i>Shell International E&P</i>
J. H. Kiefer	<i>ConocoPhillips (Retired)</i>
J. R. Kissell	<i>Trinity Consultants (Retired)</i>
B. R. Krueger	<i>Los Alamos National Laboratory</i>
V. Kuruvilla	<i>Lexicon</i>
J. Lawmon	<i>American Engineering and Manufacturing, Incorporated</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
M. J. Mayes	<i>Terracon Consultants</i>
D. L. McQuaid	<i>D. L. McQuaid & Associates, Incorporated</i>
J. K. Merrill	<i>TRC Companies</i>
D. K. Miller	<i>The Lincoln Electric Company</i>
J. B. Pearson, Jr.	<i>ALRV Consultant, LLC</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
T. J. Schlafly	<i>American Steel Institute of Construction</i>
R. E. Shaw, Jr.	<i>Steel Structures Technology Center, Incorporated</i>
A. W. Sindel	<i>TRC Companies</i>
M. M. Tayarani	<i>Pennoni Associates, Incorporated</i>
P. Torchio, III	<i>Williams Enterprises of GA, Incorporated (Retired)</i>

Advisors to the D1 Main Committee on Structural Welding

N. J. Altebrando	<i>STV, Incorporated</i>
G. L. Fox	<i>Consultant</i>
H. E. Gilmer	<i>TUV Rheinland Industrial Solutions</i>
G. J. Hill	<i>GJ Hill & Associates</i>
M. L. Hoitomt	<i>Consultant</i>
C. W. Holmes	<i>Modjeski & Masters, Incorporated (Retired)</i>
W. S. Houston	<i>Nelson Stud Welding—Stanley Black & Decker</i>
M. D. Kerr	<i>McDermott</i>
P. G. Kinney	<i>Sandia National Laboratories</i>

Advisors to the D1 Main Committee on Structural Welding (Continued)

P. W. Marshall	<i>Moonshine Hill Proprietary</i>
G. S. Martin	<i>Consultant</i>
T. C. Myers	<i>Consultant</i>
D. C. Phillips	<i>Retired</i>
R. W. Stieve	<i>Parsons Corporation</i>
W. D. Wright	<i>Advantage Aviation Technologies</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

AWS D1L Subcommittee on Seismic Structures

R. E. Shaw, Jr., Chair	<i>Steel Structures Technology Center, Incorporated</i>
J. K. Merrill, Vice Chair	<i>TRC Companies</i>
J. A. Molin, Secretary	<i>American Welding Society</i>
S. E. Anderson	<i>Anderson Inspections</i>
C. Hanson Carbonneau	<i>Banker Steel Company</i>
R. Caroti	<i>Arcelor Mittal</i>
D. A. Koch	<i>Washington State University</i>
J. O. Malley	<i>Degenkolb Engineers</i>
B. R. Manning	<i>Schuff Steel</i>
M. J. Mayes	<i>Terracon Consultants</i>
D. W. Meyer	<i>ESAB Welding & Cutting Products</i>
D. K. Miller	<i>The Lincoln Electric Company</i>
P. R. Niewiarowski	<i>Sargent & Lundy</i>
T. J. Schlafly	<i>American Institute of Steel Construction</i>
R. H. R. Tide	<i>Wiss, Janney, Elstner Associates</i>

Advisors to the D1L Subcommittee on Seismic Structures

N. J. Altebrando	<i>STV, Incorporated</i>
T. P. Green	<i>Wiss, Janney, Elstner Associates</i>
R. Hamburger	<i>Simpson Gumpertz & Heger</i>
T. L. Niemann	<i>Fickett Structural Solutions</i>
D. K. Panda	<i>TMK IPSCO</i>
D. C. Phillips	<i>Retired</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
D. Rees-Evans	<i>Steel Dynamics</i>

Foreword

This foreword is not part of this standard but is included for informational purposes only.

Background. Damage sustained by welded steel moment-frame buildings in the 1994 Northridge earthquake, and extensive research conducted by the FEMA/SAC program following that earthquake, demonstrated that in order to obtain adequate performance of welded steel structures under conditions of severe earthquake-induced inelastic straining, additional controls on design, detailing, materials, workmanship, testing, and inspection are necessary. This research resulted in substantive changes to the AISC Seismic Provisions, which control the design of steel Seismic Force Resisting Systems (SFRS) designed to withstand severe inelastic straining as well as certain aspects of the materials and detailing of these systems. The provisions contained in this standard complement the AISC Seismic Provisions and are intended to ensure that welded joints that are designed to undergo significant repetitive inelastic strains as a result of earthquakes, or that are used to connect members designed to resist such inelastic strains, have adequate strength, notch toughness, and integrity to perform as intended. This code, together with AWS D1.1/D1.1M, *Structural Welding Code—Steel*, specifies the acceptable materials, procedures, and workmanship for constructing welded joints in SFRS designed in accordance with the AISC Seismic Provisions as well as the procedures and acceptance criteria for quality control and quality assurance inspection of welded joints in the SFRS. In some regions of the U.S., with low risk of intense earthquake shaking, building codes permit design of steel Seismic Force Resisting Systems that do not conform to the requirements of the AISC Seismic Provisions. The requirements of this code apply only to the SFRS in structures designed in accordance with the AISC Seismic Provisions and need not be applied to structures not designed to those provisions.

The first edition of D1.8 /D1.8M was published in 2005. The Supplement was revised in 2009 and again in 2016. This is the fourth edition of the AWS D1.8/D1.8M, *Structural Welding Code—Seismic Supplement*.

Editorial and technical revisions from the previous edition are indicated by underlining text. Changes in tables and figures have a single, vertical line in the margin. The following is a list of the most significant revisions from the 2016 edition:

Summary of Changes	
Clause/Table/ Figure/Annex	Modification
Clause 3	The definition of lowest anticipated service temperature (LAST) was revised, and a new definition was added; weld access hole.
Clause 4	Clause 4.3 was re-written to provide specific information about the mockup test. Figure 4.3 was revised and Figure 4.4, a new figure, was added for clarity. The macroetch specimen acceptance criteria was also revised for clarity.
Clause 6	Intermix of FCAW-S Filler Metal was revised to standardize the testing in accordance with Annex B. The Heat Input clause was modified to show the filler metals exempt from the heat input envelope testing in new Tables 6.4 and 6.5 rather than in the text. References to AWS A5.36 were removed as AWS A5.36 has been withdrawn. References to AWS A5.20 -D Designator were removed as they have been removed from AWS A5.20. Figure 6.2 was revised so that you can use it when working with small members and to prevent the slope of the access hole from being too large.
Annex B	Annex B was revised to describe an intermix test for FCAW-S over ESW welds. A new figure was also added to illustrate ESW, FCAW-S intermix test plate setup.

Commentary. The Commentary is nonmandatory and is intended only to provide insight, information, and provision rationale.

Normative Annexes. These annexes address specific subjects in the code and their requirements are mandatory requirements that supplement the code provisions.

Errata. All errata to a standard shall be published in the *Welding Journal* and posted on the AWS website (www.aws.org/standards/page/errata).

Suggestions. Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, D1L Subcommittee on Seismic Structures, American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

Table of Contents

	Page No.
<i>Personnel</i>	v
<i>Foreword</i>	vii
<i>List of Tables</i>	xi
<i>List of Figures</i>	xi
1. General Requirements	1
1.1 Scope and General Provisions	1
1.2 Standard Units of Measurement	1
1.3 Safety Precautions	1
1.4 Responsibilities	2
1.5 Limitations	3
1.6 Welding Symbols	3
2. Normative References	5
3. Terms and Definitions	7
4. Welded Connection Details	9
4.1 Corner Clips of Continuity Plates and Stiffeners	9
4.2 Transitions in Thicknesses and Widths	9
4.3 Joint Details for Doublers	9
5. Welder Qualification	15
5.1 Supplemental Welder Qualification Testing	15
5.2 Welder Qualification Period	15
5.3 Welder Performance Qualification Record Information	16
6. Fabrication	17
<i>Part A—Filler Metal and Weld Metal</i>	17
6.1 Filler Metal and Weld Metal	17
<i>Part B—Additional Requirements for Demand Critical Filler Metal and Weld Metal</i>	18
6.2 Heat Input Envelope	18
6.3 Production Lot Control	18
6.4 FCAW Electrode Packaging, Storage, and Exposure	19
<i>Part C—Welding Procedure Specifications</i>	20
6.5 Welding Processes	20
6.6 Welding Procedure Specifications (WPSs)	20
6.7 Maximum Interpass Temperature	21
6.8 Heat Input	21
6.9 Bottom Flange Welding Sequence	21
6.10 Welder Identification	21
<i>Part D—Details</i>	21
6.11 Weld Access Holes	22
6.12 Tack Welding Requirements	22
6.13 Removal of Backing and Weld Root Treatment	23
6.14 Reinforcing Fillet Welds at Removed Weld Backing Locations	23
6.15 Fillet Welds at Left-In-Place Steel Backing	23