BS EN 13286-2:2010

Incorporating corrigendum November 2012



BSI Standards Publication

Unbound and hydraulically bound mixtures

Part 2: Test methods for laboratory reference density and water content — Proctor compaction



...making excellence a habit.™

BS EN 13286-2:2010 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of EN 13286-2:2010, incorporating corrigendum November 2012. It supersedes BS EN 13286-2:2004 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee B/510/4, Cementitious bound materials, unbound granular materials, waste materials and marginal materials.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 81503 4

ICS 93.080.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2010.

Amendments/corrigenda issued since publication

Date	Text affected
30 April 2013	Implementation of CEN corrigendum November 2012:
	Annex B.5.4 revised

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13286-2

September 2010

ICS 93.080.20

Incorporating corrigendum November 2012

English Version

Unbound and hydraulically bound mixtures - Part 2: Test methods for laboratory reference density and water content - Proctor compaction

Mélanges traités et mélanges non traités - Partie 2: Méthodes d'essai de détermination en laboratoire de la masse volumique de référence et de la teneur en eau -Compactage Proctor Ungebundene und hydraulisch gebundene Gemische - Teil 2: Laborprüfverfahren zur Bestimmung der Dichte und des Wassergehaltes - Proctorversuch

This European Standard was approved by CEN on 22 July 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2010 CEN

All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 13286-2:2010: E

Contents

	pa	age
orewo	ord	3
I	Scope	5
2	Normative references	5
3	Terms and definitions	5
1	Principle	6
5	Apparatus	6
6	Preparation	
6.1 6.2	GeneralSamples for compaction tests	
5.2 5.3	Preliminary assessment	
6.4	Mixtures totally passing the 16 mm test sieve	
6.5	Mixtures not totally passing the 16 mm test sieve	
6.5.1	Mixtures totally passing the 31,5 mm test sieve	11
5.5.2	Mixtures 75 % to 100 % passing the 31,5 mm test sieve and totally passing the 63 mm test	40
5.5.3	sieve	
_	•	
7	Procedure	
7.1 7.2	Proctor test for mixtures compacted with a 2,5 kg rammer (A) in the Proctor mould (A) Proctor test for mixtures compacted with a 2,5 kg rammer (A) in the large Proctor mould (B)	
7.3	Proctor test for mixtures compacted with a 15,0 kg rammer (C) in the extra large Proctor mould (C)	
7.4	Modified Proctor test for mixtures compacted with a 4,5 kg rammer (B) in the Proctor mould (A)	
7.5	Modified Proctor test for mixtures compacted with a 4,5 kg rammer (B) in the large Proctor mould (B)	
7.6	Modified Proctor test for mixtures compacted with a 15,0 kg rammer (C) in the extra large Proctor mould (C)	
3	Calculations, plotting and expression of results	17
3.1	Calculations	
3.2	Plotting	17
9	Test report	18
Annex	A (informative) Dimensions of alternative apparatus	19
	B (normative) One point Proctor test	
	C (informative) Correction for oversize (material retained on the 16 mm, 31,5 mm and 63 mm test sieves)	
Annov	D (informative) Proctor test for self-draining mixtures.	27