PAS 8820:2016



BSI Standards Publication

Construction materials –

Alkali-activated cementitious material and concrete – Specification



PAS 8820:2016

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2016 Published by BSI Standards Limited 2016

ISBN 978 0 580 89148 9

ICS 91.100.10

Publication history

First published April 2016

Amendments issued since publication

Date

Text affected

Co-funded by:





This is a preview. Click here to purchase the full publication.

Contents

Foreword ii

- 0 Introduction v
- 1 Scope 1
- 2 Normative references 1
- **3** Terms, definitions and abbreviations *3*
- 4 Alkali-activated cementitious material 6
- 5 AACM concrete 11
- 6 Intended use specific testing and trials for AACM concrete 21
- 7 Information and marking 22

Annexes

Annex A (informative) Guidance for project teams 31 Annex B (informative) Reference concrete 33 Annex C (informative) Considerations when producing or specifying an innovative AACM or AACM concrete 35 Annex D (informative) Avoidance of alkali-silica reaction 39 Annex E (normative) Test method for determination of frost scaling resistance of AACM concrete (based on HETEK adaptation of the Borås method SS 137245 – Henrichsen et al. 1997 [NR5]) 40

Bibliography 44

List of figures

Figure C.1 – Analysis flowchart (reproduced from BS EN 60812:2006) 38 Figure E.1 – Test specimen geometry and setup 41 Figure E.2 – Maximum and minimum temperatures in the freeze-thaw chamber at specified times in the cycle (Table E.1) 42

List of tables

Table 1 – Mechanical and physical requirements given as characteristic values9Table 2 – Heat of reaction limits for marking of AACMs as low heat or very10

Table 3 – Limits on chloride content of AACM concrete 12

Table 4 – Conformity criteria for target values of slump, compactabilityand flow14

 Table 5 – Compressive strength classes for AACM concretes
 16

Table 6 – Tests required for AACM concretes 16

Table B.1 – Design of reference concrete for Example 1 34

Table B.2 – Design of reference concrete for Example 235

Table E.1 – Temperature limits at specified points of each 24-hour cycle in the freeze-thaw chamber – 42

Summary of pages

This document comprises a front cover, an inside front cover, pages i to vi, pages 1 to 48, an inside back cover and a back cover.

This is a preview. Click here to purchase the full publication.

Foreword

Publishing information

This PAS was sponsored by High Speed Two Ltd. Its development was facilitated by BSI Standards Limited and it was published under licence from The British Standards Institution. It came into effect on 30 April 2016.

This PAS was co-funded by David Ball Group Ltd and Hanson UK. Acknow-

ledgement is given to Nigel Fraser, Professor John Provis and Professor Paul Lambert as the technical authors, and the following organizations that were involved in the development of this PAS as members of the steering group:

- Banah UK
- BASF
- Building Research Establishment Ltd
- CEMEX
- C-Probe Systems Ltd
- David Ball Group Ltd
- Environment Agency
- Hanson UK
- Highways England
- High Speed Two Ltd
- Mott MacDonald
- Robery Forensic Engineering Ltd
- Shay Murtagh Precast Ltd
- Sika Ltd
- Transport Research Laboratory
- The University of Sheffield
- West One Management Consulting Ltd
- Co-opted members

Acknowledgement is also given to the members of a wider review panel who were consulted in the development of this PAS.

The British Standards Institution retains ownership and copyright of this PAS. BSI Standards Limited as the publisher of the PAS reserves the right to withdraw or amend this PAS on receipt of authoritative advice that it is appropriate to do so. This PAS will be reviewed at intervals not exceeding two years, and any amendments arising from the review will be published as an amended PAS and publicized in Update Standards.

This PAS is not to be regarded as a British Standard. It will be withdrawn upon publication of its content in, or as, a British Standard.

The PAS process enables a specification to be rapidly developed in order to fulfil an immediate need in industry. A PAS can be considered for further development as a British Standard, or constitute part of the UK input into the development of a European or International Standard.

Figure B.1 is taken from BS EN 60812:2006. The complete British Standard can be purchased from the BSI online shop: http://shop.bsigroup.com/ProductDetail/? pid=00000000030101028

Hazard warnings

WARNING. This PAS calls for the use of substances and/or procedures that can be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Product certification/inspection/testing

Users of this PAS are advised to consider the desirability of third-party certification/inspection/testing of product conformity with this PAS. Users seeking assistance in identifying appropriate conformity assessment bodies or schemes may ask BSI to forward their enquiries to the relevant organizations.

Assessed capability

Users of this PAS are advised to consider the desirability of quality system assessment and registration against the appropriate standard in the BS EN ISO 9000 series by an accredited third-party certification body.

Test laboratory accreditation

Users of this PAS are advised to consider the desirability of selecting test laboratories that are accredited to BS EN ISO/IEC 17025 by a national or international accreditation body.

Use of this document

It has been assumed in the preparation of this PAS that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this PAS are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

Requirements in this PAS are drafted in accordance with *Rules for the structure and drafting of UK standards*, sub-clause J.1.1, which states, "Requirements should be expressed using wording such as: 'When tested as described in Annex A, the product shall ...'". This means that only those products that are capable of passing the specified test will be deemed to conform to this PAS.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a PAS cannot confer immunity from legal obligations.

Particular attention is drawn to the following legislation:

- Carcinogens and Mutagens Directive 2004 (2004/37/EC) [1];
- Chemical Agents Directive 1998 (98/24/EC) [2];
- CLP Regulation 2008 [3];
- Commission Regulation (EC) No 1907/2006 (REACH) [4] and associated amending and enforcement regulations;
- Control of Substances Hazardous to Health (Amendment) Regulations 2004 [5];

This is a preview. Click here to purchase the full publication.

PAS 8820:2016

- Control of Substances Hazardous to Health (Amendment) Regulations (Northern Ireland) 2005 [6];
- Construction Products Regulation 2013 [7];
- Health and Safety at Work etc Act 1974 [8];
- Personal Protective Equipment Regulations 2002 [9];
- Pregnant Workers Directive 1992 (92/85/EEC) [10];
- Protection of Young People at Work Directive 1994 (94/33/EC) [11];
- Provision of Health and Safety Signs Directive 1992 (92/58/EEC) [12];
- REACH Enforcement Regulations 2008 [13].