

Specification for

Electrical analogue and state signals for use in coal mines

UDC 622.489:621.398:621.3.037.3

Confirmed
January 2011

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



This is a preview. [Click here to purchase the full publication.](#)

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Mining and Quarrying Requisites Standards Committee (MQE/-) to Technical Committee MQE/25, upon which the following bodies were represented:

- Association of British Mining Equipment Companies
- British Coal
- Council for Electrical Equipment for Flammable Atmospheres (BEAMA)
- Health and Safety Executive

This British Standard, having been prepared under the direction of the Mining and Quarrying Requisites Standards Committee, was published under the authority of the Board of BSI and comes into effect on 27 February 1987

© BSI 10-1999

First published February 1980
First revision February 1987

The following BSI references relate to the work on this standard:
Committee reference MQE/25
Draft for comment 84/78553 DC

ISBN 0 580 15789 X

Amendments issued since publication

Amd. No.	Date of issue	Comments
6481	November 1990	Indicated by a sideline in the margin

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
Section 1. General	
1 Scope	1
2 Definitions	1
3 Design	1
4 Power supplies	1
5 Interconnection via multicore cables	1
6 Connection to non-intrinsically safe apparatus	2
7 Marking	2
8 Documentation	2
Section 2. D.C. voltage analogue signals (type V)	
9 Signal output circuit	3
10 Signal measuring circuit	3
Section 3. State signals (type S)	
11 Signal output circuit	4
12 Signal detection circuit	4
Appendix A Examples of safety couplers used where signals are routed through multicore cables	5
Figure 1 — Arrangement of detection diodes	4
Publications referred to	Inside back cover