BS 5266-1:2016



BSI Standards Publication

Emergency lighting –

Part 1: Code of practice for the emergency lighting of premises



Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2016

Published by BSI Standards Limited 2016

ISBN 978 0 580 91983 1

ICS 13.200; 29.120.99; 91.160.10

The following BSI references relate to the work on this document: Committee reference EL/1/1 Draft for comment 16/30331553 DC

Publication history

First published July 1975 Second edition, February 1988 Third edition, October 1999 Fourth edition, December 2005 Fifth edition, November 2011 Sixth (present) edition, May 2016

Amendments issued since publication

Date

Text affected

Contents

Foreword iv

Introduction 1

- 1 Scope 2
- 2 Normative references 2
- **3** Terms and definitions *3*
- 4 Consultation and records 5
- **4.1** Consultation 5
- **4.2** Supply of plans 6
- 4.3 Records 6
- 5 Illumination for emergency lighting conditions 6
- 5.1 General 7
- 5.2 Illumination for safe escape Emergency escape lighting 7
- 5.3 Illumination for safety in the building Emergency safety lighting 13
- 5.4 Illumination for continued activity Standby lighting 14

6 Emergency lighting design 14

- 6.1 System integrity 14
- **6.2** Failure of individual normal lamp *14*
- **6.3** Failure of emergency lighting luminaire *15*
- 6.4 Mounting height of luminaires 15
- 6.5 Spacing between luminaires 15
- 6.6 Classification of operation of emergency lighting systems 15
- 6.7 Choice of appropriate emergency lighting systems 15
- 7 Power supplies and equipment 16
- 7.1 Power supplies 16
- 7.2 Battery supplied systems 16
- 7.3 Generators 17
- 7.4 Lamps and luminaires for emergency lighting 17
- 8 Wiring systems and circuits 17
- 8.1 Wiring for self-contained systems 17
- 8.2 Wiring for central power supply systems 18
- 8.3 Wiring circuits 22
- 8.4 Electromagnetic compatibility 23
- 9 Application of emergency escape and safety lighting for typical premises 23
- 9.1 General 23
- 9.2 Premises used as sleeping accommodation 23
- 9.3 Non-residential premises used for treatment or care 23
- 9.4 Non-residential premises used for recreation 24
- **9.5** Non-residential premises used for teaching, training and research, and offices 24
- 9.6 Non-residential public premises 25
- **9.7** Industrial premises used for manufacture, processing or storage of products 25
- 9.8 Multiple use of premises 25
- 9.9 Common access routes within blocks of flats or maisonettes 25
- 9.10 Covered car parks 25
- 9.11 Sports stadia 25
- **10** Emergency lighting design procedure 26
- 10.1 General 26
- **10.2** Determine requirements *26*
- **10.3** Design of illuminance *26*
- 10.4 Design of system 27

Standards Institution 2016 • i

- **10.5** Design of circuit protection and controls 27
- 10.6 Installation, operating and commissioning instructions 28
- 10.7 Handover 28
- 11 Certificates and log book 28
- 12 Routine inspections and tests 29
- 13 Servicing and repair of emergency lighting systems 30
- 13.1 Actions to be taken by the responsible person 30
- 13.2 Action to be taken by the competent person to repair luminaires 30
- 13.3 Servicing of specialist components 31
- 13.4 Emergency lighting system service spares 31

Annexes

Annex A (informative) Summary of standards covering emergency lighting 32 Annex B (informative) Developments in emergency lighting application and technology 33

Annex C (informative) Guidance on the application of emergency lighting systems 34

Annex D (informative) Measuring illuminance of emergency lighting 35 Annex E (informative) Typical illuminance for specific locations 37

Annex F (informative) Emergency lighting classifications 40

Annex G (informative) Guidance on illuminance measurements and calculations 41

Annex H (informative) Model completion certificate 43

Annex I (informative) Model certificate for completion of small new installations 49

Annex J (informative) Emergency lighting log book 52

Annex K (informative) Model certificate for verification of existing installations 54

Annex L (informative) Additional guidance on the compliance checklist and report for an existing site 57

Annex M (informative) Model periodic inspection and test certificate 59

Bibliography 62

List of figures

Figure 1 – Types of emergency lighting 1 Figure 2 – Example of rooms requiring emergency lighting 9 Figure A.1 – Summary of standards covering emergency lighting 32 Figure G.1 – Conventional escape route where the floor is the working plane 42 Figure G.2 – Cooking stove where the surface of the stove is the working plane 42 Figure G.3 – Fire panel needing to be read on the vertical plane 42 Figure H.1 – Model completion certificate – General declaration 43 Figure H.2 – Model completion certificate – Design – Declaration of conformity 44 Figure H.3 – Model completion certificate – Installation – Declaration of conformity 46 Figure H.4 – Model completion certificate – Verification – Declaration of conformity 47 Figure I.1 – Model certificate for completion of small new installations – General declaration 49 Figure I.2 – Model certificate for completion of small new installations – Declaration of conformity 50 Figure K.1 – Model certificate for completion of existing installations – General declaration 54 Figure K.2 – Model certificate for verification of existing installations – Checklist and report 55 Figure M.1 – Model emergency lighting inspection and test certificate 59

ii • © The British Standards Institution

Figure M.2 – Model emergency lighting inspection and test record 60 Figure M.3 – Model emergency lighting fault action record 61

List of tables

Table E.1 – Typical illuminance for specific locations 39

Summary of pages

This document comprises a front cover, an inside front cover, pages i to vi, pages 1 to 64, an inside back cover and a back cover.

s Institution 2016 • iii

Foreword

Publishing information

This part of BS 5266 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 May 2016. It was prepared by Subcommittee EL/1/1, *Emergency lighting*, under the authority of Technical Committee EL/1, *Light and lighting applications*. A list of organizations represented on these committees can be obtained on request to their secretary.

Supersession

This part of BS 5266 supersedes BS 5266-1:2011, which is withdrawn.

Relationship with other publications

This part of BS 5266 is intended for use in conjunction with BS EN 1838 and BS EN 50172.

BS EN 50172:2004, **4.1** specifies compliance with the wiring rules given in HD 384/HD 60364. The UK applicable parts of HD 384/HD 60364 are implemented in the IET Wiring Regulations (BS 7671).

BS 5266 is published in the following parts:

- Part 1: Code of practice for the emergency lighting of premises;
- Part 2: Code of practice for electrical low mounted way guidance systems for emergency use;
- Part 4: Code of practice for design, installation, maintenance and use of optical fibre systems;
- Part 5: Specification for components parts of optical fibre systems;
- Part 6: Code of practice for non-electrical low mounted way guidance systems for emergency use – Photoluminescent systems;
- Part 8: Emergency escape lighting systems (also numbered BS EN 50172).

The following topics are covered in BS EN 50172 and BS EN 1838:

- general requirements for emergency escape lighting;
- escape route lighting;
- open area (anti-panic) lighting;
- high risk task area lighting;
- standby lighting.

Detailed guidance on fire risk assessments is given in PAS 79, in a series of guides published by the Department for Communities and Local Government [1–11], and in guidance published by the Justice Department of the Scottish Government [12–21].

Guidance on risk assessments for health and safety is given in HSE publication INDG 163 [22].

A summary of the hierarchy of standards covering the different aspects of emergency lighting systems is given in Annex A.

Information about this document

This is a full revision of the standard. The principal change introduced is an expansion of the scope to cover emergency safety lighting and standby lighting, as well as emergency escape lighting.

iv
© The British Standards Institution 201

The aim of this standard is to promote wider understanding of the different types of emergency lighting system which may be employed, and to give guidance on their correct application to the varied requirements of different categories of premises.

The recommendations given in this standard have been drawn up to encourage uniformity of application, based on providing adequate safety to people in the event of interruption of the normal lighting, and having due regard to the hazard level and degree of familiarity of occupants with particular premises. The standard recognizes that, in addition to ensuring safe unobstructed means of escape from the premises at all times, an important function of emergency lighting is to make possible the immediate location and operation of fire alarm call points and fire-fighting equipment, and another is to minimize the chance of panic arising in enclosed spaces, such as lifts. Although the standard makes recommendations for the provision of emergency lighting in a wide variety of premises, the fact that particular types of premises are mentioned in Clause **9** does not necessarily mean that all such premises are required by law to have emergency lighting installed. For certain types of premises, the provisions of this standard might be supplemented or replaced by alternative requirements at the discretion of the enforcing authority.

Use of this document

As a code of practice, this part of BS 5266 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this part of BS 5266 is expected to be able to justify any course of action that deviates from its recommendations.

BSI permits the reproduction by individual users of BS 5266-1:2016, Figures H.1, H.2, H.3, H.4, I.1, I.2, K.1, K.2, M.1, M.2 and M.3. This reproduction is only permitted where it is necessary for the user to use the sample certificates given in the figures during each application of the standard.

Presentational conventions

The provisions in this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Particular attention is drawn to legal requirements in respect of emergency lighting. Further guidance is given in the Building Regulations 2010, Approved Document B [23] and its equivalents in Wales [24], Scotland [25] and Northern Ireland [26].

denderates de l'estitution 2016 • v

vi • © The British Standard

ge deliberately left blank