#### BS EN 206:2013+A1:2016

Incorporating corrigendum May 2014



### **BSI Standards Publication**

# Concrete — Specification, performance, production and conformity



This is a preview. Click here to purchase the full publication.

#### **National foreword**

This British Standard is the UK implementation of EN 206:2013+A1:2016. It supersedes BS EN 206:2013, which is withdrawn.

The CEN Correction Notice 12 March 2014 provided a revised English language text, incorporating the following editorial corrections:

- In the Foreword, add after the 3<sup>rd</sup> paragraph,
   "Based on a CEN/BT Decision (DECISION BT 42/2013) EN 12620:2013
   was withdrawn. Therefore, this document has been aligned with the specifications given in EN 12620:2002+A1:2008. As soon as CEN/TC 154 publishes a new version of EN 12620, CEN/TC 104 intends to amend EN 206."
- In Clause 2, replace "EN 12620:2013" with "EN 12620:2002+A1:2008".
- In 3.1, Terms and definitions, delete in 3.1.2.5, 3.1.2.6, 3.1.2.7, "[SOURCE: EN 12620:2013, 3.x]".
- In 5.1.3, (2), delete "listed in EN 12620 with identified history of use,".
- In 5.1.3, delete the last paragraph (3).
- In Table E.1, 2<sup>nd</sup> column, replace "EN 12620:2013" with "EN 12620:2002+A1:2008" and update all cross references.
- In Table E.1, 3<sup>rd</sup> column, 4<sup>th</sup> row, delete "≤".
- In Table E.1, 3<sup>rd</sup> column, 5<sup>th</sup> row, replace "SZ<sub>38</sub>" with "SZ<sub>32</sub>".
- In Table E.1,  $3^{\rm rd}$  column,  $9^{\rm th}$  row, replace "S<sub>1</sub>" with "1 % by mass" and "S<sub>2</sub>" with "2 % by mass".
- In E.3, note after Table E.2, replace "EN 12620:2013", C.3" with "EN 12620:2002+A1:2008, G.3.2".
- In Table E.3, 2<sup>nd</sup> column, replace "EN 12620:2013" with "EN 12620:2002+A1:2008" and update all cross references.
- In Table E.3, 4<sup>th</sup> column, 4<sup>th</sup> row, replace "SZ<sub>38</sub>" with "SZ<sub>32</sub>".
- In Table E.3,  $4^{th}$  column,  $10^{th}$  row, replace "≤  $SS_{0,7}$ " with " $SS_{0,2}$ ".
- In Annex M, row 5.1.3, last column, replace "(1), (2) and (3)" with "(1) and (2).

It is intended that this British Standard be used in conjunction with the complementary standards BS 8500-1 and BS 8500-2, which give national provisions where they are permitted in EN 206:2013. Additionally, the UK committee draws particular attention to subclause 10.1, which recommends "the inspection and certification of the production control by accredited inspection and certification bodies".

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by A1 A1.

The UK participation in its preparation was entrusted by Technical Committee B/517, Concrete to Subcommittee B/517/1, Concrete production and testing.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 90746 3

ICS 91.100.30

## Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2013.

#### Amendments/corrigenda issued since publication

Date	Text affected
31 May 2014	Implementation of CEN correction notice 12 March 2014. National foreword updated.
30 November 2016	Implementation of CEN amendment A1:2016



## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 206:2013+A1

November 2016

ICS 91.100.30

Supersedes EN 206:2013

#### **English Version**

## Concrete - Specification, performance, production and conformity

Béton - Spécification, performances, production et conformité

Beton - Festlegung, Eigenschaften, Herstellung und Konformität

This European Standard was approved by CEN on 28 September 2013 and includes Amendment 1 approved by CEN on 27 July 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2016 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 206:2013+A1:2016 E

Cont	tents	Page
Europ	pean foreword	6
Intro	duction	8
1	Scope	9
2	Normative references	
	Terms, definitions, symbols and abbreviations	_
3 3.1	Terms, definitions, symbols and abbreviations  Terms and definitions	
3.1.1	General	
3.1.2	Constituents	
3.1.3	Fresh concrete	
3.1.4	Hardened concrete	
3.1.5	Conformity and production control	
3.2	Symbols and abbreviations	
4	Classification	23
4.1	Exposure classes related to environmental actions	
4.2	Classes for properties of fresh concrete	
4.2.1	Consistence classes	
4.2.2	Classes for additional properties of SCC	
4.3	Classes for properties of hardened concrete	
4.3.1	Compressive strength classes	
4.3.2	Density classes for lightweight concrete	
5	Requirements for concrete and methods of verification	22
5 5.1	Basic requirements for constituents	
5.1.1	General	
5.1.2	Cement	
5.1.3	Aggregates	
5.1.4	Mixing water	
5.1.5	Admixtures	
5.1.6	Additions (including mineral fillers and pigments)	
5.1.7	Fibres	
5.2	Basic requirements for composition of concrete	
5.2.1	General	33
5.2.2	Selection of cement	
5.2.3	Selection of aggregates	34
5.2.4	Use of mixing water	35
5.2.5	Use of additions	35
5.2.6	Use of admixtures	37
5.2.7	Use of fibres	38
5.2.8	Chloride content	
5.2.9	Concrete temperature	
5.3	Requirements related to exposure classes	
5.3.1	General	
5.3.2	Limiting values for concrete composition	
5.3.3	Performance-related methods	
5.4	Requirements for fresh concrete	
5.4.1	Consistence, viscosity, passing ability and resistance to segregation	40

5.4.2	Cement content and water/cement ratio	41
5.4.3	Air content	41
5.4.4	Fibre content	41
5.5	Requirements for hardened concrete	42
5.5.1	Strength	
5.5.2	Density	
5.5.3	Resistance to water penetration	
5.5.4	Reaction to fire	43
6	Specification of concrete	43
6.1	General	
6.2	Specification for designed concrete	44
6.2.1	General	
6.2.2	Basic requirements	
6.2.3	Additional requirements	
6.3	Specification for prescribed concrete	
6.3.1	General	
6.3.2	Basic requirements	
6.3.3	Additional requirements	
6.4	Specification of standardized prescribed concrete	
7	Delivery of fresh concrete	
7.1	Information from the user of the concrete to the producer	
7.2	Information from the producer of the concrete to the user	
7.3	Delivery ticket for ready-mixed concrete	
7.4	Delivery information for site-mixed concrete	
7.5	Mix adjustments after the main mixing process and prior to discharge	49
8	Conformity control and conformity criteria	49
8.1	General	49
8.2	Conformity control for designed concrete	50
8.2.1	Conformity control for compressive strength	
8.2.2	Conformity control for tensile splitting strength	
8.2.3	Conformity control for properties other than strength	55
8.3	Conformity control of prescribed concrete including standardized prescribed	
0.4	A stions in the case of new conformity of the save dust	60
8.4	Actions in the case of non-conformity of the product	
9	Production control	_
9.1	General	
9.2	Production control systems	
9.3	Recorded data and other documents	
9.4	Testing	64
9.5 9.6	Concrete composition and initial testingPersonnel, equipment and installation	
9.6.1	Personnel	
9.6.2	Equipment and installation	
9.0.2	Batching of constituents	
9.8	Mixing of concrete	
9.9	Production control procedures	
	-	
10	Evaluation of conformity	
10.1	General	
10.2	Assessment, surveillance and certification of production control	
11	Designation for designed concrete	71

Annex	A (normative) Initial test	. 72
A.1	General	. 72
A.2	Party responsible for initial tests	. 72
A.3	Frequency of initial tests	. 72
A.4	Test conditions	
A.5	Criteria for adoption of initial tests	. 73
Annex	B (normative) Identity testing	. 74
<b>B.1</b>	General	
<b>B.2</b>	Sampling and testing plan	. 74
<b>B.3</b>	Identity criteria for compressive strength	. 74
B.3.1	Concrete under production control certification	. 74
B.3.2	Concrete not under production control certification	. 75
<b>B.4</b>	Identity criteria for consistence and air content	. 75
<b>B.5</b>	Identity criteria for fibre content and homogeneity of fresh concrete	. 75
Annex	C (normative) Provisions for assessment, surveillance and certification of production	
	control	
C.1	General	
<b>C.2</b>	Tasks for the inspection body	
<b>C.2.1</b>	Initial assessment of the production control	
<b>C.2.2</b>	Continuous surveillance of the production control	. 77
<b>C.3</b>	Tasks for the certification body	. 78
C.3.1	Certification of production control	. 78
C.3.2	Measures in case of non-conformity	. 78
Annex	D (normative) Additional requirements for specification and conformity of concrete	
	for special geotechnical works	. 80
D.1	General	. 80
<b>D.2</b>	Constituents	. 80
D.2.1	Cement	. 80
D.2.2	Aggregates	. 81
D.3	Concrete	. 81
D.3.1	General requirements for specification and acceptance of the mix design	. 81
D.3.2	Minimum fines content and minimum cement content	. 82
D.3.3	Water/cement ratio	. 82
D.3.4	Fresh concrete	. 83
Δηηρν	E (informative) Recommendation for the use of aggregates	Ω4.
E.1	General	
E.2	Natural normal-weight and heavy-weight aggregates and air-cooled blast furnace	. 04
L. <b>£</b>	slag	Ω4
<b>E.3</b>	Recommendation for the use of coarse recycled aggregates	
E.4	Recommendation for the use of lightweight aggregates	
	0 0 00 0	
	F (informative) Recommendation for limiting values of concrete composition	. 88
Annex	G (informative) Guidelines for self-compacting concrete requirements in the fresh	
0.4	state	
G.1	General	
G.2	Recommendations on classification of self-compacting concrete	
G.2.1	Consistence	
G.2.2	Viscosity	
G.2.3	Passing ability	
G.2.4	Segregation resistance	
Annex	H (informative) Rules of application for 8.2.1.3, Method C	. 92

H.1	Introduction	92
H.2	Control based on the cusum system	
Н.3	Control based on Shewhart charts with modified limits by variables	93
Annex	J (informative) Deviation to accommodate a notified Spanish Regulation	94
Annex	K (informative) Concrete families	95
	General	
<b>K.2</b>	Selection of the concrete family	95
	Flow chart for the assessment of membership and conformity of a concrete family	
Annex	L (informative) Further information regarding specific paragraphs	97
Annex	M (informative) Guidance on provisions valid in the place of use	99
Biblio	pranhy	101

#### **European foreword**

This document (EN 206:2013+A1:2016) has been prepared by Technical Committee CEN/TC 104 "Concrete and related products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2017 and conflicting national standards shall be withdrawn at the latest by May 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Based on a CEN/BT Decision (T 42/2013) EN 12620:2013 was withdrawn. Therefore, this document has been aligned with the specifications given in EN 12620:2002+A1:2008. As soon as CEN/TC 154 publishes a new version of EN 12620, CEN/TC 104 intends to amend EN 206.

This document includes Amendment 1 approved by CEN on 27 July 2016.

This document supersedes A EN 206:2013 A.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A].

A) In particular, the following main items had been subject to revision when preparing EN 206:2013: (A)

- a) adding application rules for fibre concrete and concrete with recycled aggregates;
- b) revising *k*-value concept for fly ash and silica fume and adding new rules for ground granulated blast furnace slag;
- c) introduction of principles for the performance concepts for the use of additions, e.g. equivalent concrete performance concept and equivalent performance of combinations concept;
- d) revising and adding new concepts for the conformity assessment;
- e) including EN 206-9 "Additional rules for self-compacting concrete (SCC)";
- f) including additional requirements for concrete for special geotechnical works (Annex D).

NOTE Annex D was jointly prepared by CEN/TC 104 and CEN/TC 288.

Figure 1 illustrates the relationships between EN 206 and standards for design and execution, standards for constituents and test standards.