BS 7307-2: 1990 ISO 7976-2: 1989

Building tolerances — Measurement of buildings and building products —

Part 2: Position of measuring points



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Basic Data and Performance Criteria for Civil Engineering and Building Structures Standards Policy Committee (BDB/-) to Technical Committee BDB/4, upon which the following bodies were represented:

Association of County Councils

British Standards Society

Building Employers Confederation

Chartered Institution of Building Services Engineers

Concrete Society

Department of Education and Science

Department of the Environment (Property Services Agency)

Department of the Environment (Building Research Establishment)

Incorporated Association of Architects and Surveyors

Institute of Building Control

Institute of Clerks of Works of Great Britain Inc.

Institution of Civil Engineers

Institution of Structural Engineers

Institution of Water and Environmental Management

Royal Institute of British Architects

Royal Institution of Chartered Surveyors

The following body was also represented in the drafting of the standard, through sub-committees and panels:

Chartered Institute of Building

This British Standard, having been prepared under the direction of the Basic Data and Performance Criteria for Civil Engineering and Building Structures Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 28 September 1990

© BSI 07-1999

The following BSI references relate to the work on this standard: Committee reference BDB/4 Draft for comment 87/10027 DC

ISBN 0 580 18491 9

Amendments issued since publication

Amd. No.	Date of issue	Comment

This is a preview. Click here to purchase the full publication.

Contents

		Page	
Committees responsible		nside front cover	
National foreword		iii	
1	Scope and field of application	1	
2	References	1	
3	General	1	
	n 1. Position of measuring points for those measurements	}	
which	can be carried out both in factories and on building sites		
4	Sizes of components	2	
4.1	Length and width	2	
4.2	Thickness or depth	3	
5	Squareness of components	7	
5.1	Angular deviation	7	
5.2	Parallelism	10	
6	Straightness and camber of components	10	
6.1	Edge straightness	10	
6.2	Designed camber	11	
7	Flatness and skewness of components	12	
7.1	Principles of measurement	12	
7.2	Overall flatness	12	
7.3	Local flatness	13	
$\frac{7.4}{}$	Skewness	13	
	n 2. Position of measuring points for those		
	rements which can be carried out on building sites only	1.4	
8	Position in the horizontal plane	14	
8.1	Deviations in relation to structural grid lines	14	
8.2	Deviations in relation to secondary lines parallel to the building	14	
8.3	Deviations in relation to secondary lines	11	
0.0	perpendicular to the building	15	
9	Deviations from level (levelling)	16	
10	Verticality	17	
10.1	Verticality of multi-storey walls and columns	17	
10.2	Verticality of storey-height walls and columns	18	
11	Eccentricity	19	
12	Position in relation to other components (openings and s	spaces) 19	
12.1	Window openings and other openings	19	
12.2	Spaces	20	
13	Flatness, straightness, designed camber	22	
13.1	Floors and ceilings, overall flatness	22	
13.2	Floors, local flatness	23	
13.3	Walls, overall flatness	23	
13.4	Walls, local flatness	24	
13.5	Designed camber	24	
14	Other important deviations	25	
14.1	Length of bearing surface	25	
14.2	Joint width	25	
14.3	Joint step	26	
Figure 1			
Figure 2			

	Page
Figure 3	2
Figure 4	3
Figure 5	3
Figure 6	4
Figure 7	5
Figure 8	5
Figure 9	6
Figure 10	6
Figure 11	7
Figure 12	7
Figure 13	8
Figure 14	8
Figure 15	9
Figure 16	9
Figure 17	10
Figure 18	10
Figure 19	11
Figure 20	11
Figure 21	12
Figure 22	12
Figure 23	13
Figure 24	13
Figure 25	14
Figure 26	15
Figure 27	15
Figure 28	16
Figure 29	16
Figure 30	17
Figure 31	17
Figure 32	18
Figure 33	19
Figure 34	19
Figure 35	20
Figure 36	20
Figure 37	21
Figure 38	22
Figure 39	23
Figure 40	24
Figure 41	25
Figure 42	25
Figure 43	26
Publications referred to	Inside back cover