BS EN 14475:2006

# Execution of special geotechnical works — Reinforced fill

The European Standard EN 14475:2006 has the status of a British Standard

ICS 93.020



NO COPYING V

This is a preview. Click here to purchase the full publication.

## National foreword

This British Standard was published by BSI. It is the UK implementation of EN 14475:2006. It partially supersedes BS 8006:1995 which is currently being revised in order to remove conflicting material. In the meantime, where conflict arises between the two documents the provisions of BS EN 14475 should take precedence.

The UK participation in its preparation was entrusted by Technical Committee B/526, Geotechnics, to Subcommittee B/526/4, Strengthened/reinforced soils and other fills.

A list of organizations represented on B/526/4 can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

#### This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2006

#### $\odot$ BSI 2006

Amendments issued since publication

Amd. No.	Date	Comments
	Amd. No.	Amd. No. Date

ISBN 0 580 49309 1

This is a preview. Click here to purchase the full publication.

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 14475

January 2006

ICS 93.020

Incorporates Corrigendum September 2006

**English Version** 

## Execution of special geotechnical works - Reinforced fill

Exécution de travaux géotechniques spéciaux - Remblais renforcés

Ausführung von besonderen technischen Arbeiten (Spezialtiefbau) - Bewehrte Schüttkörper

This European Standard was approved by CEN on 10 November 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2006 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members. Ref. No. EN 14475:2006: E

This is a preview. Click here to purchase the full publication.

## EN 14475:2006 (E)

### Contents

	page
Forewo	ord3
1	Scope4
2	Normative references
3	Terms and definitions8
4	Information needed for construction10
5	Geotechnical investigations10
6	Materials and products11
7	Design considerations17
8	Execution
9	Supervision, testing and monitoring27
10	Records27
11	Specific requirements
Annex	A (informative) Typical use of fill types depending on application, reinforcement and facing
Annex	B (informative)
Annex	C (informative) Facing units and systems
Annex	D (informative) Some typical reinforcement forms49
Annex	E (informative) Steel reinforcement
Annex	F (informative) Recommendations for facing units
Bibliog	Jraphy

## Foreword

This document (EN 14475:2006) has been prepared by Technical Committee CEN/TC 288 "Execution of special geotechnical works", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2006, and conflicting national standards shall be withdrawn at the latest by July 2006.

The design of reinforced fill structures is currently carried out using national standards such as BS 8006 (1995) and NF P 94-220 (1998) and other standards. As a matter of fact EN 1997-1, Eurocode 7 (Geotechnical design) does not currently cover the detailed design of reinforced fill structures. The values of partial factors and load factors given in EN 1997-1 have not been calibrated for reinforced fill structures.

Whilst many common features exist between the design methods that have been developed and established in the various member countries of CEN, there are also differences reflecting different working practices, as well as such matters as geological and climatic variations.

In view of these differences, and of the time required to develop a common design method that would fully reflect the various considerations identified in particular national methods, a two stage approach has been adopted for the development of standards for reinforced fill.

In accordance with this two stage approach Working Group 9 was mandated by TC 288 for first producing an EN giving guidance on the Execution of reinforced fill, before working towards a common method of design. This standard represents the implementation of the first part of that mandate.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

### EN 14475:2006 (E)

### 1 Scope

1.1 This European Standard establishes general principles for the construction of reinforced fill.

**1.2** This European Standard covers engineered fills that are reinforced by the inclusion of horizontal or subhorizontal reinforcement placed between layers of fill during construction.

- **1.3** The scope of reinforced fill applications considered in this European Standard includes (Figure 1):
- earth retaining structures, (vertical, battered or inclined walls, bridge abutments, bulk storage facilities), with a facing to retain fill placed between the reinforcing layers;
- reinforced steep slopes with a facing, either built-in or added or wrap-around, reinforced shallow slopes without a facing, but covered by some form of erosion protection without a facing, reinstatement of failed slopes;
- embankments with basal reinforcement and embankments with reinforcement against frost heave in the upper part.

Principles for the execution of other special geotechnical works using soil nails, bored piles, displacement piles, micro piles, sheet pile walls, diaphragm walls, grouting or jet grouting are established in other European Standards.

Reinforcement of road pavements is not covered by this Standard.