# Methods of test for masonry units —

Part 19: Determination of moisture expansion of large horizontally perforated clay masonry units

The European Standard EN 772-19:2000 has the status of a British Standard

 ${\rm ICS~91.080.30;~91.100.15}$ 

BSi

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

#### **National foreword**

This British Standard is the official English language version of EN 772-19:2000 which is included in a package of new European Standards being prepared by CEN/TC 125 relating to clay masonry units. No British Standard is superseded.

The UK participation in its preparation was entrusted by Technical Committee B/519, Masonry and associated tests, to Subcommittee B/519/1, Masonry units, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

#### **Cross-references**

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

#### **Summary of pages**

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 9 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Sector Committee for Building and Civil Engineering, was published under the authority of the Standards Committee and comes into effect on 15 July 2000

© BSI 07-2000

Amendments issued since publication

Amd. No.	Date	Comments

ISBN 0580349829

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 772-19

March 2000

ICS 91.100.15

#### English version

## Methods of test for masonry units - Part 19: Determination of moisture expansion of large horizontally perforated clay masonry units

Méthodes d'essai des éléments de maçonnerie - Partie 19: Détermination de la dilatation à l'humidité des grands éléments de maçonnerie en terre cuite perforés horizontalement Prüfverfahren für Mauersteine - Teil 19: Bestimmung der Feuchtedehnung von horizontal gelochten großen Mauerziegeln

This European Standard was approved by CEN on 17 February 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 2000 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 772-19:2000 E