BS 6571-2: 1989

Incorporating Amendment Nos. 1 and 2

Vehicle parking control equipment —

Part 2: Specification for electrically powered parking meters

 $UDC\ 62 - 189.2:621.3 - 523:625.712.63:625.746.53:656.053.6 + 681.118.1:656.835.34:001.4:620.1$

BSi

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Road Engineering Standards Policy Committee (RDB/-) to Technical Committee RDB/29, upon which the following bodies were represented:

Association of London Authorities

Association of Metropolitan Authorities

Automobile Association

British Parking Association

Chartered Institute of Public Finance and Accountancy

Department of Transport

Institution of Civil Engineers

Institution of Highways and Transportation

Joint Committee on Mobility for the Disabled

London Boroughs Association

Metropolitan Police

Royal Automobile Club

Coopted members

This British Standard, having been prepared under the direction of the Road Engineering Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 28 April 1989

© BSI 09-1999

The following BSI references relate to the work on this standard: Committee reference RDB/29 Draft for comment 87/13588 DC

ISBN 0 580 17202 3

Amendments issued since publication

Amd. No.	Date of issue	Comments
6480	September 1990	
8284	March 1995	Indicated by a sideline in the margin

This is a preview. Click here to purchase the full publication.

Contents

		Page		
Con	nmittees responsible	Inside front cover		
Fore	eword	ii		
1	Scope	1		
2	Definitions	1		
3	General	2		
4	Text deleted	5		
5	Radio interference	6		
6	Marking	6		
7	Information and instruction plates	6		
8	Components	6		
9	Environmental conditions	7		
10	Tokens	7		
11	Operational accuracy	7		
12	Type test	7		
App	endix A Type test for electronic parking meters	14		
Figu	re 1 — Visibility requirements for variable displays			
and	parking state indications	4		
Figure 2 — Typical layout of a single type A coin operated				
met	er with a fixed tariff for on-street use	8		
	are 3 — Typical layout of a twin type B coin operated			
met	er with alternative tariffs for on-street use	9		
	are 4 — Typical examples of instruction and			
	rmation plates for type A or type B coin operated	10		
	ers for on-street use	10		
Pub	lications referred to	Inside back cover		