

**BRITISH STANDARD**

# **Pavements constructed with clay, natural stone or concrete pavers –**

## **Part 4: Code of practice for the construction of pavements of precast concrete flags or natural stone slabs**

ICS 93.080.20

Confirmed December 2011
----------------------------

**BSi**  
British Standards

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

[This is a preview. Click here to purchase the full publication.](#)

### **Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2006

ISBN 0 580 49377 6

The following BSI references relate to the work on this standard:

Committee reference B/507

Draft for comment 05/30095056 DC

### **Publication history**

First published April 1998

Second edition November 2006

### **Amendments issued since publication**

<b>Amd. no.</b>	<b>Date</b>	<b>Text affected</b>
-----------------	-------------	----------------------

---

# Contents

Foreword *iii*

<b>1</b>	Scope	<i>1</i>
<b>2</b>	Normative references	<i>1</i>
<b>3</b>	Terms and definitions	<i>2</i>
<b>4</b>	Structure of pavement	<i>4</i>
<b>5</b>	Construction of pavement	<i>4</i>
<b>6</b>	Construction in adverse weather conditions	<i>14</i>
<b>7</b>	Additional work after early trafficking	<i>15</i>

## Annexes

Annex A (informative)	Recommended typical pavement layouts for vehicle crossings	<i>16</i>
Annex B (normative)	Maximum permissible deviations on surface levels	<i>21</i>
Annex C (informative)	Compaction equipment for base compaction	<i>22</i>
Annex D (informative)	Compaction equipment for compacting surface layer	<i>22</i>
Annex E (informative)	Flow chart of the general process of construction	<i>23</i>
Bibliography		<i>24</i>

## List of figures

Figure 1	– Typical cross-section of a pavement	<i>4</i>
Figure 2	– Typical section of pavement including edge restraint	<i>6</i>
Figure 3	– Typical ways of cutting flags	<i>14</i>
Figure A.1	– Example of a ramped crossing	<i>17</i>
Figure A.2	– Example of a dropped crossing	<i>18</i>
Figure A.3	– Example of a runout corner	<i>19</i>
Figure A.4	– Example of a new town corner	<i>20</i>
Figure A.5	– Example of a bonded corner	<i>20</i>
Figure A.6	– Example of a splayed corner	<i>21</i>
Figure E.1	– General process of construction	<i>23</i>

## List of tables

Table 1	– Minimum time between finishing the sub-base/roadbase and starting the laying course surface	<i>5</i>
Table 2	– Applications and laying course material	<i>7</i>
Table 3	– Laying course material recommendations	<i>9</i>
Table 4	– Jointing material recommendations	<i>10</i>
Table 5	– Laying course material grading (BS EN 12620:2002 G <sub>F</sub> 85 0/4 (MP) fine aggregate)	<i>12</i>
Table 6	– Jointing material grading (BS EN 12620:2002 G <sub>F</sub> 85 0/4 (MP) fine aggregate)	<i>13</i>
Table B.1	– Tolerance of surface levels	<i>21</i>
Table B.2	– Surface regularity of the surface course	<i>21</i>
Table C.1	– Recommended compaction equipment for base compaction	<i>22</i>

## Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 24, an inside back cover and a back cover.

