Incorporating Corrigendum No. 1

## Pavements constructed with clay, natural stone or concrete pavers —

Part 2: Guide for the structural design of lightly trafficked pavements constructed of clay pavers or precast concrete paving blocks

 $ICS\ 93.080.20$ 

Confirmed July 2008



## Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee B/507, Paving units and kerbs, upon which the following bodies were represented:

**Brick Development Association** 

**British Cement Association** 

British Ceramic Research Ltd.

British Precast Concrete Federation Ltd.

Concrete Society

County Surveyors' Society

Department of the Environment, Transport and the Regions (Highways Agency)

Institution of Civil Engineers

Interlay (Association of Block Paving)

Interpave (Concrete Block Paving Association)

Landscape Institute

Society of Chemical Industry

Stone Federation

Transport Research Laboratory

The British Standard, having been prepared under the direction of the Sector Committee for Building and Civil Engineering, was published under the authority of the Standards Board and comes into effect on 15 May 2001

## Amendments issued since publication

© BSI 06-2001	Amd. No.	Date	Comments
	13217	June 2001	Correction of error in title
The following BSI references relate to the work on this			
standard:			
Committee reference B/507			
ISBN 0 580 33259 4			
13DN U 30U 33439 4		•	

## Contents

		Page
Com	mittees responsible	Inside front cover
Fore	word	ii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General design criteria	3
5	Determination of construction thickness	5
6	Preparation and construction	6
7	Overlay design	6
Anne field	ex A (informative) Identification of materials and CBR valtest	ues using a simple 7
Bibli	ography	8
Figu	re 1 — Typical cross-section of pavement	2
Table	e 1 — CBR values for different materials	4
Table 2 — Typical application		
Table 3 — Standard axles per commercial vehicle		
Table	e 4 — Construction thickness	6
sites	e 5 — Alternative construction thickness (in millimetres) only e A.1 — Identification of materials and CBR values using	6
test	•	7