

Eurocode 9 — Design of aluminium structures —

Part 1-5: Shell structures

ICS 13.220.50; 91.010.30; 91.080.10

National foreword

This British Standard is the UK implementation of EN 1999-1-5:2007, incorporating corrigendum November 2009.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by CEN corrigendum November 2009 is indicated in the text by AC1 AC1.

The structural Eurocodes are divided into packages by grouping Eurocodes for each of the main materials, concrete, steel, composite concrete and steel, timber, masonry and aluminium, this is to enable a common date of withdrawal (DOW) for all the relevant parts that are needed for a particular design. The conflicting national standards will be withdrawn at the end of the coexistence period, after all the EN Eurocodes of a package are available.

Following publication of the EN, there is a period allowed for national calibration during which the national annex is issued, followed by a further coexistence period of a maximum 3 years. During the coexistence period Member States will be encouraged to adapt their national provisions to withdraw conflicting national rules before the end of the coexistent period in March 2010.

At the end of this coexistence period, the national standard(s) will be withdrawn.

In the UK, the following national standards are superseded by the Eurocode 9 series. These standards will be withdrawn on a date to be announced.

Eurocode	Superseded British Standards
EN 1999-1-1	BS 8118-2:1991 Structural use of aluminium. Specification for materials, workmanship and protection (superseded).
	DD ENV 1999-1-1:2000 Eurocode 9. Design of aluminium structures. General rules. General rules and rules for buildings (superseded).
	BS 8118-1:1991 Structural use of aluminium. Code of practice for design (partially superseded).
EN 1999-1-2	DD ENV 1999-1-2 Design of aluminium structures. General rules. Structural fire design (superseded).
EN 1999-1-3	DD ENV 1999-2:2000 Eurocode 9. Design of aluminium structures. Structures susceptible to fatigue (superseded).
	BS 8118-1:1991 Structural use of aluminium. Code of practice for design (partially superseded).
EN 1999-1-4	BS 8118-1:1991 Structural use of aluminium. Code of practice for design (partially superseded).
EN 1999-1-5	None

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 March 2007

© BSI 2010

ISBN 978 0 580 72799 3

Amendments/corrigenda issued since publication

Date	Comments
31 August 2010	Implementation of CEN corrigendum November 2009

The UK participation in its preparation was entrusted by Technical Committee B/525, Building and civil engineering structures, to Subcommittee B/525/9, Structural use of aluminium.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Where a normative part of this EN allows for a choice to be made at the national level, the range and possible choice will be given in the normative text, and a note will qualify it as a Nationally Determined Parameter (NDP). NDPs can be a specific value for a factor, a specific level or class, a particular method or a particular application rule if several are proposed in the EN.

To enable EN 1999 to be used in the UK, the NDPs will be published in a National Annex, which will be made available by BSI in due course, after public consultation has taken place.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

English Version

Eurocode 9 - Design of aluminium structures - Part 1-5: Shell structures

Eurocode 9 - Calcul des structures en aluminium - Partie 1-5 : Coques

Eurocode 9 - Bemessung und Konstruktion von Aluminiumtragwerken - Teil 1-5: Schalen

This European Standard was approved by CEN on 11 October 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Content

Page

Foreword	5
National Annex for EN 1999-1-5	7
1 General	8
1.1 Scope	8
1.1.1 Scope of EN 1999	8
1.1.2 Scope of EN 1999-1-5	8
1.2 Normative references	9
1.3 Terms and definitions	10
1.3.1 Structural forms and geometry	10
1.3.2 Special definitions for buckling calculations	11
1.4 Symbols	12
1.5 Sign conventions	15
1.6 Coordinate systems	15
2 Basis of design	17
2.1 General	17
2.2 Consequence class and execution class	17
3 Materials and geometry	17
3.1 Material properties	17
3.2 Design values of geometrical data	17
3.3 Geometrical tolerances and geometrical imperfections	18
4 Durability	18
5 Structural analysis	18
5.1 Geometry	18
5.2 Boundary conditions	19
5.3 Actions and environmental influences	19
5.4 Stress resultants and stresses	20
5.5 Types of analysis	20
6 Ultimate limit state	21
6.1 Resistance of cross section	21
6.1.1 Design values of stresses	21
6.1.2 Design values of resistance	22
6.1.3 Stress limitation	22
6.1.4 Design by numerical analysis	22
6.2 Buckling resistance	23
6.2.1 General	23
6.2.2 Buckling-relevant geometrical tolerances	24
6.2.3 Shell in compression and shear	25
6.2.4 Effect of welding	27
6.2.5 Design by numerical analysis	30
7 Serviceability limit states	31
7.1 General	31
7.2 Deflections	31
Annex A [normative] - Expressions for shell buckling analysis	32
A.1 Unstiffened cylindrical shells of constant wall thickness	32
A.1.1 Notations and boundary conditions	32
A.1.2 Meridional (axial) compression	32
A.1.2.1 Critical meridional buckling stresses	32

A.1.2.2	Meridional buckling parameter.....	33
A.1.3	Circumferential (hoop) compression.....	34
A.1.3.1	Critical circumferential buckling stresses.....	34
A.1.3.2	Circumferential buckling parameter.....	35
A.1.4	Shear.....	37
A.1.4.1	Critical shear buckling stresses.....	37
A.1.4.2	Shear buckling parameters.....	38
A.1.5	Meridional (axial) compression with coexistent internal pressure.....	38
A.1.5.1	Pressurised critical meridional buckling stress.....	38
A.1.5.2	Pressurised meridional buckling parameters.....	38
A.1.6	Combinations of meridional (axial) compression, circumferential (hoop) compression and shear	39
A.2	Unstiffened cylindrical shells of stepwise wall thickness.....	40
A.2.1	General.....	40
A.2.1.1	Notations and boundary conditions.....	40
A.2.1.2	Geometry and joint offsets.....	41
A.2.2	Meridional (axial) compression.....	41
A.2.3	Circumferential (hoop) compression.....	41
A.2.3.1	Critical circumferential buckling stresses.....	41
A.2.3.2	Buckling strength verification for circumferential compression.....	44
A.2.4	Shear.....	44
A.2.4.1	Critical shear buckling stress.....	44
A.2.4.2	Buckling strength verification for shear.....	45
A.3	Unstiffened lap jointed cylindrical shells.....	45
A.3.1	General.....	45
A.3.1.1	Definitions.....	45
A.3.1.2	Geometry and stress resultants.....	45
A.3.2	Meridional (axial) compression.....	45
A.3.3	Circumferential (hoop) compression.....	45
A.3.4	Shear.....	46
A.4	Unstiffened conical shells.....	46
A.4.1	General.....	46
A.4.1.1	Notation.....	46
A.4.1.2	Boundary conditions.....	46
A.4.1.3	Geometry.....	47
A.4.2	Design buckling stresses.....	47
A.4.2.1	Equivalent cylinder.....	47
A.4.3	Buckling strength verification.....	47
A.4.3.1	Meridional compression.....	47
A.4.3.2	Circumferential (hoop) compression.....	48
A.4.3.3	Shear and uniform torsion.....	48
A.5	Stiffened cylindrical shells of constant wall thickness.....	48
A.5.1	General.....	48
A.5.2	Isotropic walls with meridional stiffeners.....	48
A.5.2.1	General.....	48
A.5.2.2	Meridional (axial) compression.....	49
A.5.2.3	Circumferential (hoop) compression.....	49
A.5.2.4	Shear.....	49
A.5.3	Isotropic walls with circumferential stiffeners.....	50
A.5.4	Circumferentially corrugated walls with meridional stiffeners.....	50
A.5.4.1	General.....	50
A.5.4.2	Axial compression.....	51
A.5.4.3	Stiffened wall treated as carrying axial compression only in the stiffeners.....	52
A.5.4.4	Circumferential (hoop) compression.....	53