BS EN 1998-2:2005 +A2:2011

Incorporating corrigenda February 2010 and February 2012

Eurocode 8 — Design of structures for earthquake resistance —

Part 2: Bridges

 $ICS\ 91.120.25;\ 93.040$



National foreword

This British Standard is the UK implementation of EN 1998-2:2005+A2:2011, incorporating corrigendum February 2010. It supersedes BS EN 1998-2:2005+A1:2009, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by A1.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by CEN corrigendum February 2010 is indicated in the text by AC1 (AC1).

The structural Eurocodes are divided into packages by grouping Eurocodes for each of the main materials: concrete, steel, composite concrete and steel, timber, masonry and aluminium.

The UK participation in its preparation was entrusted by Technical Committee B/525, Building and civil engineering structures, to Subcommittee B/525/8, Structures in seismic regions.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Where a normative part of this EN allows for a choice to be made at the national level, the range and possible choice will be given in the normative text, and a note will qualify it as a Nationally Determined Parameter (NDP). NDPs can be a specific value for a factor, a specific level or class, a particular method or a particular application rule if several are proposed in the EN.

To enable EN 1998-2 to be used in the UK, the NDPs have been published in a National Annex, which has been made available by BSI.

There are generally no requirements in the UK to consider seismic loading, and the whole of the UK may be considered an area of very low seismicity in which the provisions of EN 1998-2 need not apply. However, certain types of structure, by reason of their function, location or form, may warrant an explicit consideration of seismic actions. Background information on the circumstances in which this might apply in the UK can be found in PD 6698:2009.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Amendments/corrigenda issued since publication

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 20 December 2005

© The British Standards Institution 2012. Published by BSI Standards Limited 2012

Date	Comments
31 August 2009	Implementation of CEN amendment A1:2009
31 May 2010	Implementation of CEN corrigendum February 2010
31 December 2011	Implementation of CEN amendment A2:2011
29 February 2012	Correction to electronic version, page (110) did not display

ISBN 978 0 580 78322 7

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1998-2:2005+A2

September 2011

ICS 91.120.25: 93.040

Supersedes ENV 1998-2:1994 Incorporating corrigendum February 2010

English Version

Eurocode 8 - Design of structures for earthquake resistance -Part 2: Bridges

Eurocode 8 - Calcul des structures pour leur résistance aux séismes - Partie 2: Ponts

Eurocode 8 - Auslegung von Bauwerken gegen Erdbeben -Teil 2: Brücken

This European Standard was approved by CEN on 7 July 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2005 CEN

All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 1998-2:2005: E

This is a preview. Click here to purchase the full publication.

TABLE OF CONTENTS

FOREWORD6			
1	INTRO	DUCTION	12
	1.1 SCOPE		12
	1.1.1	Scope of EN 1998-2	
	1.1.2	1 0	
		RMATIVE REFERENCES	
	1.2.1		
	1.2.2		
	1.2.3	v	
	1.2.4		
		SUMPTIONS	
		STINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	
		FINITIONS	
	1.5.1	General	14
	1.5.2		
	1.5.3	Further terms used in EN 1998-2	14
	1.6 SY	MBOLS	16
	1.6.1	General	16
	1.6.2	Further symbols used in Sections 2 and 3 of EN 1998-2	
	1.6.3	Further symbols used in Section 4 of EN 1998-2	
	1.6.4	Further symbols used in Section 5 of EN 1998-2	
	1.6.5	Further symbols used in Section 6 of EN 1998-2	
	1.6.6	Further symbols used in Section 7 and Annexes J, JJ and K of E	
2	BASIC	REQUIREMENTS AND COMPLIANCE CRITERIA	
		SIGN SEISMIC ACTION	
		SIC REQUIREMENTS	
	2.2. BA 2.2.1		
	2.2.1	No-collapse (ultimate limit state)	
	2.2.3	Minimisation of damage (serviceability limit state)	
		MPLIANCE CRITERIA	
	2.3.1		
	2.3.1	Intended seismic behaviour	
	2.3.3	Resistance verifications	
		v	
2.3.4 2.3.5		Capacity design Provisions for ductility	
	2.3.6		
	2.3.0	Connections - Control of displacements - Detailing	
		Simplified criteria NCEPTUAL DESIGN	
	2.4 CO	NCEPTUAL DESIGN	30
3	SEISM	IC ACTION	39
		FINITION OF THE SEISMIC ACTION	39
	3.1.1	General	
	3.1.2	Application of the components of the motion	39
	3.2 QU	ANTIFICATION OF THE COMPONENTS	
	3.2.1	General	

	3.2.2	Site dependent elastic response spectrum	40
	3.2.3	Time-history representation	40
	3.2.4	Site dependent design spectrum for linear analysis	41
	3.3 SPA	ATIAL VARIABILITY OF THE SEISMIC ACTION	41
4	ANALA	YSIS	45
•			
		DDELLING	
	4.1.1	Dynamic degrees of freedom	
	4.1.2	Masses	
	4.1.3	Damping of the structure and stiffness of members	
	4.1.4	Modelling of the soil	
	4.1.5	Torsional effects	
	4.1.6	Behaviour factors for linear analysis	
	4.1.7	Vertical component of the seismic action	
	4.1.8 4.1.9	Regular and irregular seismic behaviour of ductile bridges	31 52
		Non-linear analysis of irregular bridges ETHODS OF ANALYSIS	
	4.2 ME		
	4.2.1 4.2.2	Linear dynamic analysis - Response spectrum method	
		Fundamental mode method	
	4.2.3	Alternative linear methods	
	4.2.4	Non-linear dynamic time-history analysis	
	4.2.5	Static non-linear analysis (pushover analysis)	
5	STREN	GTH VERIFICATION	62
	5.1 GE	NERAL	62
		ATERIALS AND DESIGN STRENGTH	
	5.2.1	Materials	
	5.2.2	Design strength	
		PACITY DESIGN	
		COND ORDER EFFECTS	
		MBINATION OF THE SEISMIC ACTION WITH OTHER ACTIONS	
		SISTANCE VERIFICATION OF CONCRETE SECTIONS	
	5.6.1	Design resistance	
		Structures of limited ductile behaviour	
	5.6.3	Structures of ductile behaviour	
		SISTANCE VERIFICATION FOR STEEL AND COMPOSITE MEMBERS	
	5.7.1	Steel piers	
	5.7.2	Steel or composite deck	75
	5.8 FO	UNDATIONS	
	5.8.1	General	
	5.8.2	Design action effects	
	5.8.3	Resistance verification	
6	DETAI	LING	
U			
		NERAL	
		NCRETE PIERS	
	6.2.1	Confinement	
	6.2.2	Buckling of longitudinal compression reinforcement	
	6.2.3	Other rules	
	6.2.4	Hollow piers	
	6.3 ST	EEL PIERS	83

BS EN 1998-2:2005+A2:2011 EN 1998-2:2005+A2:2011 (E)

			0.0
(OUNDATIONS	
	6.4.1	Spread foundation	
	6.4.2	Pile foundations	
(RUCTURES OF LIMITED DUCTILE BEHAVIOUR	
	6.5.1	Verification of ductility of critical sections	
	6.5.2	Avoidance of brittle failure of specific non-ductile components	84
(6.6 Bi	EARINGS AND SEISMIC LINKS	
	6.6.1	General requirements	85
	6.6.2	Bearings	86
	6.6.3	Seismic links, holding-down devices, shock transmission units	87
	6.6.4	Minimum overlap lengths	
(6.7 Co	ONCRETE ABUTMENTS AND RETAINING WALLS	91
	6.7.1	General requirements	91
	6.7.2	Abutments flexibly connected to the deck	91
	6.7.3	Abutments rigidly connected to the deck	
	6.7.4	Culverts with large overburden	
	6.7.5	Retaining walls	
7	DDID	GES WITH SEISMIC ISOLATION	05
/			
,	7.1 G	ENERAL	95
,	7.2 Di	EFINITIONS	95
,	7.3 B	ASIC REQUIREMENTS AND COMPLIANCE CRITERIA	96
,	7.4 SE	EISMIC ACTION	97
	7.4.1	Design spectra	97
	7.4.2	Time-history representation	
,	7.5 A	NALYSIS PROCEDURES AND MODELLING	97
	7.5.1	General	97
	7.5.2	Design properties of the isolating system	
	7.5.3	Conditions for application of analysis methods	
	7.5.4	Fundamental mode spectrum analysis	
	7.5.5	Multi-mode Spectrum Analysis	
	7.5.6	Time history analysis	
	7.5.7	Vertical component of seismic action	
,	7.6 V	ERIFICATIONS	
	7.6.1	Seismic design situation	109
	7.6.2	Isolating system	
	7.6.3	Substructures and superstructure	
,		PECIAL REQUIREMENTS FOR THE ISOLATING SYSTEM	
	7.7.1	Lateral restoring capability	
	7.7.2	~ · ·	
	7.7.3	Inspection and Maintenance	
A 78		1	
Ar Er	NNEX A	(INFORMATIVE) PROBABILITIES RELATED TO THE	KEF-
		EISMIC ACTION. GUIDANCE FOR THE SELECTION OF D	
5E	ASWIIC A	ACTION DURING THE CONSTRUCTION PHASE	118
ΛN	INFY P	(INFORMATIVE) RELATIONSHIP BETWEEN DISPLACE	MENT
		TY AND CURVATURE DUCTILITY FACTORS OF PL	
		CONCRETE PIERS	
111	TAGES II.	CONCRETE HERO	119
AN	INEX C	(INFORMATIVE) ESTIMATION OF THE EFFE	CTIVE
		S OF REINFORCED CONCRETE DUCTILE MEMBERS	
	, ~		

ANNEX D (INFORMATIVE) SPATIAL VARIABILITY OF EARTHQUAKE
GROUND MOTION: MODEL AND METHODS OF ANALYSIS122
ANNEX E (INFORMATIVE) PROBABLE MATERIAL PROPERTIES AND
PLASTIC HINGE DEFORMATION CAPACITIES FOR NON-LINEAR
ANALYSES129
ANNEX F (INFORMATIVE) ADDED MASS OF ENTRAINED WATER FOR
IMMERSED PIERS
ANNEX G (NORMATIVE) CALCULATION OF CAPACITY DESIGN
EFFECTS
ANNEX H (INFORMATIVE) STATIC NON-LINEAR ANALYSIS
(PUSHOVER)139
ANNEX J (NORMATIVE) VARIATION OF DESIGN PROPERTIES OF
SEISMIC ISOLATOR UNITS142
ANNEX JJ (INFORMATIVE) λ-FACTORS FOR COMMON ISOLATOR
TYPES144
ANNEX K (INFORMATIVE) TESTS FOR VALIDATION OF DESIGN
PROPERTIES OF SEISMIC ISOLATOR UNITS147

BS EN 1998-2:2005+A2:2011 EN 1998-2:2005+A2:2011 (E)

Foreword

This European Standard EN 1998-2, Eurocode 8: Design of structures for earthquake resistance: Bridges, has been prepared by Technical Committee CEN/TC250 «Structural Eurocodes», the Secretariat of which is held by BSI. CEN/TC250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by May 2006, and conflicting national standards shall be withdrawn at latest by March 2010.

This document supersedes ENV 1998-2:1994.

According to the CEN-CENELEC Internal Regulations, the National Standard Organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (*e.g.* the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

-

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990	Eurocode:	Basis of structural design
EN 1991	Eurocode 1:	Actions on structures
EN 1992	Eurocode 2:	Design of concrete structures
EN 1993	Eurocode 3:	Design of steel structures
EN 1994	Eurocode 4:	Design of composite steel and concrete structures
EN 1995	Eurocode 5:	Design of timber structures
EN 1996	Eurocode 6:	Design of masonry structures
EN 1997	Eurocode 7:	Geotechnical design
EN 1998	Eurocode 8:	Design of structures for earthquake resistance
EN 1999	Eurocode 9:	Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 Mechanical resistance and stability and Essential Requirement N°2 Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs).

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by

The Eurocodes, de facto, play a similar role in the field of the ER 1 and a part of ER 2.

7

² In accordance with Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ In accordance with Art. 12 of the CPD the interpretative documents shall:

a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;

b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc.;

c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

BS EN 1998-2:2005+A2:2011 EN 1998-2:2005+A2:2011 (E)

CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex.

The National annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, *i.e.*:

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc.), e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode.

It may also contain

- decisions on the use of informative annexes, and
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1998-2

The scope of this Part of EN 1998 is defined in 1.1.

Except where otherwise specified in this Part, the seismic actions are as defined in EN 1998-1:2004, Section 3.

⁴ see Art.3.3 and Art.12 of the CPD, as well as 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.