BS EN 1996-1-2:2005

Incorporating corrigendum October 2010

Eurocode 6: Design of masonry structures —

Part 1-2: General rules — Structural fire design

 $ICS\ 13.220.50;\ 91.010.30;\ 91.080.30$



National foreword

This British Standard is the official English language version of EN 1996-1-2:2005, incorporating corrigendum October 2010. It supersedes DD ENV 1996-1-2:1997 which is withdrawn.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by CEN corrigendum October 2010 is indicated in the text by AC1 (AC1).

The structural Eurocodes are divided into packages by grouping Eurocodes for each of the main materials, concrete, steel, composite concrete and steel, timber, masonry and aluminium, this is to enable a common date of withdrawal (DOW) for all the relevant parts that are needed for a particular design. The conflicting national standards will be withdrawn at the end of the coexistence period, after all the EN Eurocodes of a package are available.

Following publication of the EN, there is a period of 2 years allowed for the national calibration period during which the national annex is issued, followed by a three year coexistence period. During the coexistence period Member States will be encouraged to adapt their national provisions to withdraw conflicting national rules before the end of the coexistent period. The Commission in consultation with Member States is expected to agree the end of the coexistence period for each package of Eurocodes.

At the end of this co-existence period, the national standards will be withdrawn.

In the UK, the following standard will be partially superseded:

BS 5628-3:2001, Code of practice for use of masonry — Part 3: Materials and components, design and workmanship and based on this transition period, this standard will be withdrawn on a date to be announced.

The UK participation in its preparation was entrusted by Technical Committee B/525, Building and civil engineering structures, to Subcommittee B/525/6, Use of masonry.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Where a normative part of this EN allows for a choice to be made at the national level, the range and possible choice will be given in the normative text, and a note will qualify it as a Nationally Determined Parameter (NDP). NDPs can be a specific value for a factor, a specific level or class, a particular method or a particular application rule if several are proposed in the EN.

To enable EN 1996-1-2 to be used in the UK, the NDPs will be published in a National Annex, which will be made available by BSI in due course, after public consultation has taken place.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2005

© BSI 2011

Amendments/corrigenda issued since publication

Date	Comments
31 July 2011	Implementation of CEN corrigendum October 2010

ISBN 978 0 580 73699 5

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1996-1-2

May 2005

ICS 13.220.50; 91.010.30; 91.080.30

Incorporating corrigendum October 2010 Supersedes ENV 1996-1-2:1995

English version

Eurocode 6 - Design of masonry structures - Part 1-2: General rules - Structural fire design

Eurocode 6 - Calcul des ouvrages en maçonnerie - Partie 1-2: Règles générales - Calcul du comportement au feu Eurocode 6 - Bemessung und Konstruktion von Mauerwerksbauten - Teil 1-2: Allgemeine Regeln -Tragwerksbemessung für den Brandfall

This European Standard was approved by CEN on 4 November 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2010 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 1996-1-2:2005: E

BS EN 1996-1-2:2005 EN 1996-1-2:2005 (E)

Contents

	Page
Foreword	
Status and field of application of Eurocodes	5
National Standards implementing Eurocodes.	6
Links between Eurocodes and products harmonised technical specific ETAs)	`
Additional information specific to EN 1996-1-2	7
National Annex for EN 1996-1-2	9
Section 1. General	
1.2 Normative references	10
1.3 Assumptions	11
1.4 Distinction between Principles and application Rules	11
1.5 Definitions	11
1.5.1 Special terms relating to fire design in general	12
1.5.2 Special terms relating to calculation methods	13
1.6 Symbols	13
Section 2. Basic principles and rules	
2.1.1 General	15
2.1.2 Nominal fire exposure	
2.1.3 Parametric fire exposure	16
2.2 Actions	16
2.3 Design values of material properties	16
2.4 Assessment methods	17
2.4.1 General	17
2.4.2 Member analysis	18
2.4.3 Analysis of part of the structure	20

2.4.4 Global structural analysis	20
Section 3. Materials	
3.2 Mortar	20
3.3 Mechanical properties of masonry	20
3.3.1 Mechanical properties of masonry at normal temperature	20
3.3.2 Strength and deformation properties of masonry at elevated temperature	21
3.3.2.1 General	21
3.3.2.2 Unit mass	21
3.3.3 Thermal properties	21
3.3.3.1 Thermal elongation	21
3.3.3.2 Specific heat capacity	21
3.3.3.3 Thermal conductivity	21
Section 4. Design Procedures for obtaining fire resistance of masonry walls	
4.1.1 Wall types by function	21
4.1.2 Cavity walls and untied walls comprising independent leaves	22
4.2 Surface finishes – rendering mortar and plaster.	24
4.3 Additional requirements for masonry walls	24
4.4 Assessment by testing.	24
4.5 Assessment by tabulated data	25
4.6 Assessment by calculation	25
Section 5. Detailing	
5.2 Junctions and joints	26
5.3 Fixtures, pipes and cables	26
Annex A (Informative) Guidance on selection of fire resistance periods	28
Annex B (Normative) Tabulated fire resistance of masonry walls	29
Annex C (Informative) Simplified calculation model	
Annex D (Informative) Advanced calculation method	
Annex 2 (mornium ve) 2 amples of connections that meet the requirements of section 3.	00

Foreword

This document (EN 1996-1-2:2005) has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2005 and conflicting national standards shall be withdrawn at the latest by March 2010.

This document supersedes ENV 1996-1-2:1995.

CEN/TC 250 is responsible for all Structural Eurocodes.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990	Eurocode:	Basis of Structural Design
EN 1991	Eurocode 1:	Actions on structures
EN 1992	Eurocode 2:	Design of concrete structures
EN 1993	Eurocode 3:	Design of steel structures
EN 1994	Eurocode 4:	Design of composite steel and concrete structures

4

Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

Eurocode 5:	Design of timber structures
Eurocode 6:	Design of masonry structures
Eurocode 7:	Geotechnical design
Eurocode 8:	Design of structures for earthquake resistance
Eurocode 9:	Design of aluminium structures
	Eurocode 6: Eurocode 7: Eurocode 8:

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that EUROCODES serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 Mechanical resistance and stability and Essential Requirement N°2 Safety in case of fire;
 - as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

The Eurocodes, de facto, play a similar role in the field of the ER 1 and a part of ER 2.

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall:

a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;

b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc.;

c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National Annex.

The National Annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, *i.e.*:

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc.), e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode,

and it may also contain

- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and products harmonised technical specifications (ENs and ETAs)

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes should clearly mention which Nationally Determined Parameters have been taken into account.

This European Standard is part of EN 1996 which comprises the following parts:

[AC₁] EN 1996-1-1: General rules for reinforced and unreinforced masonry structures (AC₁]

EN 1996-1-2: General Rules - Structural Fire Design.

EN 1996-2: Design, Selection of materials and execution of masonry

EN 1996-3: Simplified calculation methods for unreinforced masonry structures (AC1)

EN 1996-1-2 is intended to be used together with EN 1990, EN 1991-1-2, EN 1996-1-1, EN 1996-2 and EN 1996-3

4

 $^{^4}$ see Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

Additional information specific to EN 1996-1-2

The general objectives of fire protection are to limit risks with respect to the individual and society, neighbouring property, and where required, directly exposed property, in the case of fire.

The Construction Products Directive 89/106/EEC gives the following essential requirement for the limitation of fire risks:

"The construction works must be designed and built in such a way that, in the event of an outbreak of fire

- the load bearing resistance of the construction can be assumed for a specified period of time
 - the generation and spread of fire and smoke within the works are limited
 - the spread of fire to neighbouring construction works is limited
 - the occupants can leave the works or can be rescued by other means
- the safety of rescue teams is taken into consideration".

According to the Interpretative Document No 2 "Safety in Case of Fire" the essential requirement may be observed by following various possibilities for fire safety strategies prevailing in the Member States like conventional fire scenarios (nominal fires) or 'natural' (parametric) fire scenarios, including passive and/or active fire protection measures.

The fire parts of Structural Eurocodes deal with specific aspects of passive fire protection in terms of designing structures and parts thereof for adequate load bearing resistance that could be needed for safe evacuation of occupants and fire rescue operations and for limiting fire spread as relevant.

Required functions and levels of performance are generally specified by the national authorities - mostly in terms of a standard fire resistance rating. Where fire safety engineering for assessing passive and active measures is acceptable, requirements by authorities will be less prescriptive and may allow for alternative strategies.

This Part 1-2, together with EN 1991-1-2, Actions on structures exposed to fire, supplements EN 1996-1-1, so that the design of masonry structures can comply with normal and fire requirements.

Supplementary requirements concerning, for example

- the possible installation and maintenance of sprinkler systems
- conditions on occupancy of building or fire compartment
- the use of approved insulation and coating materials, including their maintenance

are not given in this document, as they are subject to specification by the competent authority.