

Testing of resin and polymer/cement compositions for use in construction —

**Part 12: Methods for measurement of
unrestrained linear shrinkage and
coefficient of thermal expansion**

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Technical Committee B/517, Concrete, to Subcommittee B/517/8, Protection and repair of concrete structures, upon which the following bodies were represented:

British Adhesives and Sealants Association
 British Cement Association
 British Railways Board
 Building Employers Confederation
 Cement Admixtures Association
 Concrete Repair Association
 Concrete Society
 County Surveyors' Society
 Department of the Environment (Building Research Establishment)
 Department of Transport
 Department of Transport (Transport Research Laboratory)
 Federation of Civil Engineering Contractors
 FeRFA
 Institution of Highways and Transportation
 Institution of Structural Engineers
 Plastics and Rubber Institute
 Sprayed Concrete Association

This British Standard, having been prepared under the direction of the Technical Committee B/517, was published under the authority of the Standards Board and comes into effect on 15 October 1992

© BSI 08-1999

The following BSI references relate to the work on this standard:
 Committee reference B/517/8
 Draft for comment 90/17981 DC

ISBN 0 580 21123 1

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 References	1
3 Definitions	1
4 Principles	1
5 Apparatus	1
6 Test specimens	3
7 Measurement of shrinkage	3
8 Calculation of shrinkage	3
9 Test report for shrinkage	4
10 Measurement of the coefficient of thermal expansion	4
11 Calculation of the coefficient of thermal expansion	4
12 Test report for the coefficient of thermal expansion	5
<hr/>	
Figure 1 — General arrangement of steel mould and transducers for measuring displacements and typical cross sections	2
<hr/>	
List of references	Inside back cover
<hr/>	