# Fibre cement pipes for drains and sewers —

Part 2: Manholes and inspection chambers

The European Standard EN 588-2:2001 has the status of a British Standard

 $ICS\ 13.060.30;\ 93.030$ 



#### National foreword

This British Standard is the official English language version of EN 588-2:2001.

The UK participation in its preparation was entrusted to Technical Committee B/505, Waste water engineering, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

#### Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Building and Civil Engineering Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 3 April 2002

#### Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 35 and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

#### Amendments issued since publication

Amd. No.	Date	Comments

© BSI 3 April 2002

ISBN 0 580 39454 9

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 588-2

December 2001

ICS 13.060.30; 93.030

#### **English version**

# Fibre cement pipes for drains and sewers - Part 2: Manholes and inspection chambers

Tuyaux en fibres-ciment pour réseaux d'assainissement et branchements - Partie 2: Regards et boîtes de branchements Faserzementrohre für Abwasserkanäle und Abwasserleitungen - Teil 2: Einsteig- und Kontrollschächte

This European Standard was approved by CEN on 17 February 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2001 CEN

All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 588-2:2001 E

This is a preview. Click here to purchase the full publication.

### **Contents**

		page
1	Scope	
2	Normative references	5
3	Terms and definitions	5
4	Symbols and abbreviations	5
5	Description and requirements for components	6
5.1	Manholes with access for inspection by personnel	6
5.2	Manholes with access for cleaning and inspection	6
5.3	Inspection chambers	
5.4	Prefabricated elements	
5.4.1	Base element (see key 4)	12
5.4.2	Saddle element (see key 7)	
5.4.3	Shaft (see key 6)	
5.4.4	Connecting ring (see key 8)	
5.4.5	Reducer-slab (see key 9)	12
5.4.6	Capping structure (see key 12, 13, 14 and 15)	
5.4.7	Connection to sewer network (see key 5)	12
5.5	Prefabricated complete manhole or inspection chamber (see Figures 1 and 2)	12
6	Requirements	13
6.1	General	13
6.2	General composition	
6.3	General appearance and finish	
6.4	Geometrical characteristics	
6.4.1	Nominal diameter	13
6.4.2	Wall thickness	14
6.4.3	Height	14
6.4.4	Angles between axes of connections to sewers	
6.4.5	Location for steps or fixed ladders	
6.4.6	Interchangeability	
6.4.7	Limit deviations	
6.5	Mechanical characteristics	
6.5.1	Crushing loads for pipes for base elements and shafts	
6.5.2	Stability of connections to sewer network	
6.5.3	Bonding stability	
6.5.4	Watertightness	
6.5.5	Access steps	
6.6	Hydraulic design	
6.7 6.8	Resistance to domestic sewage media	
6.9	Jointing of elementsAssembly of prefabricated elements on-site	
6.10	Connections to sewers	
7	Test methods	
7.1	General	
7.1.1	Acceptance tests	
7.1.2	Type tests	
7.2	Geometrical characteristics of prefabricated elements	
7.2.1	Internal diameter	
7.2.2	Wall thickness	
7.2.3	Height	
7.2.4	Angles between the axis of connections	
7.2.5	Perpendicularity of end faces	
7.3	Mechanical characteristics	20