Sampling and examination of bituminous mixtures for roads and other paved areas —

Part 100: Methods for sampling for analysis

ICS 93.080.20



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee B/510, Road materials, to Subcommittee B/510/1, Coated macadam and hot asphalt, upon which the following bodies were represented:

British Civil Engineering Manufacturers' Association

County Surveyor's Society

Department for Transport — Highways Agency

Highways Agency — Safety Standards and Research

Institute of Asphalt Technology

Institution of Civil Engineers

Institution of Highways and Transportation

Mastic Asphalt Council Ltd.

MoD — UK Defence Standardization

Quarry Products Association

Refined Bitumen Association Ltd.

Scottish Office — Roads Directorate

Society of Chemical Industry

TRL — Transport Research Laboratory

United Kingdom Accreditation Service

Co-opted members

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 15 December 2004

© BSI 15 December 2004

First published as BS 598-1, August 1974

First published as BS 598-100 December 1987

Second edition December 2004

The following BSI references relate to the work on this British Standard:

Committee reference B/510/1

ISBN 0 580 44895 9

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

		Pag	e		
Comi	Committees responsible Inside front				
Fore	word	i	ii		
1	Scope		1		
2	Definitions		1		
3	General principles		1		
4	General apparatus		1		
5	Minimum mass of bulk samples		2		
6	Methods of obtaining bulk samples from all materials except coated				
7	chippings		2		
1	Other methods of obtaining bulk samples		4		
8	Sampling coated chippings from stockpiles		5		
9	Sample-size reduction of bulk sample		5		
10	Certificate of sampling		5		
Annex A Typical sampling equipment			6		
Annex B Recommendations on the rate of sampling			8		
Annex C Typical certificate of sampling			8		
Figui	re A.1 — Typical sampling scoop for coated chippings		6		
Figure A.2 — Sampling equipment			7		
Figu	re A.3 — Sampling shovel		7		
Table	e 1 — Minimum mass of bulk sample for mixtures with d	ifferent values of	_		
D exc	cept coated chippings		2		
	≥ 2 — Number of increments when sampling during disc ang plant	_	3		
Publications referred to			9		