



BSI Standards Publication

Gully tops and manhole tops for vehicular and pedestrian areas

Part 6: Gully tops and manhole tops made of polypropylene (PP), polyethylene (PE) or unplasticized poly(vinyl chloride) (PVC-U)

bsi.

...making excellence a habit.TM

This is a preview. Click [here](#) to purchase the full publication.

National foreword

This British Standard is the UK implementation of EN 124-6:2015. Together with BS EN 124-1:2015, BS EN 124-2:2015, BS EN 124-3:2015, BS EN 124-4:2015 and BS EN 124-5:2015, it supersedes BS EN 124:1994 which is withdrawn.

The UK participation in its preparation was entrusted by Technical Committee B/505, Wastewater engineering, to Subcommittee B/505/4, "Manhole Covers, Surface Boxes And Other Road Fittings".

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 79322 6

ICS 93.080.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 124-6

June 2015

ICS 93.080.30

Supersedes EN 124:1994

English Version

**Gully tops and manhole tops for vehicular and pedestrian areas -
Part 6: Gully tops and manhole tops made of polypropylene
(PP), polyethylene (PE) or unplasticized poly(vinyl chloride)
(PVC-U)**

Dispositifs de couronnement et de fermeture pour les zones
de circulation utilisées par les piétons et les véhicules -
Partie 6 : Dispositifs de couronnement et de fermeture en
polypropylène (PP), polyéthylène (PE) ou polychlorure de
vinyle non plastifié (PVC-U)

Aufsätze und Abdeckungen für Verkehrsflächen - Teil 6:
Aufsätze und Abdeckungen aus Polypropylen (PP),
Polyethylen (PE) oder weichmacherfreiem Polyvinylchlorid
(PVC-U)

This European Standard was approved by CEN on 12 March 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword	4
1 Scope	5
2 Normative references	5
3 Terms, definitions, symbols and abbreviations	7
3.1 Terms and definitions	7
3.2 Symbols and abbreviations	8
4 Materials	8
4.1 General	8
4.2 Combination of elements made of different materials	9
4.3 UV stability (artificial weathering resistance)	9
4.3.1 General	9
4.3.2 Carbon black requirements for UV resistant PE and PP	10
4.3.3 Titanium dioxide requirements for UV resistant PVC-U	10
4.4 Metallic fixing	10
5 Requirements	10
5.1 Design and performance requirements	10
5.2 Material specific characteristics for gully tops and manhole tops made of PE, PP, and PVC-U	11
5.2.1 Reaction to fire	11
5.2.2 Effect of heating	11
5.2.3 Deflection under load	12
5.2.4 Impact resistance	12
5.2.5 Durability	12
5.2.6 Dangerous substances	13
6 Testing	13
6.1 General	13
6.2 Effect of heating	13
6.3 Deflection under load	13
6.4 Impact resistance	13
7 Assessment and verification of constancy of performance — AVCP	14
7.1 General	14
7.2 Type testing	15
7.2.1 General	15
7.2.2 Test samples, testing and compliance criteria	15
7.2.3 Test reports	17
7.2.4 Shared other party results	17
7.3 Factory production control (FPC)	18
7.3.1 General	18
7.3.2 Requirements	18
7.3.3 Product specific requirements	21
7.3.4 Initial inspection of factory and of FPC	22
7.3.5 Continuous surveillance of FPC	22
7.3.6 Procedure for modifications	23
8 Designation	23
9 Marking	24
Annex A (normative) Characteristics of glass fibres used for reinforcement of PP polymer	26

Annex B (normative) Test of deflection under load	27
B.1 Test samples	27
B.2 Deflection test load, F_D	27
B.3 Apparatus	27
B.3.1 Testing machine	27
B.3.2 Test blocks	27
B.3.3 Deflection measurement device(s)	27
B.4 Procedure	27
B.4.1 Procedure for testing rectangular and circular covers/gratings	27
B.4.2 Procedure for testing multiple and triangular covers/gratings	28
B.4.3 Observations and reporting	28
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	29
ZA.1 Scope and relevant characteristics	29
ZA.2 Procedures for AVCP of gully tops and manhole tops made of PP, PE or PVC-U).....	31
ZA.2.1 Systems of AVCP	31
ZA.2.2 Declaration of performance (DoP)	33
ZA.3 CE marking and labelling.....	35
Bibliography	38