Structural use of timber —

Part 5: Code of practice for the preservative treatment of structural timber

UDC 624.011.1:691.11:674.038.5:674.048



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Civil Engineering and Building Structures Standards Policy Committee (CSB/-) to Technical Committee CSB/32 upon which the following bodies were represented:

British Woodworking Federation

Chartered Institute of Building

Department of the Environment Building Research Establishment

Princes Risborough Laboratory

Department of the Environment (Housing and Construction)

Department of the Environment (Property Services Agency)

Greater London Council

Incorporated Association of Architects and Surveyors

Institute of Clerks of Works of Great Britain Inc.

Institute of Wood Science

Institution of Civil Engineers

Institution of Structural Engineers

International Truss Plate Association

National Federation of Building Trades Employers

National House-Building Council

Royal Institute of British Architects

Royal Institution of Chartered Surveyors

Timber Research and Development Association

Timber Trade Federation

This British Standard, having been prepared under the direction of the Civil Engineering and Building Structures Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 29 September 1989

 $\ensuremath{\mathbb{C}}$ BSI 01-1999

First published August 1984 First revision September 1989

The following BSI references relate to the work on this standard:
Committee reference CSB/32
Draft for comment 87/11450 DC

ISBN 0 580 17373 9

Amendments issued since publication

Amd. No.	Date of issue	Comments

This is a preview. Click here to purchase the full publication.

Contents

		Page		
Committees responsible Inside fr				
Fore	word	ii		
1	Scope	1		
2	Definitions	1		
3	The need for preservative protection	1		
4	New timber in old buildings	3		
5	Risk assessment	3		
6	Preservative treatment of timber in various structural situ	ations 5		
7	Preservative treatment	12		
8	Properties of treated timber	15		
9	Safety	16		
10	Checking preservative treatment	16		
	endix A Decision process for using preservative treatment an aples of the use of Table 4 and Table 5	nd 18		
	e 1 — Natural durability and treatability characteristics of ted timbers	2		
	e 2 — Classification of risk categories related to wood-destronisms	oying 4		
		4		
Table 3 — Classification of risk categories related to safety and economic factors				
Table 4 — Timber in buildings				
Table 5 — Timber used for structural purposes other than buildings				
Table 6 — Preservative treatments and relevant specifications				
Table 7 — Pressure treatment				
Table 8 — Immersion treatment				
Table 9 — Double vacuum treatments				
Table 10 — Approximate conversions				
	e 11 — Anticipated minimum sapwood retention of CCA tre	ated		
timb	<u>.</u>	17		
Tabl	e 12 — Decision process for using preservative treatment	19		
Publ	ications referred to	side back cover		