

Concrete manholes and inspection chambers, unreinforced, steel fibre and reinforced

ICS 93.030

National foreword

This British Standard is the UK implementation of EN 1917:2002, incorporating corrigenda December 2003, December 2006 and April 2008. BS EN 1917:2002 together with BS 5911-3:2002 supersedes BS 5911-200:1994, which is withdrawn. BS EN 1917:2002 together with BS 5911-4:2002 supersedes BS 5911-2:1982, which is also withdrawn. Therefore, BS 5911-3:2002 and BS 5911-4:2002 are for use in conjunction with BS EN 1917:2002 for manholes and inspection chambers respectively and all three came into effect simultaneously. In order not to create barriers to European trade, products under the scope of this British Standard should be specified as conforming to “BS EN 1917:2002 and BS 5911-3:2002 (or BS 5911-4:2002) or equivalent”. The foreword of EN 1917:2002 explains why, and under what circumstances, complementary requirements and associated test methods outside the scope of that standard will be needed at national level.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by CEN corrigendum December 2003 is indicated in the text by ^ % .

EN 1917 is a “harmonized” European Standard and fully takes into account the requirements of the European Commission mandate M118, Wastewater engineering products, given under the EU Construction Products Directive (89/106/EEC), and is intended to lead to CE marking.

The UK participation in its preparation was entrusted to Technical Committee B/505, Wastewater engineering.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 18 November 2002

© BSI 2008

Amendments/corrigenda issued since publication

Amd. No.	Date	Comments
15289 Corrigendum No. 1	29 July 2004	Implementation of CEN corrigendum December 2003
16964 Corrigendum No. 2	28 February 2007	Implementation of CEN corrigendum December 2006
	30 November 2008	Implementation of CEN corrigendum April 2008

ISBN 978 0 580 62962 4

English version

Concrete manholes and inspection chambers, unreinforced,
steel fibre and reinforced

Regards de visite et boîtes de branchement en béton non
armé, béton fibré acier et béton armé

Einsteig- und Kontrollschächte aus Beton, Stahlfaserbeton
und Stahlbeton

This European Standard was approved by CEN on 18 August 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
Foreword	6
1 Scope	7
2 Normative references	9
3 Terms, definitions and symbols	9
3.1 Terms and definitions	9
3.2 Symbols	15
4 General requirements	17
4.1 Materials	17
4.1.1 General	17
4.1.2 Joint seals	18
4.2 Concrete	18
4.2.1 Concrete materials	18
4.2.2 Concrete strength	18
4.2.3 Concrete quality	18
4.2.4 Water content of concrete	18
4.2.5 Cement content of concrete	18
4.2.6 Chloride content of concrete	18
4.2.7 Water absorption of concrete	19
4.3 Units	19
4.3.1 General	19
4.3.2 Finish	19
4.3.3 Geometrical characteristics	19
4.3.4 Durability of joints between vertical units and connecting pipes or adaptors	21
4.3.5 Crushing strength of chamber and shaft units	21
4.3.6 Vertical strength of reducing units and capping units	21
4.3.7 Installed steps	21
4.3.8 Watertightness	22
4.3.9 Serviceability	22
4.3.10 Durability	22
5 Special requirements	22
5.1 Steel fibre concrete units	22
5.1.1 Steel fibre content	22
5.1.2 Crushing strength of chamber and shaft units	22
5.2 Reinforced concrete units	23
5.2.1 Reinforcement	23
5.2.2 Concrete cover	23
5.2.3 Crushing strength of chamber and shaft units	23
5.2.4 Vertical strength of cover slabs, reducing slabs and capping units	23
5.2.5 Conformity of proof (crack) load tested units	23
5.2.6 Loading requirements for units not subject to 5.2.3 or 5.2.4	24
6 Test methods for finished products	24
6.1 General	24
6.2 Joint profiles	25
6.3 Reinforcement	25
6.3.1 Placing and content of reinforcement	26
6.3.2 Concrete cover	26
6.4 Crushing strength of chamber and shaft units	26
6.5 Vertical strength of reducing units and capping units	26
6.6 Watertightness	26

6.7	Water absorption	26
6.8	Concrete strength in base units, capping unit walls, adjusting units and certain tapers	26
6.9	Installed steps	26
7	Conformity evaluation	27
7.1	General.....	27
7.2	Product evaluation procedures.....	27
7.2.1	General.....	27
7.2.2	Initial type testing	27
7.2.3	Factory production control.....	27
7.2.4	Further testing of samples taken at the factory	27
7.2.5	Tasks for a certification body.....	28
8	Marking	28
Annex A	(normative) Test method for crushing strength of chamber and shaft units.....	29
A.1	Principle.....	29
A.2	Apparatus	29
A.3	Preparation	29
A.4	Procedure	29
A.4.1	Horizontal arrangement	29
A.4.2	Vertical arrangement	30
A.4.3	General.....	32
A.5	Expression of results	32
Annex B	(normative) Test methods for vertical strength of reducing units and capping units	33
B.1	Principle.....	33
B.2	Apparatus	33
B.3	Preparation	33
B.4	Procedure	33
B.4.1	Unreinforced and steel fibre concrete units	33
B.4.2	Reinforced concrete units	33
B.5	Expression of results	36
B.5.1	Vertical crushing load tests.....	36
B.5.2	Vertical proof load tests.....	36
Annex C	(normative) Test methods for watertightness	37
C.1	Principle.....	37
C.2	Apparatus	37
C.3	Preparation	37
C.4	Procedure (vertical unit hydrostatic test - routine and initial type tests)	37
C.5	Procedure (joint assembly test)	37
C.6	Alternative procedure for assembled structures	38
C.7	Procedure (joint between a vertical unit and a connecting pipe or adaptor)	38
C.7.1	General.....	38
C.7.2	Watertightness during angular deflection	38
C.7.3	Watertightness under shear load.....	39
C.7.4	Watertightness during angular deflection under shear load	39
C.8	Expression of results	40
Annex D	(normative) Test method for water absorption.....	41
D.1	Principle.....	41
D.2	Sample	41
D.3	Apparatus	41
D.4	Procedure	41
D.4.1	Determination of mass of immersed sample m_1	41
D.4.2	Determination of mass of dried sample m_2	41
D.5	Expression of results	42
Annex E	(normative) Test methods for installed steps.....	43
E.1	Principle.....	43
E.2	Apparatus	43
E.2.1	Vertical loading test.....	43
E.2.2	Horizontal pull-out test.....	43

E.3	Preparation	43
E.4	Procedure	43
E.4.1	Vertical loading test	43
E.4.2	Horizontal pull-out test	44
E.5	Expression of results	44
E.5.1	Vertical loading test	44
E.5.2	Horizontal pull-out test	44
Annex F	(normative) Manufacturer's quality assurance system	45
F.1	Organization	45
F.1.1	Responsibility and authority	45
F.1.2	Management representative for factory production control	45
F.1.3	Management review	45
F.1.4	Factory documents	45
F.2	Factory production control system	46
F.3	Inspection and testing	46
F.3.1	General	46
F.3.2	Inspection and test status	46
F.3.3	Testing	46
F.3.4	Inspection and test records	46
F.3.5	Complaints	46
F.4	Action required in the case of defectives	47
F.4.1	Unsatisfactory results	47
F.4.2	Defectives	47
F.4.3	Purchaser information	47
F.5	Handling, storage, packing and delivery of units	47
F.5.1	General	47
F.5.2	Handling	47
F.5.3	Storage	47
F.5.4	Packing and marking	47
F.5.5	Traceability	47
F.6	Training and personnel	47
F.7	Materials control	48
F.8	Equipment control	50
F.9	Process control	51
F.10	Control of laboratory equipment	52
Annex G	(normative) Sampling procedures for inspection of finished products	53
Annex H	(normative) Sampling procedures for continuous inspection of crushing strength, vertical strength and watertightness (vertical unit hydrostatic)	55
H.1	Inspection rates and interpretation of results	55
H.1.1	Inspection rates	55
H.1.2	Interpretation of results	55
H.2	Operating of switching rules	55
H.2.1	Tightened to normal inspection	55
H.2.2	Discontinuation of inspection	55
H.2.3	Normal to reduced inspection	56
H.2.4	Reduced to normal inspection	56
H.2.5	Normal to tightened inspection	56
H.3	Tightened, normal and reduced inspection	56
H.3.1	Tightened inspection	56
H.3.2	Normal inspection	56
H.3.3	Reduced inspection	58
	Reduced inspection corresponds to half the sampling rate of normal inspection.	58
H.3.4	Examples	58
H.4	Acceptability determination	60
H.4.1	Inspection on the basis of individual assessments	60
H.4.2	Inspection of crushing strength on the basis of statistical assessment	63
Annex I	(normative) Tasks for a product certification body	66
I.1	Initial inspection of factory and factory production control	66
I.2	Evaluation and approval of initial type testing of units	66

I.3	Periodic surveillance, evaluation and approval of factory production control.....	66
I.4	Audit testing of samples taken at the factory.....	66
I.5	Quality system	67
Annex J (normative) Procedure for unreinforced concrete chamber and shaft units where routine (continuous) inspection of crushing strength is primarily to minimum crushing load		68
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives		70
ZA.1	Scope and relevant characteristics	70
ZA.2	Procedure(s) for the attestation of conformity of concrete manholes and inspection chambers	71
ZA.2.1	System of attestation of conformity	71
ZA.2.2	Declaration of conformity	72
ZA.3	CE marking	72
Bibliography		75

Foreword

This document EN 1917:2002 has been prepared by Technical Committee CEN/TC 165 "Wastewater engineering", the secretariat of which is held by DIN.

It is a companion standard to EN 1916 "Concrete pipes and fittings, unreinforced, steel fibre and reinforced".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2003, and conflicting national standards shall be withdrawn at the latest by October 2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative annex ZA, which is an integral part of this document.

This European Standard includes ten normative annexes and one informative annex. Annexes A, B, C, D, E, F, G, H, I and J are normative, annex ZA is informative.

When the text of this European Standard was approved, complete agreement could not be achieved for all requirements in the existing national specifications of CEN members and so it includes only those requirements and associated test methods for which a consensus could be reached. Consensus was achieved on the requirements for quality control.

NOTE For the time being, for specification purposes, complementary (i.e. non-conflicting) requirements and associated test methods outside the scope of this European Standard (see Table 1) will be needed at national level. In order not to create any barrier to trade, any call for conformity to complementary requirements should always be qualified by incorporating the words 'or equivalent' after the reference to them.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.