BS 8666:2020



BSI Standards Publication

Scheduling, dimensioning, cutting and bending of steel reinforcement for concrete — Specification



This is a preview. Click here to purchase the full publication.

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 539 06628 9

ICS 77.140.15; 91.080.40

The following BSI references relate to the work on this document: Committee reference ISE/104 Drafts for comment 20/30403583 DC

Amendments/corrigenda issued since publication

Date Text affected

© THE BRITISH STANDA

This is a preview. Click here to purchase the full publication.

Contents		Page
	Foreword	iii
1	Scope	1
2	Normative references	1
3	Terms, definitions and symbols	1
4	Notation	3
	Table 1 — Notation of steel reinforcement	3
5	Form of schedule	3
5.1	General	3
5.2	Special bar end preparation	4
5.3	Paper-based schedules	4
5.4	Electronic data files	4
6	Form of bar or fabric label	5
	Figure 1 — Form of bar schedule (with example information included)	6
	Figure 2 — Form of fabric schedule	7
	Figure 3 — Purpose made fabric example	8
7	Dimensions	9
8	Scheduling	9
8.1	General	9
8.2	Bends not at right angles	10
	Figure 4 — Dimensioning of an acute angle	10
	Figure 5 — Dimensioning of an obtuse angle	11
	Figure 6 — Dimensioning of cranked bars	11
	Figure 7 — Dimensioning of shape codes 48 and 52	12
	Table 2 — Minimum scheduling radii, mandrel diameters and end projections	13
8.3	Scheduling allowable deviations between two concrete faces	13
	Table 3 — Standard deductions between two concrete faces	14
8.4	Shapes with two or more bends	14
	Table 4 — Minimum allowances between two bends	14
	Table 5 — Standard shapes, their method of measurement and calculation of length	15
	Table 6 — Standard fabric types and stock sheet size	24
9	Allowable deviations on cutting and bending dimensions	25
	Table 7 — Allowable deviations on cutting and bending dimensions	25
10	Radius of bending	25
	Table 8 — Maximum limit for which a preformed radius is required	25
11	Bending of fabric reinforcement	26
	Figure 8 — Bending instruction sketches	26
	Figure 9 — Position of welded transverse bars	26
12	Fabrication and routine inspection	27
12.1	Fabrication	27
12.2	Routine inspection of product	27
	Table 9 — Frequency of inspection	28
12.3	Processed coil product – audit testing	28
12.4	Processed coil product – factory control	29
Annex A	(informative) Third-party certification and batch testing	30
	Bibliography	32

BS 8666:2020

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 32, an inside back cover and a back cover.

II © THE BRITISH STA

This is a preview. Click here to purchase the full publication.