BS 8779:2022



BSI Standards Publication

Assessment, maintenance and repair of masonry highway parapets for bridges and other structures — Code of practice



BS 8779:2022 BRITISH STANDARD

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2022

Published by BSI Standards Limited 2022

ISBN 978 0 539 12228 2

ICS 93.080; 93.040

The following BSI references relate to the work on this document: Committee reference $B/509/1\,$

Draft for comment 21/30406772 DC

Amendments/corrigenda issued since publication

Date Text affected

© THE BRITISH STANDA

Contents		Page
	Foreword	iii
	Introduction	1
1	Scope	2
2	Normative references	2
3	Terms, definitions, symbols and abbreviated terms	3
4	Assumptions and process	6
4.1	Assumptions – competence and appointment	6
	Figure 1 — Flowchart showing a suggested process for masonry parapet assessment	7
4.2	Process – information	8
4.3	Process – inspection and assessment	8
4.4	Process – reporting	8
4.5	Process – measures resulting from the assessment	9
5	Inspection for assessment	10
5.1	General	10
5.2	Unreinforced masonry parapets	10
6	Assessment of reinforced masonry parapets	11
6.1	Reinforced masonry parapets	11
	Figure 2 — Reinforced masonry parapets, typical dimensions and profiles	12
6.2	Assessment actions for parapet panel lengths (L) 2.0 m to 3.5 m	13
	Table 1 — Parapet capacity – Equivalent static nominal loads (Q_{k}) for parapet panel lengths (L)	
	2.0 m to 3.5 m inclusive	13
6.3	Assessment actions for parapet lengths greater than 3.5 m	13
6.4	Punching shear	13
6.5	Assessment method	14
	Table 2 — Values of $\gamma_{\rm fl}$	14
	Table 3 — Values of $f_{cu'}f_{v'}f_k$ and $g_{m'}$ ultimate limit state	14
6.6	Applied assessment load values	15
6.7	Applied assessment load effects	15
6.8	Assessment load resistance values	15
6.9	Attachment systems and anchorages	16
7	Assessment of unreinforced masonry parapets	16
7.1	Assessment	16
7.2	Traffic speed	16
7.3	Assessment charts for unreinforced masonry parapets	17
	Figure 3 — Parapet performance chart: for 80 km/h for mortared parapets of height, H (mm)	
	(density: 2 200 kg/m³) that contain and direct cars at an impact angle of 20° or less	17
	Figure 4 — Parapet performance chart for 110 km/h: for mortared parapets of various height, H	
	(mm) (density: 2 200 kg/m³) that contain and direct cars at an impact angle of 20° or less	18
	Table 4 — Criteria for unreinforced masonry parapets with mortar joints assessed in accordance	
	with Figure 3 and Figure 4	19
7.4	Assessment of drystone or mortared slate or similar unreinforced masonry parapets	20
	Figure 5 — Containment chart, drystone or mortared slate or similar parapets	20
	Figure 6 — Drystone construction showing the basis for determining voids percentage	21
7.5	Site-specific levels of containment	22
	Figure 7 — Background to the levels of containment	22
	Figure 8 — Chart relating divergent width and impact speed of errant vehicle	23
	Figure 9 — Chart relating divergent width and impact speed of errant vehicle for a curved layout	24
8	Risk assessment	24

8.1	General	24
8.2	Risk assessment for detached masonry	26
	Table 5 — Risk evaluation – Fatal Accident Rate (FAR) for common activities	26
	Table 6 — Return period nomenclature	27
8.3	Consequence of errant vehicle impact	27
	Figure 10 — Extent of debris spread: definition	28
	Table 7 — Extent of debris spread: values of d	28
8.4	Road over road	29
	Figure 11 — Definition of direct and indirect impacts	29
8.5	Road over rail	30
	Table 8 — Factors for road over rail; incursion risk ranking	30
8.6	Calculated FAR value	30
8.7	FAR risk assessment result	31
9	Maintenance and repair of masonry parapets	31
9.1	Management of masonry parapets	31
9.2	Repair and refurbishment of masonry parapets	31
9.3	Installation of road restraint kerbs	32
Annex A	(normative) ALARP risk assessment	34
	Table A.1 — Modified ease of upgrading factor F_3 for masonry parapets	34
Annex B	(informative) Background to the derivation of the containment charts for unreinforced	
	masonry parapets	35
Annex C	(informative) Site-specific levels of containment	36
	Figure C.1 — Relationship between divergent width and impact speed for impact angle of 20°	37
Annex D	(informative) Calculation of risk	37
	Table D.1 — Environmental factors based on CS 461 [4]	38
	Table D.2 — Derivation of "Score" equivalent for AADT	39
	Figure D.1 — Typical descriptions of road types	40
	Table D.3 — T_0 for different site environmental factors (from Table D.1) and AADT Score (from	
	Table D.2)	40
	Table D.4 — Calculation of total slowing distances (in m) at different road speeds	42
Annex E	(informative) How masonry parapets relate to BS EN 1317-2	43
	Table E.1 — Safety barrier requirements	43
	Table E.2 — Vehicle behaviour requirements	44
	Table E.3 — Impact severity level computed from simulations	44
	Bibliography	45

Summary of pages

This document comprises a front cover, an inside front cover, pages I to IV, pages 1 to 46, an inside back cover and a back cover.

BRITISH STANDARD BS 8779:2022

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 May 2022. It was prepared by Subcommittee B/509/1, *Road restraint systems*, under the authority of Technical Committee B/509, *Road equipment*. A list of organizations represented on these committees can be obtained on request to their committee manager.

Relationship with other publications

This British Standard covers assessment, maintenance and repair of masonry highway parapets for bridges and other structures previously included in <u>BS 6779</u> which was withdrawn in 2017.

Information about this document

Copyright is claimed on Figure 3, Figure 4, Figure 5, Figure 6, Figure 10, Figure 11, Figure C.1, Figure D.1, Table 4, Table 5, Table 6, Table 7, Table 8, Table D.2, Table D.3, Table D.4 and Table E.3. Copyright holder is Department for Transport, Great Minster House, 33 Horseferry Road, London, SW1P 4DR.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

As a code of practice, this British Standard takes the form of recommendations and guidance. It is not to be quoted as if it were a specification. Users are expected to ensure that claims of compliance are not misleading.

Users may substitute any of the recommendations in this British Standard with practices of equivalent or better outcome. Any user claiming compliance with this British Standard is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

BS 8779:2022 BRITISH STANDARD

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

 $Compliance\ with\ a\ British\ Standard\ cannot\ confer\ immunity\ from\ legal\ obligations.$