BS 7903:2020



BSI Standards Publication

Selection and installation of manhole tops and gully tops within the highway — Guide



BS 7903:2020 BRITISH STANDARD

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 539 01771 7

ICS 93.080.30

The following BSI references relate to the work on this document:

Committee reference B/505

Draft for comment 19/30380857 DC

Amendments/corrigenda issued since publication

Date Text affected

© THE BRITISH STANDA

Contents		Page	
	Foreword	ii	
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	1	
4	Classification	1	
4.1	General (see BS EN 124-1:2015, Clause 4 and Annex F)	1	
4.2	Place of installation	2	
5	Materials	2	
5.1	General (see BS EN 124-1:2015, 5.1)	2	
5.2	Cover fillings (see BS EN 124-1:2015, 5.2)	3	
5.3	Frames in combination with concrete (see BS EN 124-1:2015, 5.3)	3	
5.4	Coating materials	3	
5.5	Installation materials (see BS EN 124-1:2015, Annex F)	3	
5.6	Compatibility of components	4	
6	Design attributes	4	
6.1	Vents in covers (see BS EN 124-1:2015, 6.1)	4	
6.2	Clear opening of manhole tops for man entry (see BS EN 124-1:2015, 6.2)	4	
6.3	Depth of insertion (see BS EN 124-1:2015, 6.3)	4	
6.4	Clearance	4	
6.5	Compatibility of seatings (see BS EN 124-1:2015, 6.5)	4	
6.6	Securing of the cover/grating within the frame (see BS EN 124-1:2015, 6.6)	5	
6.7	Handling of covers and gratings (see BS EN 124-1:2015, 6.7)	5	
6.8	Slot dimensions of gratings	5	
6.9	Dirt pans and dirt buckets (see BS EN 124-1:2015, 6.9)	5	
6.10	Positioning of covers and gratings (see BS EN 124-1:2015, 6.10)	5	
6.11	Flatness of manhole covers and gratings (see BS EN 124-1:2015, 6.11)	5	
6.12	Concaveness of gratings (see BS EN 124-1:2015, 6.12)	5	
6.13	Surface conditions (see BS EN 124-1:2015, 6.13)	6	
6.14	Manhole tops with sealing features (see BS EN 124-1:2015, 6.14)	6	
6.15	Frame bearing area (see BS EN 124-1:2015, 6.15)	6	
	Figure 1 — Installation materials and components	7	
6.16	Frame depth (see BS EN 124-1:2015, 6.16)	7	
6.17	Opening angle of hinged covers/gratings (see BS EN 124-1:2015, 6.17)	7	
6.18	Covers with fillings (see BS EN 124-1:2015, 6.18)	7	
6.19	Lifting provisions	7	
6.20	Keyways	8	
(21	Figure 2 — Keyways and keys	8	
6.21	Frame web/gusset	8	
6.22	Figure 3 — Frame web/gusset	9	
0.22	Kerb-type gully covers and frames	_	
7	Table 1 — Suggested minimum dimensions for kerb-type gully covers and frames Performance	10 10	
7.1	Appearance (see BS EN 124-1:2015, 7.1)	10	
7.1	Loadbearing capacity (see BS EN 124-1:2015, 7.1)	10	
7.2	Permanent set (see BS EN 124-1:2015, 7.2)	10	
7.3 7.4	Skid resistance	10	
7.4	Child safety (see BS EN 124-1:2015, 7.5)	11	
7.3	Testing (see BS EN 124-1:2015, 7:3)	11	
J	1000000 000 00 011 12 1 112010, 014400 0)	11	