

Evaluation of conformity of fly ash for concrete — Guidelines for the application of EN 450-2

ICS 91.100.30

National foreword

This Published Document is the UK implementation of CEN/TR 15840:2009.

The UK participation in its preparation was entrusted to Technical Committee B/517, Concrete.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2009

© BSI 2009

ISBN 978 0 580 63108 5

Amendments/corrigenda issued since publication

Date	Comments

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

CEN/TR 15840

January 2009

ICS 91.100.30

English Version

**Evaluation of conformity of fly ash for concrete - Guidelines for
the application of EN 450-2**

Evaluation de la conformité de cendres volantes pour le
béton - Guide pour l'application de l'EN 450-2

Bewertung der Konformität von Flugasche für Beton -
Leitlinien für die Anwendung von EN 450-2

This Technical Report was approved by CEN on 18 November 2008. It has been drawn up by the Technical Committee CEN/TC 104.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents¹

Foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
3.1 Specific definitions	6
3.2 General definitions	8
4 Tasks for the producer	9
4.1 Factory production control	9
4.2 Internal quality control	13
4.3 Autocontrol testing of samples	16
5 Tasks for the certification body	19
5.1 General.....	19
5.2 Surveillance, assessment and acceptance of the production control	19
5.3 Evaluation of the results of autocontrol testing of samples	21
5.4 Audit testing of samples taken at the production plant/depot and initial type testing	24
5.5 Initial inspection of the production plant and the production control	27
5.6 Evaluation of test results during the initial period	29
6 Actions in the event of non-conformity	30
6.1 Actions to be taken by the producer	30
6.2 Actions to be taken by the certification body	30
7 Procedure for third party certification of conformity	31
8 Certificate of conformity and conformity mark	34
8.1 Indication of conformity	34
8.2 Certificate of conformity	36
8.3 Conformity mark	36
9 Requirements for dispatching centres	37
9.1 General requirements.....	37
9.2 Tasks for the intermediary	37
9.3 Tasks for the third party.....	38
Annex A (normative) Evaluation of the representativeness and the accuracy of the fineness test results	41
A.1 General.....	41
A.2 Sets of results considered	41
A.3 Evaluation procedure	41
Annex B (informative) General definitions	44
B.1 Definitions based on the Construction Products Directive	44
B.2 Definitions from or based on EN 45020	44
B.3 Definition from EN ISO 9000	44
B.4 Definitions from EN 197-1 and EN 196-7	45
Bibliography	46

¹ The numbering and headings of clauses follow those in EN 450-2:2005.

Tables

Table 1 — Actions to be taken by the certification body in the event of non-conformity of the results of autocontrol and/or audit testing39

Table 2 — Confirmation and audit testing of samples of certified fly ash taken at dispatching centres: properties and minimum testing frequencies^a40

Table A.1 — Symbols42

Figures

Figure 1 — Typical sequence of evaluations of the autocontrol test results for fly ash (control period 12 months, based on the minimum frequency of two evaluations per year)22

Figure 2 — Typical evaluations of autocontrol test results (see 5.3.4).....23