

NATIONAL ANNEX

UK National Annex to Eurocode 1 – Actions on structures

Part 1-4: General actions – Wind actions

ICS 91.010.30

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2011

ISBN 978 0 580 73818 0

The following BSI references relate to the work on this standard:

Committee reference B/525/1

Draft for comment 06/30152554 DC

10/30232884 DC

Publication history

First published September 2008

Amendments issued since publication

Amd. no.	Date	Text affected
A1	January 2011	See Introduction

Contents

Introduction 1

NA.1 Scope 1

NA.2 Nationally Determined Parameters 2

NA.3 Decision on the status of informative annexes 37

NA.4 Reference to non-contradictory complementary information 37

Annex A (informative) Flowcharts for obtaining q_p 38

~~A1~~ *Advisory note deleted* ~~A1~~ 40

Bibliography 41

List of figures

Figure NA.1 – Value of fundamental basic wind velocity $v_{b,map}$ (m/s) before the altitude correction is applied 5

Figure NA.2 – Definition of significant orography (definition of symbols given in **A.3(3)**) 6

Figure NA.3 – Values of $c_r(z)$ 8

Figure NA.4 – Values of correction factor $c_{r,T}$ for sites in Town terrain 9

Figure NA.5 – Values of $I_v(z)_{flat}$ 11

Figure NA.6 – Values of turbulence correction factor $k_{l,T}$ for sites in Town terrain 12

Figure NA.7 – Values of $c_e(z)$ 13

Figure NA.8 – Values of exposure correction factor $c_{e,T}$ for sites in Town terrain 14

Figure NA.9 – Dynamic factor c_d for various values of logarithmic decrement of structural damping, δ_s 16

Figure NA.10 – Pressure distribution used to take torsional effects into account. The zones and c_{pe} values are given in BS EN 1991-1-4:2005 Table 7.1 and BS EN 1991-1-4:2005 Figure 7.5 17

Figure NA.11 – External pressure coefficients $c_{pe,10}$ for zone A of vaulted roofs for $\theta = 0^\circ$ 25

Figure NA.12 – External pressure coefficients $c_{pe,10}$ for zone B of vaulted roofs 26

Figure A.NA.1 – Flowchart for obtaining q_p for sites in country 38

Figure A.NA.2 – Flowchart for obtaining q_p for sites in town 39

List of tables

Table NA.1 – Directional factor c_{dir} 4

Table NA.2 – Season factor c_{season} 6

Table NA.3 – Size factor c_s for zones A, B and C indicated in Figures NA.7 and Figure NA.8 15

Table NA.4 – Net pressure coefficients for vertical walls of rectangular buildings 18

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 41 and a back cover.

Table NA.5 – External pressure coefficients for flat roofs ($C_{pe,10}$ and $C_{pe,1}$) 20

Table NA.6a) – External pressure coefficients for monopitch roofs ($C_{pe,10}$ and $C_{pe,1}$) 21

Table NA.6b) – External pressure coefficients for monopitch roofs ($C_{pe,10}$ and $C_{pe,1}$) 21

Table NA.7a) – External pressure coefficients for duopitch roofs ($C_{pe,10}$ and $C_{pe,1}$) 22

Table NA.7b) – External pressure coefficients for duopitch roofs ($C_{pe,10}$ and $C_{pe,1}$) 23

Table NA.8 – External pressure coefficients for hipped roofs ($C_{pe,10}$ and $C_{pe,1}$) 24

Table NA.9 – Typical permeability of construction in the UK 26

Table NA.10 – Values of μ for cylinders, polygonal sections, rectangular sections, sharp edged structural sections and lattice structures 29

Table NA.11 – Values of wind load factor C 32

Table NA.12 – Force coefficient C_{fp} for piers 35

National Annex (informative) to BS EN 1991-1-4:2005, Eurocode 1 – Actions on structures – Part 1-4: General actions – Wind actions

Introduction

This National Annex has been prepared by BSI Subcommittee B/525/1, *Actions (loadings) and basis of design*. In the UK it is to be used in conjunction with BS EN 1991-1-4:2005.

The start and finish of text introduced or altered by National Amendment No. 1 is indicated in the text by tags **A1** **A1**. Minor editorial changes are not tagged.

National Amendment No. 1 has been made to reflect Amendment No. 1 to BS EN 1991-1-4:2005.

NA.1 Scope

This National Annex gives:

- a) the UK decisions for the Nationally Determined Parameters or alternative procedures in the following clauses of BS EN 1991-1-4:2005:
- | | |
|--------------------------------|----------------------------|
| – 1.1 (11) Note 1 | A1 – 7.2.4 (1) |
| – 1.5 (2) | – 7.2.4 (3) |
| – 4.1 (1) | – 7.2.5 (1) |
| – 4.2 (1)P Note 2 | – 7.2.5 (3) |
| – 4.2 (2)P Notes 1, 2, 3 and 5 | – 7.2.6 (1) |
| – 4.3.1 (1) Notes 1 and 2 | – 7.2.6 (3) |
| – 4.3.2 (1) | – 7.2.7 |
| – 4.3.2 (2) | – 7.3 (6) A1 |
| – 4.3.3 (1) | – 7.2.8 (1) |
| – 4.3.4 (1) | – 7.2.9 (2) |
| – 4.3.5 (1) | – 7.2.10 (3) Notes 1 and 2 |
| – 4.4 (1) Note 2 | – 7.4.1 (1) |
| – 4.5 (1) Note 1 | – 7.4.3 (2) |
| – 4.5 (1) Note 2 | – 7.6 (1) Note 1 |
| – 5.3 (5) | – 7.7 (1) Note 1 |
| – 6.1 (1) | – 7.8 (1) |
| – 6.3.1 (1) Note 3 | A1 – 7.9.2 (2) |
| – 6.3.2 (1) | – Table 7.14 A1 |
| – 7.1.2 (2) | – 7.10 (1) Note 1 |
| – 7.1.3 (1) | – 7.11 (1) Note 2 |
| – 7.2.1 (1) Note 2 | – 7.13 (1) |
| – 7.2.2 (1) | – 7.13 (2) |
| – 7.2.2 (2) Note 1 | – 8.1 (1) Notes 1 and 2 |
| A1 – 7.2.3 (2) | – 8.1 (4) |
| – 7.2.3 (4) A1 | – 8.1 (5) |