BS 5911-3:2010+A1:2014

Incorporating Corrigendum No. 1



BSI Standards Publication

Concrete pipes and ancillary concrete products

Part 3: Specification for unreinforced and reinforced concrete manholes and soakaways (complementary to BS EN 1917:2002)



...making excellence a habit.™

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2014 Published by BSI Standards Limited 2014

ISBN 978 0 580 87274 7

ICS 23.040.50; 91.100.30; 93.030

The following BSI references relate to the work on this standard: Committee reference B/505
Draft for comment 09/30209209 DC, 13/30241570 DC

Publication history

First published November 2002 Second (present) edition, May 2010

Amendments issued since publication

Date	Text affected	
March 2014	A1. See Foreword	
October 2014	C1. See Foreword	

Contents

Foreword *iii* **1** Scope *1* **2** Normative

2 Normative references 1

3 Terms and definitions 2

4 Symbols 3

5 General requirements *3*

6 Special requirements 19

7 Conformity evaluation *25*

8 Marking *25*

Annexes

Annex A (informative) Information to be supplied in an enquiry or order 26

Annex B (normative) British Standards relevant to

BS EN 1917:2002 26

Annex C (normative) Surface void test 27

Annex D (normative) Dimensional tests 27

Annex E (normative) Lifting anchorage pull-out test 28

Annex F (informative) Assessment of strength class for rectangular shaft units when considering permissible installation depth 29

Bibliography 32

List of figures

Figure 1 – Use of corbel slabs in conjunction with double steps or ladder 2

Figure 2 – Typical base unit – circular 9

Figure 3 – Typical base unit – rectangular 10

Figure 4 – Typical joint profiles 11

Figure 5 – Openings in circular cover slabs 12

Figure 6 – Openings in rectangular cover slabs 13

Figure 7 – Typical adjusting unit 13

Figure 8 – Typical corbel slabs 14

Figure 9 – Typical reducing slabs 15

Figure 10 – Typical landing slabs 16

Figure 11 – Loading arrangements for cover slabs 21

Figure 12 – Loading arrangements for reducing slabs 23

Figure 13 – Loading arrangements for landing slabs 24

Figure 14 – Loading arrangements for corbel slabs 24

Figure C.1 – Gauge for assessing surface voids 27

Figure E.1 – Typical anchorage pull-out testing machine on

longitudinal section of unit wall 29

Figure F.1 – Symbols used in the assessment of strength class 30

List of tables

Table 1 – Limiting values of composition and properties for concrete where a DC-class is specified 4

Table 2 – General purpose cements and combinations 5

Table 3 – Nominal sizes, internal manufacturing diameters and tolerances of circular units 7

Table 4 – Nominal sizes, internal manufacturing sizes and tolerances of rectangular units 7

Table 5 – Shape, size and position of openings in cover slabs, adjusting units and corbel slabs 8

Table 6 – Shape, size and position of openings in reducing and landing slabs 8

Table 7 – Strength classes and corresponding minimum crushing loads for circular and rectangular chamber and shaft units 17

Table 8 – Vertical proof loads for cover, reducing and landing slabs to fit chambers greater than DN 1250 and corbel slabs 20

Table A.1 – Information to be supplied in an enquiry or order 26

Table B.1 – British Standards relevant to BS EN 1917:2002 26

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 32, an inside back cover and a back cover.