

Eurocode 9: Design of aluminium structures —

Part 1-3: Structures susceptible to fatigue

ICS 77.150.10; 91.010.30; 91.080.10

National foreword

This British Standard is the UK implementation of EN 1999-1-3:2007+A1:2011. It supersedes BS EN 1999-1-3:2007 which is withdrawn. Details of superseded British Standards are given in the table below.

Please note that the UK National Annex to BS EN 1999-1-3:2007 should only be used with BS EN 1999-1-3:2007 and not with BS EN 1999-1-3:2007+A1:2011. The UK National Annex is currently being amended so that it is aligned with the text of BS EN 1999-1-3:2007+A1:2011.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by **A1** **A1**.

The structural Eurocodes are divided into packages by grouping Eurocodes for each of the main materials: concrete, steel, composite concrete and steel, timber, masonry and aluminium.

In the UK, the following national standards are superseded by the Eurocode 9 series and are withdrawn.

Eurocode	Superseded British Standards
EN 1999-1-1	BS 8118-2:1991 DD ENV 1999-1-1:2000 BS 8118-1:1991 (partial)
EN 1999-1-2	DD ENV 1999-1-2:2000
EN 1999-1-3	DD ENV 1999-2:2000 BS 8118-1:1991 (partial)
EN 1999-1-4	BS 8118-1:1991 (partial)
EN 1999-1-5	None

The UK participation in its preparation was entrusted by Technical Committee B/525, Building and civil engineering structures, to Subcommittee B/525/9, Structural use of aluminium.

A list of organizations represented on this committee can be obtained on request to its secretary.

Where a normative part of this EN allows for a choice to be made at the national level, the range and possible choice will be given in the normative text, and a note will qualify it as a Nationally Determined Parameter (NDP). NDPs can be a specific value for a factor, a specific level or class, a particular method or a particular application rule if several are proposed in the EN.

To enable EN 1999-1-3 to be used in the UK, the NDPs have been published in a National Annex, which is available from BSI.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2007

© BSI 2011

ISBN 978 0 580 77331 0

Amendments/corrigenda issued since publication

Date	Comments
31 December 2011	Implementation of CEN amendment A1:2011

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This page deliberately set blank

English Version

**Eurocode 9: Design of aluminium structures - Part 1-3:
Structures susceptible to fatigue**

Eurocode 9: Calcul des structures en aluminium - Partie 1-3:
Structures sensibles à la fatigue

Eurocode 9: Bemessung und Konstruktion von
Aluminiumtragwerken - Teil 1-3: Ermüdungsbeanspruchte
Tragwerke

This amendment A1 modifies the European Standard EN 1999-1-3:2007; it was approved by CEN on 26 May 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	5
1 General.....	9
1.1 Scope	9
1.1.1 Scope of EN 1999.....	9
1.1.2 Scope of EN 1999-1-3	9
1.2 Normative references	10
1.3 Assumptions	10
1.4 Distinction between principles and application rules.....	11
1.5 Terms and definitions	11
1.5.1 General.....	11
1.5.2 Additional terms used in EN 1999-1-3	11
1.6 Symbols	14
1.7 Specification for execution.....	16
1.7.1 Execution specification.....	16
1.7.2 Operation manual	16
1.7.3 Inspection and maintenance manual.....	16
2 Basis of design	17
2.1 General.....	17
2.1.1 Basic requirements.....	17
2.2 Procedures for fatigue design.....	17
2.2.1 Safe life design.....	17
2.2.2 Damage tolerant design	18
2.2.3 Design assisted by testing	19
2.3 Fatigue loading	19
2.3.1 Sources of fatigue loading.....	19
2.3.2 Derivation of fatigue loading	19
2.3.3 Equivalent fatigue loading	20
2.4 Partial factors for fatigue loads.....	20
2.5 Execution requirements.....	21
3 Materials, constituent products and connecting devices	21
4 Durability	21
5 Structural analysis.....	22
5.1 Global analysis.....	22
5.1.1 General.....	22
5.1.2 Use of beam elements.....	23
5.1.3 Use of membrane, shell and solid elements.....	23
5.2 Types of stresses.....	24
5.2.1 General.....	24
5.2.2 Nominal stresses	24
5.2.3 Modified nominal stresses.....	24
5.2.4 Hot spot stresses.....	25
5.3 Derivation of stresses	27
5.3.1 Derivation of nominal stresses	27
5.3.2 Derivation of modified nominal stresses	27
5.3.3 Derivation of hot spot stresses	28
5.3.4 Stress orientation	28
5.4 Stress ranges for specific initiation sites	28
5.4.1 Parent material, welds, and mechanically fastened joints	28
5.4.2 Fillet and partial penetration butt welds.....	28
5.5 Adhesive bonds	29
5.6 Castings.....	29

5.7	Stress spectra	29
5.8	Calculation of equivalent stress range for standardised fatigue load models	29
5.8.1	General	29
5.8.2	Design value of stress range	30
6	Fatigue resistance and detail categories	31
6.1	Detail categories	31
6.1.1	General	31
6.1.2	Factors affecting detail category	31
6.1.3	Constructional details	31
6.2	Fatigue strength data	32
6.2.1	Classified constructional details	32
6.2.2	Unclassified details	34
6.2.3	Adhesively bonded joints	34
6.2.4	Determination of the reference hot spot strength values	34
6.3	Effect of mean stress	34
6.3.1	General	34
6.3.2	Plain material and mechanically fastened joints	35
6.3.3	Welded joints	35
6.3.4	Adhesive joints	35
6.3.5	Low endurance range	35
6.3.6	Cycle counting for R-ratio calculations	35
6.4	Effect of exposure conditions	35
6.5	Improvement techniques	36
Annex A	A [normative]: Basis for calculation of fatigue resistance	37
A.1	General	37
A.1.1	Influence of fatigue on design	37
A.1.2	Mechanism of failure	37
A.1.3	Potential sites for fatigue cracking	37
A.1.4	Conditions for fatigue susceptibility	38
A.2	Safe life design	38
A.2.1	Prerequisites for safe life design	38
A.2.2	Cycle counting	39
A.2.3	Derivation of stress spectrum	39
A.3	Damage tolerant design	42
A.3.1	Prerequisites for damage tolerant design	42
A.3.2	Determination of inspection strategy for damage tolerant design	42
Annex B	B [informative]: Guidance on assessment of crack growth by fracture mechanics	45
B.1	Scope	45
B.2	Principles	45
B.2.1	Flaw dimensions	45
B.2.2	Crack growth relationship	46
B.3	Crack growth data A and m	46
B.4	Geometry function y	48
B.5	Integration of crack growth	48
B.6	Assessment of maximum crack size a_2	48
Annex C	C [informative]: Testing for fatigue design	58
C.1	General	58
C.2	Derivation of action loading data	58
C.2.1	Fixed structures subject to mechanical action	58
C.2.2	Fixed structures subject to actions due to exposure conditions	59
C.2.3	Moving structures	59
C.3	Derivation of stress data	59
C.3.1	Component test data	59
C.3.2	Structure test data	60
C.3.3	Verification of stress history	60
C.4	Derivation of endurance data	60
C.4.1	Component testing	60
C.4.2	Full scale testing	61

C.4.3	Acceptance.....	61
C.5	Crack growth data.....	64
C.6	Reporting	64
Annex D	[informative]: Stress analysis	65
D.1	Use of finite elements for fatigue analysis.....	65
D.1.1	Element types.....	65
D.1.2	Further guidance on use of finite elements	66
D.2	Stress concentration factors	66
D.3	Limitation of fatigue induced by repeated local buckling	68
Annex E	[informative]: Adhesively bonded joints.....	69
Annex F	[informative]: Low cycle fatigue range.....	71
F.1	Introduction	71
F.2	Modification to $\Delta\sigma$ - N curves.....	71
F.3	Test data	71
Annex G	[informative]: Influence of R-ratio	73
G.1	Enhancement of fatigue strength.....	73
G.2	Enhancement cases	73
G.2.1	Case 1	73
G.2.2	Case 2	74
G.2.3	Case 3	74
Annex H	[informative]: Fatigue strength improvement of welds.....	75
H.1	General.....	75
H.2	Machining or grinding	75
H.3	Dressing by TIG or plasma	76
H.4	Peening	76
Annex I	[informative]: Castings.....	77
I.1	General.....	77
I.2	Fatigue strength data	77
I.2.1	Plain castings.....	77
I.2.2	Welded material	77
I.2.3	Mechanically joined castings	77
I.2.4	Adhesively bonded castings	78
I.3	Quality requirements	78
Annex J	[informative]: Detail category tables	79
J.1	General.....	79
Annex K	[informative]: Hot spot reference detail method.....	95
Annex L	[informative]: Guidance on use of design methods, selection of partial factors, limits for damage values, inspection intervals and execution parameters when Annex J is adopted.....	96
L.1	Safe life method.....	96
L.2	Damage tolerant design method.....	96
L.2.1	General.....	96
L.2.2	DTD-I.....	97
L.2.3	DTD-II.....	97
L.3	Start of inspection and inspection intervals.....	98
L.4	Partial factors γ_{Mf} and the values of D_{Lim}	99
L.5	Parameters for execution.....	100
L.5.1	Service category.....	100
L.5.2	Calculation of utilisation grade.....	101
Bibliography	103

Foreword

This document (EN 1999-1-3:2007) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2007, and conflicting national standards shall be withdrawn at the latest by March 2010.

This European Standard supersedes ENV 1999-2: 1998.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard:

Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Background to the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works, which in a first stage would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹⁾ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products – CPD – and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990 Eurocode 0: Basis of structural design

EN 1991 Eurocode 1: Actions on structures

EN 1992 Eurocode 2: Design of concrete structures

EN 1993 Eurocode 3: Design of steel structures

1) Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

EN 1994 Eurocode 4: Design of composite steel and concrete structures

EN 1995 Eurocode 5: Design of timber structures

EN 1996 Eurocode 6: Design of masonry structures

EN 1997 Eurocode 7: Geotechnical design

EN 1998 Eurocode 8: Design of structures for earthquake resistance

EN 1999 Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- As a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 - Mechanical resistance and stability - and Essential Requirement N°2 - Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs).

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents²⁾ referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standard³⁾. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving a full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

2) According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for hENs and ETAGs/ETAs.

3) According to Art. 12 of the CPD the interpretative documents shall:

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc.;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals. The Eurocodes, de facto, play a similar role in the field of the ER 1 and a part of ER 2.