## Concrete pipes and ancillary concrete products —

Part 1: Specification for unreinforced and reinforced concrete pipes (including jacking pipes) and fittings with flexible joints (complementary to BS EN 1916:2002)

ICS 23.040.50; 91.100.30



NO COPYING

## **Committees responsible for this** British Standard

The preparation of this British Standard was entrusted to Technical Committee B/505, Wastewater engineering, upon which the following bodies were represented:

**British Plastics Federation** Chartered Institution of Water and Environmental Management Clay Pipe Development Association CPSA — Concrete Pipeline Systems Association Institute of Cast Metals Engineers Institution of Civil Engineers LOTAG — London Technical Advisors Group METCOM ODPM represented by BRE Water UK

This British Standard, having been prepared under the direction of the Engineering Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 18 November 2002

© BSI 2010

## Amendments/corrigenda issued since publication

	Amd. No.	Date	Comments
The following BSI references relate to the work on this British Standard:	15040	10 June 2004	See Foreword
Committee reference B/505	A2	June 2010	See Foreword
Draft for comment 98/109036 DC 09/30209261 DC			
000000000000000000000000000000000000000			
ISBN 978 0 580 69018 1			

ISBN 978 0 580 69018 1

This is a preview. Click here to purchase the full publication.

## Contents

		Page	
Committees responsible Inside from		cover	
Fore	word	ii	
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	2	
4	Symbols	3	
5	General requirements	3	
6	Special requirements	12	
7	Conformity evaluation	12	
8	Marking	12	
Anne	ex A (informative) Information to be supplied in an enquiry or order	13	
Anne	ex B (normative) British Standards relevant to BS EN 1916:2002	13	
Anne	ex C (normative) Surface finish tests	14	
Anne	ex D (normative) Dimensional tests	15	
Anne	ex E (normative) Lifting anchorage pull-out test	19	
Bibli	ography	21	
Figu	re 1 — Typical geometric form for an egg-shaped bore	3	
Figure C.1 — Gauge for assessing surface evenness			
Figu	Figure C.2 — Gauge for assessing surface voids		
Figu	Figure D.1 — Gauge for measuring deviation from straightness		
Figu	re D.2 — Measurement of internal lengths and diagonals of a		
jacking pipe			
Figu	re D.3 — Squareness of ends across a diameter of a jacking pipe	18	
Figur longi	re E.1 — Diagram of typical anchorage pull-out testing machine on tudinal section of unit wall	19	
Table	e 1 — Symbols	3	
Table	e 2 — Limiting values of composition and properties for		
concr	rete where a DC-class is specified	4	
Table	e 3 — General purpose cements and combinations	5	
Table use i	e 4 — Nominal sizes and tolerances of units with a circular bore, for n a trench	7	
Table	e 5 — Nominal sizes and tolerances of egg-shaped units	7	
Table	e 6 — Nominal sizes, internal manufacturing diameter and tolerances		
of jac	cking pipes	8	
Table	e 7 — Tolerances on the squareness of ends of jacking pipes	9	
Table 8 — Minimum crushing loads for strength class 120 units with a circular bore for use in a trench			
Table	e 9 — Minimum crushing loads for strength class 150 egg-shaped		
units	3	11	
Table	e 10 — Minimum crushing loads for strength class 120 jacking pipes	11	
Table	e B.1 — British Standards relevant to BS EN 1916:2002	13	