

# Concrete pipes and ancillary concrete products —

## Part 6: Specification for road gullies and gully cover slabs

ICS 93.080.30

## Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Committee B/505, Wastewater engineering, upon which the following bodies were represented:

British Plastics Federation  
British Water  
CMF — Cast Metals Federation  
Chartered Institution of Water and Environmental Management  
Clay Pipe Development Association Ltd  
CPSA — Concrete Pipeline Systems Association  
Institute of Cast Metal Engineers  
Institution of Civil Engineers  
Institute of Plumbing  
LOTAG — London Technical Advisors Group  
ODPM (represented by Waterman Burrow Crock)  
Society of British Water Industries  
Water UK

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 October 2004

© BSI 2010

The following BSI references relate to the work on this British Standard:

Committee reference B/505

Draft for comment 04/30044646 DC  
09/30209269 DC

ISBN 978 0 580 69022 8

### Amendments issued since publication

| Amd. No. | Date      | Comments     |
|----------|-----------|--------------|
| A1       | June 2010 | See Foreword |
|          |           |              |
|          |           |              |
|          |           |              |

# Contents

|  | Page               |
|--|--------------------|
| Committees responsible   | Inside front cover |
| Foreword   | ii                 |
| 1 Scope  | 1                  |
| 2 Normative references   | 1                  |
| 3 Terms and definitions  | 1                  |
| 4 Symbols  | 3                  |
| 5 General requirements   | 3                  |
| 6 Test requirements for finished products  | 11                 |
| 7 Conformity evaluation  | 11                 |
| 8 Marking  | 12                 |
| Annex A (informative) Information to be supplied in an enquiry or order                            | 13                 |
| Annex B (normative) Water absorption test  | 13                 |
| Annex C (normative) Dimensional tests  | 14                 |
| Annex D (normative) Watertightness test  | 15                 |
| Annex E (normative) Manufacturer's quality assurance system  | 15                 |
| Annex F (normative) Sampling procedures for inspection of finished products                        | 20                 |
| Annex G (normative) Sampling procedures for continuous inspection of watertightness                | 21                 |
| Annex H (normative) Tasks for a product certification body   | 23                 |
| Bibliography   | 24                 |
| Figure 1 — Typical trapped gully with spigot outlet  | 8                  |
| Figure 2 — Typical untrapped gully with spigot outlet  | 9                  |
| Figure 3 — Typical trapped gully with socket outlet  | 10                 |
| Figure 4 — Typical untrapped rectangular gully with socket outlet                                  | 11                 |
| Table 1 — Symbols  | 3                  |
| Table 2 — Limiting values of composition and properties for concrete where a DC-class is specified | 4                  |
| Table 3 — General purpose cements and combinations   | 5                  |
| Table 4 — Nominal sizes dimensions for gullies   | 7                  |
| Table 5 — Summary of test requirements   | 11                 |
| Table E.1 — Control for all materials  | 18                 |
| Table E.2 — Control for certain materials  | 18                 |
| Table E.3 — Equipment control  | 19                 |
| Table E.4 — Control of concrete mix  | 19                 |
| Table E.5 — Control of factory production  | 19                 |
| Table E.6 — Control of marking and storage   | 20                 |
| Table E.7 — Control of delivery  | 20                 |
| Table E.8 — Control of laboratory equipment  | 20                 |
| Table F.1 — Sampling procedures  | 20                 |