

BS 8442:2015



BSI Standards Publication

Miscellaneous road traffic signs and devices – Requirements and test methods

bsi.

...making excellence a habit.™

This is a preview. [Click here to purchase the full publication.](#)

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2015

Published by BSI Standards Limited 2015

ISBN 978 0 580 77316 7

ICS 93.080.30

The following BSI references relate to the work on this document:

Committee reference B/509/3

Draft for comment DC15/30300479

Publication history

First published October 2006

Second (present) edition, November 2015

Amendments issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|

Contents

Foreword *iii*

| | | |
|-----------|--|----|
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Information and requirements to be agreed and documented | 4 |
| 5 | Self-supporting rigid portable signs, other than barriers | 4 |
| 6 | Portable barriers | 5 |
| 7 | Self-supporting flexible portable signs | 6 |
| 8 | Manually operated portable "Stop/Go" and "Stop Works" signs | 6 |
| 9 | Portable school crossing patrol signs | 7 |
| 10 | Portable flat traffic delineators (FTDs) | 7 |
| 11 | Fixed, permanent, manually operated flap signs | 8 |
| 12 | Fixed, permanent pedestrian crossing and refuge beacons and twin amber flashing lights | 8 |
| 13 | Retroreflective self-righting bollards (RSRBs) | 14 |
| 14 | Marking and information | 19 |
| 15 | Information to be supplied by the manufacturer | 20 |

Annexes

| | | |
|-----------------------|---|----|
| Annex A (normative) | Retroreflective sheeting materials | 21 |
| Annex B (normative) | Ballast for self-supporting rigid and flexible portable signs, and classification and labelling of barrier units | 23 |
| Annex C (normative) | Calculation of minimum recommended ballast required to resist overturning and sliding of self-supporting rigid portable signs | 25 |
| Annex D (informative) | Classes of wind speed | 27 |
| Annex E (normative) | Test for overturning and sliding performance of self-supporting rigid portable signs | 27 |
| Annex F (informative) | Calculation of minimum recommended ballast required to resist overturning and sliding of barrier units | 29 |
| Annex G (normative) | Test for impact resistance of flat traffic delineators (FTDs) at low temperature | 30 |
| Annex H (normative) | Test for bending resistance of flat traffic delineators (FTDs) | 31 |
| Annex I (normative) | Test for fatigue resistance of flat traffic delineators (FTDs) | 32 |
| Annex J (normative) | Measurement of the luminance of internally illuminated posts | 33 |
| Annex K (normative) | Determination of mean luminance and uniformity of luminance | 34 |

Bibliography 35

List of figures

| | | |
|------------|--|----|
| Figure 1 | – Projected area | 3 |
| Figure 2 | – Luminance measurement | 10 |
| Figure 3 | – Adhesion test | 16 |
| Figure 4 | – Location of the central sign centre | 18 |
| Figure C.1 | – Overturning moment diagram | 26 |
| Figure E.1 | – Test apparatus for stability and sliding performance | 28 |
| Figure F.1 | – Resistance to overturning diagram | 29 |

List of tables

| | | |
|---------|---|---|
| Table 1 | – Classification of effective wind speeds V_e | 4 |
|---------|---|---|

| | |
|--|----|
| Table 2 – Physical properties of substrate material | 6 |
| Table 3 – Chromaticity coordinates and luminance factors of globes | 9 |
| Table 4 – Luminance of posts | 12 |
| Table 5 – Chromaticity of amber light units | 13 |
| Table 6 – Projected area of the conspicuity panels | 15 |
| Table 7 – Daytime chromaticity and luminance factor | 16 |
| Table 8 – Surface protection | 17 |
| Table 9 – Mean luminance, L , $\text{cd}\cdot\text{m}^{-2}$ | 17 |
| Table 10 – Luminance contrast, K , lit traffic sign | 18 |
| Table 11 – Protection from foreign objects and water | 18 |
| Table A.1 – Minimum coefficient of retroreflection (Class R3B-UK) (unit $\text{cd}\cdot\text{lx}^{-1}\cdot\text{m}^{-2}$) | 22 |
| Table A.2 – Exposure period for accelerated natural weathering | 23 |
| Table B.1 – Ballast required for wind resistance of temporary signs | 24 |
| Table B.2 – Ballast required for wind resistance of barrier assembly | 24 |
| Table C.1 – Values of C_w | 25 |
| Table C.2 – Values of S | 25 |

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 36, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 November 2015. It was prepared by Subcommittee B/509/3, *Construction of road traffic signs*, under the authority of Technical Committee B/509, *Road equipment*. A list of organizations represented on these committees can be obtained on request to their secretary.

Supersession

This British Standard supersedes BS 8442:2006, which is withdrawn.

Product certification/inspection/testing

Users of this British Standard are advised to consider the desirability of third-party certification/inspection/testing of product conformity with this British Standard. Appropriate conformity attestation arrangements are described in BS EN ISO/IEC 17025. Users seeking assistance in identifying appropriate conformity assessment bodies or schemes may ask BSI to forward their enquiries to the relevant association.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Requirements in this standard are drafted in accordance with *Rules for the structure and drafting of UK standards*, subclause J.1.1, which states, “Requirements should be expressed using wording such as: ‘When tested as described in Annex A, the product shall ...’”. This means that only those products that are capable of passing the specified test will be deemed to conform to this standard.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Particular attention is drawn to the following specific regulations:

- a) The Traffic Signs Regulations and General Directions (TSRGD) [1]
- b) The School Crossing Patrol Sign (Scotland) Regulations 2002 [2]
- c) The School Crossing Patrol Sign (England and Wales) Regulations 2006 [3]
- d) The Low Voltage Directive (LVD) 2006/95/EC [4]
- e) The Zebra, Pelican and Puffin Pedestrian Crossings Regulations and General Directions 1997 [5]