

## CAN/CSA-S16.1-94 Limit States Design of Steel Structures

A National Standard of Canada

Please Note: Refers to a formally approved revision dated August 1995

Copyright © Canadian Standards Association — 1994 All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior permission of the publisher.

This is a preview. Click here to purchase the full publication.

# Contents

Technical Committee on Steel Structures

Preface

1. Scope and Application

## 2. Definitions and Symbols

- 2.1 Definitions
- 2.2 Symbols
- 2.3 Units

## 3. Reference Publications

#### 4. Drawings

- 4.1 Design Drawings
- 4.2 Fabrication and Erection Documents
- 4.2.1 Connection Design Details
- 4.2.2 Shop Details
- 4.2.3 Erection Diagrams
- 4.2.4 Erection Procedures
- 4.2.5 Field Work Details

## 5. Material: Standards and Identification

- 5.1 Standards
- 5.1.1 General
- 5.1.2 Strength Levels
- 5.1.3 Structural Steel
- 5.1.4 Sheet Steel
- 5.1.5 Cast Steel
- 5.1.6 Forged Steel
- 5.1.7 Bolts
- 5.1.8 Welding Electrodes
- 5.1.9 Studs
- 5.2 Identification
- 5.2.1 Methods
- 5.2.2 Unidentified Structural Steel
- 5.2.3 Tests to Establish Identification
- 5.2.4 Affidavit

#### 6. Design Requirements

- 6.1 General
- 6.1.1 Limit States
- 6.1.2 Structural Integrity
- 6.2 Requirements Under Specified Loads
- 6.2.1 Deflection
- 6.2.2 Camber
- 6.2.3 Dynamic Effects
- 6.2.4 Resistance to Fatigue
- 6.2.5 Prevention of Permanent Deformation

- 6.3 Requirements Under Factored Loads
- 6.3.1 Strength
- 6.3.2 Overturning
- 6.4 Expansion and Contraction
- 6.5 Corrosion Protection

#### 7. Loads and Safety Criterion

- 7.1 Specified Loads
- 7.2 Safety Criterion and Effect of Factored Loads

#### 8. Analysis of Structure

- 8.1 General
- 8.2 Continuous Construction
- 8.3 Simple Construction
- 8.4 Elastic Analysis
- 8.5 Plastic Analysis
- 8.6 Stability Effects

#### 9. Design Lengths of Members

- 9.1 Simple Span Flexural Members
- 9.2 Continuous Span Flexural Members
- 9.3 Members in Compression
- 9.3.1 General
- 9.3.2 Failure Mode Involving Bending In-plane
- 9.3.3 Failure Mode Involving Buckling
- 9.3.4 Compression Members in Trusses

#### 10. Slenderness Ratios

- 10.1 General
- 10.2 Maximum Slenderness Ratio

#### 11. Width-Thickness Ratios: Elements in Compression

- 11.1 Classification of Sections
- 11.2 Maximum Width-Thickness Ratios of Elements Subject to Compression
- 11.3 Width and Thickness

## 12. Gross and Net Areas

- 12.1 Application
- 12.2 Gross Area
- 12.3 Effective Net Area
- 12.4 Pin-Connected Members in Tension

#### 13. Member and Connection Resistance

- 13.1 General
- 13.2 Axial Tension
- 13.3 Axial Compression
- 13.4 Shear
- 13.4.1 Webs of Flexural Members with Two Flanges
- 13.4.2 Webs of Flexural Members not Having Two Flanges
- 13.4.3 Gusset Plates
- 13.4.4 Connecting Elements
- 13.4.5 Pins
- 13.5 Bending Laterally Supported Members

- 13.6 Bending Laterally Unsupported Members
- 13.7 Lateral Bracing for Members in Structures Analysed Plastically
- 13.8 Axial Compression and Bending
- 13.8.1 Member Strength and Stability All Classes of Sections Except Class 1 Sections of I-Shaped Members
- 13.8.2 Member Strength and Stability Class 1 Sections of I-Shaped Members
- 13.8.3 Value of U<sub>1</sub>
- 13.8.4 Values of w<sub>1</sub>
- 13.9 Axial Tension and Bending
- 13.10 Load Bearing
- 13.11 Bolts in Bearing-Type Connections
- 13.11.1 General
- 13.11.2 Bolts in Shear
- 13.11.3 Bolts in Tension
- 13.11.4 Bolts in Combined Shear and Tension
- 13.12 Bolts in Slip-Critical Connections
- 13.12.1 General
- 13.12.2 Shear Connections
- 13.12.3 Connections in Combined Shear and Tension
- 13.13 Welds
- 13.13.1 General
- 13.13.2 Shear
- 13.13.3 Tension Normal to Axis of Weld
- 13.13.4 Compression Normal to Axis of Weld
- 13.14 Steel Plate Shear Walls

#### 14. Fatigue

- 14.1 General
- 14.2 Fatigue Limit State
- 14.3 Live Load-Induced Fatigue
- 14.3.1 Calculation of Stress Range
- 14.3.2 Design Criteria
- 14.3.3 Fatigue Resistance
- 14.3.4 Detail Categories
- 14.4 Distortion-Induced Fatigue
- 14.4.1 General
- 14.4.2 Connection of Diaphragms, Cross-Frames, Lateral Bracing, or Beams

#### 15. Beams and Girders

- 15.1 Proportioning
- 15.2 Rotational Restraint at Points of Support
- 15.3 Copes
- 15.4 Reduced Moment Resistance of Girders with Thin Webs
- 15.5 Flanges
- 15.6 Bearing Stiffeners
- 15.7 Intermediate Transverse Stiffeners
- 15.8 Lateral Forces
- 15.9 Web Crippling and Yielding
- 15.10 Openings
- 15.11 Torsion

#### 16. Open-Web Steel Joists

- 16.1 Scope
- 16.2 General
- 16.3 Definitions
- 16.4 Materials
- 16.5 Drawings
- 16.5.1 Building Design Drawings
- 16.5.2 Joist Design Drawings
- 16.6 Design
- 16.6.1 Loading for Standard Open-Web Steel Joists
- 16.6.2 Loading for Special Open-Web Steel Joists
- 16.6.3 Design Assumptions
- 16.6.4 Verification of Joist Manufacturer's Design
- 16.6.5 Member and Connection Resistance
- 16.6.6 Width-Thickness Ratios
- 16.6.7 Tension Chord
- 16.6.8 Compression Chord
- 16.6.9 Webs
- 16.6.10 Spacers and Battens
- 16.6.11 Connections and Splices
- 16.6.12 Bearings
- 16.6.13 Anchorage
- 16.6.14 Deflection
- 16.6.15 Camber
- 16.6.16 Vibration
- 16.6.17 Welding
- 16.7 Stability During Construction
- 16.8 Bridging
- 16.8.1 General
- 16.8.2 Installation
- 16.8.3 Types
- 16.8.4 Diagonal Bridging
- 16.8.5 Horizontal Bridging
- 16.8.6 Attachment of Bridging
- 16.8.7 Anchorage of Bridging
- 16.8.8 Bridging Systems
- 16.8.9 Spacing of Bridging
- 16.9 Decking
- 16.9.1 Decking to Provide Lateral Support
- 16.9.2 Attachments
- 16.9.3 Diaphragm Action
- 16.9.4 Cast-In-Place Slabs
- 16.9.5 Installation of Steel Deck
- 16.10 Shop Painting
- 16.11 Manufacturing Tolerances
- 16.12 Inspection and Quality Control
- 16.12.1 Inspection
- 16.12.2 Identification and Control of Steel
- 16.12.3 Quality Control

- 16.13 Handling and Erection
- 16.13.1 General
- 16.13.2 Erection Tolerances

### 17. Composite Beams

- 17.1 Application
- 17.2 Definitions
- 17.3 General
- 17.3.1 Deflections
- 17.3.2 Vertical Shear
- 17.3.3 End Connections
- 17.4 Design Effective Width of Concrete
- 17.5 Slab Reinforcement
- 17.5.1 General
- 17.5.2 Parallel Reinforcement
- 17.5.3 Transverse Reinforcement, Solid Slabs
- 17.5.4 Transverse Reinforcement, Ribbed Slabs
- 17.6 Interconnection
- 17.7 Shear Connectors
- 17.7.1 General
- 17.7.2 End-Welded Studs
- 17.7.3 Channel Connectors
- 17.8 Ties
- 17.9 Design of Composite Beams with Shear Connectors
- 17.10 Design of Composite Beams without Shear Connectors
- 17.11 Unshored Beams
- 17.12 Beams During Construction

#### 18. Concrete-Filled Hollow Structural Sections

- 18.1 Scope
- 18.2 Application
- 18.3 Axial Load on Concrete
- 18.4 Compressive Resistance
- 18.5 Bending
- 18.6 Axial Compression and Bending
- 18.6.1 Method 1: Bending Resisted by Composite Section
- 18.6.2 Method 2: Bending Assumed to be Resisted by the Steel Section Alone

#### 19. General Requirements for Built-Up Members

- 19.1 Members in Compression
- 19.2 Members in Tension
- 19.3 Open Box-Type Beams and Grillages

#### 20. Stability of Structures and Members

- 20.1 Structures
- 20.2 Members

#### 21. Connections

- 21.1 Alignment of Members
- 21.2 Unrestrained Members
- 21.3 Restrained Members
- 21.4 Connections of Tension or Compression Members

- 21.5 Bearing Joints in Compression Members
- 21.6 Lamellar Tearing
- 21.7 Placement of Fasteners and Welds
- 21.8 Fillers
- 21.9 Welds in Combination
- 21.10 Fasteners and Welds in Combination
- 21.11 High-Strength Bolts (in Slip-Critical Joints) and Rivets in Combination
- 21.12 Connections Using Bolts
- 21.12.1 Connections Using Snug-Tightened High-Strength Bolts
- 21.12.2 Connections Using Pretensioned High-Strength Bolts
- 21.13 Welds
- 21.14 Special Fasteners

#### 22. Bolting Details

- 22.1 High-Strength Bolts
- 22.2 A307 Bolts
- 22.3 Effective Bearing Area
- 22.4 Long Grips
- 22.5 Minimum Pitch
- 22.6 Minimum Edge Distance
- 22.7 Maximum Edge Distance
- 22.8 Minimum End Distance
- 22.9 Slotted or Oversize Holes

#### 23. Structural Joints Using ASTM A325M, A490M, A325, or A490 Bolts

- 23.1 General
- 23.2 Bolts, Nuts, and Washers
- 23.3 Bolted Parts
- 23.4 Installation
- 23.4.1 Bolt Tension
- 23.4.2 Hardened Washers
- 23.4.3 Bevelled Washers
- 23.5 Turn-of-Nut Tightening
- 23.6 Tightening by Use of a Direct Tension Indicator
- 23.7 Inspection

#### 24. Welding

- 24.1 Arc Welding
- 24.2 Resistance Welding
- 24.3 Fabricator and Erector Qualification

#### 25. Column Bases

- 25.1 Loads
- 25.2 Resistance
- 25.2.1 Compressive Resistance of Concrete
- 25.2.2 Resistance to Pull-Out
- 25.2.3 Resistance to Transverse Loads
- 25.2.4 Moment Resistance
- 25.3 Finishing
- 26. Anchor Bolts
- 26.1 General

viii

- 26.2 Bolt Resistance
- 26.2.1 Tension
- 26.2.2 Shear
- 26.2.3 Shear and Tension
- 26.2.4 Tension and Bending

## 27. Seismic Design Requirements

- 27.1 General
- 27.2 Ductile Moment-Resisting Frames
- 27.2.1 General
- 27.2.2 Beams
- 27.2.3 Columns (Including Beam-Columns)
- 27.2.4 Column Joint Panel Zone
- 27.2.5 Beam-to-Column Connections
- 27.2.6 Bracing
- 27.2.7 Fasteners
- 27.3 Moment-Resisting Frames with Nominal Ductility
- 27.4 Ductile Concentrically Braced Frames
- 27.4.1 General
- 27.4.2 Bracing Systems
- 27.4.3 Diagonal Bracing Members
- 27.4.4 Bracing Connections
- 27.4.5 Other Connections
- 27.4.6 Columns and Beams
- 27.5 Concentrically Braced Frames with Nominal Ductility
- 27.6 Ductile Eccentrically Braced Frames
- 27.6.1 Link Beam
- 27.6.2 Link Resistance
- 27.6.3 Length of Link
- 27.6.4 Link Rotation
- 27.6.5 Link Stiffeners
- 27.6.6 Lateral Support for Link
- 27.6.7 Link Beam-to-Column Connection
- 27.6.8 Brace-to-Link Beam Connections
- 27.6.9 Link Beam Resistance
- 27.6.10 Diagonal Braces
- 27.6.11 Columns
- 27.6.12 Roof Link Beam
- 27.6.13 Concentric Brace in Combination
- 27.7 Special Framing Systems
- 27.7.1 Steel Plate Shear Walls
- 27.7.2 Other Framing Systems

#### 28. Fabrication

- 28.1 General
- 28.2 Straightness of Material
- 28.3 Gas Cutting
- 28.4 Sheared or Gas-Cut Edge Finish
- 28.5 Holes for Bolts or Other Mechanical Fasteners
- 28.6 Bolted Construction

- 28.7 Welded Construction
- 28.8 Finishing of Bearing Surfaces
- 28.9 Tolerances

## 29. Cleaning, Surface Preparation, and Priming

- 29.1 General Requirements
- 29.2 Requirements for Special Surfaces
- 29.3 Surface Preparation
- 29.4 Primer
- 29.5 One-Coat Paint

## 30. Erection

- 30.1 General
- 30.2 Temporary Loads
- 30.3 Adequacy of Temporary Connections
- 30.4 Alignment
- 30.5 Surface Preparation for Field Welding
- 30.6 Field Painting
- 30.7 Erection Tolerances
- 30.7.1 Elevation of Base Plates
- 30.7.2 Plumbness of Columns
- 30.7.3 Horizontal Alignment of Members
- 30.7.4 Elevations of Members
- 30.7.5 Members with Adjustable Connections
- 30.7.6 Column Splices
- 30.7.7 Joint Fit-Up
- 30.7.8 Special Tolerances

## 31. Inspection

- 31.1 General
- 31.2 Cooperation
- 31.3 Rejection
- 31.4 Inspection of High-Strength Bolted Joints
- 31.5 Third-Party Welding Inspection
- 31.6 Identification of Steel by Marking

## Appendices

- A Standard Practice for Structural Steel
- B Effective Lengths of Columns
- C Criteria for Estimating Effective Column Lengths in Continuous Frames
- D Torsional-Flexural Buckling of Compression Members
- E Margins of Safety
- F Columns Subject to Biaxial Bending
- **G** Guide for Floor Vibrations
- H Wind Sway Vibrations
- I Recommended Maximum Values for Deflections for Specified Design Live and Wind Loads J
- Guide to Calculation of Stability Effects
- K Fatigue
- L Deflections of Composite Beams Due to Shrinkage of Concrete
- M Design Requirements for Steel Plate Shear Walls

# **Technical Committee on Steel Structures**

D.J.L. Kennedy	University of Alberta, Edmonton, Alberta	Chairman
G.L. Kulak	University of Alberta, Edmonton, Alberta	Vice-Chairman
M.I. Gilmor	Canadian Institute of Steel Construction, Willowdale, Ontario	Secretary
M. Archer-Shee	Canadian Welding Bureau, Dartmouth, Nova Scotia	
M. Aregawi	City of Toronto, Toronto, Ontario	
W.W. Baigent	Canron Construction—Fabrication East, Rexdale, Ontario	
P.C. Birkemoe	University of Toronto, Toronto, Ontario	
W. Blackwell	Blackwell Engineering Limited, Toronto, Ontario	
D.G. Calder	Calder Engineering Incorporated, North Vancouver, British Columbia	
M.P. Comeau	Campbell Comeau Engineering Ltd., Halifax, Nova Scotia	
R.W. Dryden	Butler Manufacturing Company, Burlington, Ontario	
S. Fox	Canadian Sheet Steel Building Institute, Cambridge, Ontario	
J.E. Henderson	Henderson Engineering Services, Milton, Ontario	
W.R. Hibbard	BP-TEC Engineering Group, Edmonton, Alberta	Associate
M.U. Hosain	University of Saskatchewan, Saskatoon, Saskatchewan	
W.S. Kendrick	Westmar Consultants Inc., North Vancouver, British Columbia	
D.G. Marshall	LeBlanc & Royle Telcom Incorporated, Oakville, Ontario	Associate
M.L. Mittleman	Algoma Steel Inc., Mississauga, Ontario	

December 1994

This is a preview. Click here to purchase the full publication.