




**CSA  
Group**

**S157-17/S157.1-17**

# **Strength design in aluminum/ Commentary on CSA S157-17, *Strength design in aluminum***



This is a preview. [Click here to purchase the full publication.](#)

# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



This is a preview. [Click here to purchase the full publication.](#)

# *Standards Update Service*

## *S157-17/S157.1-17* *August 2017*

**Title:** *Strength design in aluminum/Commentary on CSA S157-17, Strength design in aluminum*

To register for e-mail notification about any updates to this publication

- go to [shop.csa.ca](http://shop.csa.ca)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2425084**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

*S157-17/S157.1-17*  
***Strength design in aluminum/  
Commentary on CSA S157-17,  
Strength design in aluminum***



*®A trademark of the Canadian Standards Association, operating as "CSA Group"*

*Published in August 2017 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ISBN 978-1-4883-0709-6*

*© 2017 CSA Group*

*All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

[This is a preview. Click here to purchase the full publication.](#)

# Contents

Technical Committee on Strength Design in Aluminum 12

Preface 14

## **S157-17, Strength design in aluminum**

### **1 Scope 17**

- 1.1 Applicability 17
- 1.2 Other standards 17
- 1.3 Rational design 17
- 1.4 Terminology 17
- 1.5 Units of measure 17

### **2 Reference publications 18**

### **3 Definitions and symbols 22**

- 3.1 Definitions 22
- 3.2 Symbols 25

### **4 Structural documents 33**

- 4.1 General 33
- 4.2 Structural design documents 33
  - 4.2.1 Required information 33
  - 4.2.2 Additional information 34
  - 4.2.3 Revisions 34
  - 4.2.4 Additional documents 34
- 4.3 Fabrication and erection documents 34
  - 4.3.1 Connection design details 34
  - 4.3.2 Shop details 34
  - 4.3.3 Erection diagrams 35
  - 4.3.4 Erection procedures 35
  - 4.3.5 Fieldwork details 35

### **5 Materials — Standards and identification 35**

- 5.1 Standards 35
  - 5.1.1 General 35
  - 5.1.2 Wrought products 36
  - 5.1.3 Fasteners 43
  - 5.1.4 Filler metal for welding 43
- 5.2 Properties 43
  - 5.2.1 Physical properties 43
  - 5.2.2 Nominal strengths 43
- 5.3 Identification 45
  - 5.3.1 Methods 45
  - 5.3.2 Affidavit 45

### **6 Design requirements/Limit states design 45**

6.1	Limit states	45
6.1.1	Serviceability limit states	45
6.1.2	Ultimate limit states	45
6.1.3	Fatigue	46
6.2	Loads, load factors, and load combinations for buildings	46
6.2.1	Loads	46
6.2.2	Load factors	46
6.2.3	Load combinations	46
6.3	Loads, load factors, and load combinations for applications other than buildings	46
6.4	Resistance factors	46

## **7 Strength of elements/Gross and net areas, effective section, and effective strength** 46

7.1	General	46
7.2	Gross area	47
7.3	Effective section	47
7.3.1	General	47
7.3.2	Effective thickness at welds	47
7.3.3	Effective thickness after local buckling of flat elements	48
7.3.4	Deflection under service loads	48
7.4	Effective strength and overall buckling	48
7.4.1	General	48
7.4.2	Influence of welding	48
7.4.3	Influence of local buckling	49
7.5	Local buckling of flat elements	49
7.5.1	Buckling stress	49
7.5.2	Elements supported on both longitudinal edges	50
7.5.3	Elements supported at one longitudinal edge only	51
7.5.4	Elements supported at one edge with a lip at the other edge	52
7.6	Panels/Flat panels with multiple stiffeners	54
7.6.1	Axial compression	54
7.6.2	In-plane shear	54
7.7	Curved panels and tubes	55
7.7.1	Axial compression	55
7.7.2	Radial compression	56
7.7.3	Shear	56
7.8	Curved axially stiffened panels in axial compression	57

## **8 Analysis of structures/Methods of analysis and design** 57

## **9 Design of members for tension** 58

9.1	Cross-sectional areas	58
9.1.1	Gross area	58
9.1.2	Effective net area	58
9.2	Members in tension	59
9.2.1	Shear lag effect	59
9.2.2	Tensile strength	60
9.2.3	Oblique welds	60

## **10 Design of members for compression** 61

10.1	General provisions	61
10.1.1	Factored compressive strength and limiting stress	61
10.1.2	Normalized slenderness	62
10.1.3	Buckling stress	62
10.1.4	Influence of longitudinal welds	63
10.2	Member buckling	63
10.2.1	Flexural buckling	63
10.2.2	Torsional buckling	64
10.2.3	Torsional-flexural buckling	66
10.3	Built-up compression members	66
<b>11</b>	<b>Design of members for flexure</b>	<b>66</b>
11.1	Classification of members in bending	66
11.2	Moment resistance of members not subject to lateral-torsional buckling (LTB)	66
11.3	Flexural strength of members subject to lateral-torsional buckling	67
11.3.1	Members without lateral restraint	67
11.3.2	Members with lateral restraint of the tension flange only	69
<b>12</b>	<b>Design of members for shear</b>	<b>70</b>
12.1	Flat webs of flexural members with two flanges	70
12.1.1	General	70
12.1.2	Flat webs without stiffeners	70
12.1.3	Flat webs with stiffeners	70
12.1.4	Limiting shear strength at the boundaries	71
12.1.5	Combined shear and bending in webs	72
12.2	Web stiffeners	72
12.2.1	Stiffener locations	72
12.2.2	Transverse stiffeners	72
12.2.3	Longitudinal stiffeners	72
12.3	Web crippling	73
12.4	Flat webs of flexural members supported on one flange	74
12.5	Shear strength for round and oval tubes and pipes	74
12.6	Shear strength for rods	75
12.7	Other shapes	75
<b>13</b>	<b>Members in torsion</b>	<b>76</b>
13.1	General	76
13.2	Hollow sections	76
13.2.1	Torsional resistance	76
13.2.2	Combined axial compression, flexure, and torsion	76
13.3	Solid sections	76
13.3.1	Torsional resistance for circular rods	76
13.3.2	Torsional resistance for solid compact bars	77
13.4	Open sections	77
13.4.1	Torsional resistance for sections without warping resistance	77
13.4.2	Torsional resistance for sections with warping resistance	77
13.4.3	Combined bending and torsion	77
<b>14</b>	<b>Design of members subject to flexure and axial force</b>	<b>77</b>



<b>15</b>	<b>Design and detailing of welded connections</b>	<b>78</b>
15.1	General	78
15.1.1	Reference standard	78
15.1.2	Sharing of loads	78
15.1.3	Materials	78
15.2	Groove welds	78
15.2.1	Tension	78
15.2.2	Compression	78
15.2.3	Shear	79
15.3	Flare groove welds	79
15.4	Fillet welds	79
15.4.1	Concentrically loaded fillet welds	79
15.4.2	Eccentrically loaded fillet welds	80
15.5	Slot and plug welds	82
15.6	Stud welds	82
15.7	Influence of welds, heat-affected zone	83
15.7.1	General	83
15.7.2	Severity of softening	83
15.7.3	Extent of HAZ	83
<b>16</b>	<b>Design and detailing of mechanically fastened connections</b>	<b>84</b>
16.1	General	84
16.1.1	Connection types	84
16.1.2	Sharing of loads	84
16.1.3	Materials	84
16.1.4	Nominal dimensions	84
16.1.5	Bearing action	84
16.1.6	Slip-critical joints	84
16.1.7	Joint symmetry	85
16.2	Detailing	85
16.2.1	Minimum fastener spacing	85
16.2.2	Maximum fastener spacing	85
16.2.3	Bolted connections	86
16.3	Bolts and rivets in shear and/or tension	87
16.3.1	Shear strength	87
16.3.2	Tensile strength	88
16.3.3	Combined shear and tension	88
16.4	Bolts and rivets in bearing	88
16.4.1	Bearing strength	88
16.4.2	Lap joints	89
16.4.3	Oblique end edges	89
16.5	Block shear rupture	89
16.5.1	General	89
16.5.2	Tension: rectangular patterns	89
16.5.3	Tension: trapezoidal patterns	90
16.5.4	Block shear in webs	90
16.5.5	Tear-out of groups subjected to torque	91
16.6	Eccentrically loaded fastener groups	91
16.6.1	Highest fastener force (elastic)	91



16.6.2	Factored strength (fully plastic)	92
16.7	Tapping screws	92
16.7.1	General	92
16.7.2	Holes for screws	92
16.7.3	Minimum spacing of screws	94
16.7.4	Minimum edge distance of screws	94
16.7.5	Screwed connection tension	94
16.7.6	Screwed connection shear	98
<b>17</b>	<b>Design for serviceability</b>	<b>99</b>
17.1	Deflections and vibrations	99
17.1.1	Deflection	99
17.1.2	Vibration	99
17.1.3	Wind-induced motion	99
17.1.4	Expansion and contraction	100
17.1.5	Connection slip	100
17.2	Limiting slenderness for members	100
<b>18</b>	<b>Fabrication</b>	<b>100</b>
18.1	General	100
18.2	Tolerances	100
18.2.1	Fabrication tolerances	100
18.2.2	Bolt hole end distance tolerance	100
18.3	Marking	100
18.4	Forming	100
18.4.1	Temperature	100
18.4.2	Bends	101
18.4.3	Flattening	101
18.5	Cutting	101
18.5.1	Thickness limit	101
18.5.2	Fatigue	101
18.5.3	Gas cutting	101
18.5.4	Re-entrant cuts	101
18.6	Storage of materials	101
18.7	Mechanical connections	101
18.7.1	Rivets	101
18.7.2	Bolts	102
18.8	Welding	102
18.8.1	General	102
18.8.2	Fabricator and erector qualification	102
18.8.3	Stud welding	102
<b>19</b>	<b>Protection from corrosion</b>	<b>102</b>
19.1	General	102
19.2	Contact with dissimilar materials	103
19.3	Cleaning and treatment of metal surfaces	103
19.4	Stress corrosion	103
<b>20</b>	<b>Erection</b>	<b>104</b>

20.1	Temporary conditions	104
20.1.1	General	104
20.1.2	Temporary loads	104
20.1.3	Temporary bracing	104
20.1.4	Adequacy of temporary connections	104
20.2	Alignment and layout	104
20.2.1	Alignment	104
20.2.2	Layout	104
20.3	Erection tolerances	104
20.3.1	General	104
20.3.2	Elevation of base plates	105
20.3.3	Plumbness of columns	105
20.3.4	Horizontal alignment of members	105
20.3.5	Elevations of members	105
20.3.6	Alignment of braced members	105
20.3.7	Members with adjustable connections	105
20.3.8	Column splices	106
20.3.9	Welded joint fit-up	106
20.3.10	Bolted joint fit-up	106
20.3.11	Turn-of-nut tightening	106
<b>21</b>	<b>Inspection</b>	<b>107</b>
21.1	General	107
21.2	Co-operation	107
21.3	Rejection	107
21.4	Installation and inspection of high-strength bolted joints	107
21.5	Welding inspection	107
21.5.1	Extent of examination	107
21.5.2	Competence of inspectors	107
21.5.3	Quality of welds	107
21.6	Identification of aluminum by marking	108
<b>22</b>	<b>Testing</b>	<b>108</b>
22.1	General	108
22.1.1	Acceptable methods for testing	108
22.1.2	Adequacy by testing	108
22.1.3	Roofing and siding	108
22.1.4	Test types	109
22.1.5	Compliance	109
22.2	Test methods	109
22.2.1	Representation	109
22.2.2	Procedures	109
22.2.3	Documentation	109
22.3	Test procedures	109
22.3.1	Confirmatory tests	109
22.3.2	Performance tests	110
<b>23</b>	<b>Fatigue</b>	<b>112</b>
23.1	General	112