

CSA A23.3:19 National Standard of Canada



Design of concrete structures





Standards Council of Canada Conseil canadien des normes

Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group negroes all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- · make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA A23.3:19 June 2019

Title: *Design of concrete structures*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on CSA Update Service

The List ID that you will need to register for updates to this publication is 2427169.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at **www.csagroup.org/legal** to find out how we protect your personal information.

Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-forprofit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Group's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group's standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to CSA Group 178 Rexdale Boulevard Toronto, Ontario, M9W 1R3 Canada





Standards Council of Canada Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose. *A trademark of the Canadian Standards Association, operating as "CSA Group"

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at <u>www.scc.ca</u>.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at <u>www.scc.ca</u>.

Standards Council of Canada 600-55 Metcalfe Street Ottawa, Ontario, K1P 6L5 Canada

National Standard of Canada

CSA A23.3:19 **Design of concrete structures**



In trademark of the Canadian Standards Association, operating as "CSA Group"



Published in June 2019 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at **store.csagroup.org** or call toll-free 1-800-463-6727 or 416-747-4044.

ICS 91.080.40 ISBN 978-1-4883-2168-9

© 2019 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Reinforced Concrete Design 13

Preface 16

1 Scope 17

- 1.1 General 17
- 1.2 Fire resistance 17
- 1.3 Alternative design procedures 17
- 1.4 Shells and folded plates 17
- 1.5 Terminology 17
- 1.6 Units of measurement 18
- 2 Reference publications 18

3 Definitions and symbols 20

- 3.1 Definitions 20
- 3.2 Symbols 27
- 3.3 Standard notation and calculations *39*
- 3.3.1 Standard notation for loads and resistances 39
- 3.3.2 Standard notation for reinforcing bars 40
- 3.3.3 Bar diameter for calculations 40

4 General requirements 40

- 4.1 Materials Reinforcement 40
- 4.2 Concrete and other materials 40
- 4.3 Concrete quality, mixing, and placement 41
- 4.3.1 Quality 41
- 4.3.2 Mixing and placement 41
- 5 Drawings and related documents 41
- 6 Formwork, falsework, embedded pipes, and construction joints 41
- 6.1 General 41
- 6.2 Embedded pipes and openings 42
- 6.3 Construction joints 42

7 Details of reinforcement 42

- 7.1 Hooks, bends, and headed bars 42
- 7.1.1 General 42
- 7.1.2 Stirrups and ties 42
- 7.1.3 Crossties 42
- 7.1.4 Headed bars and studs 42
- 7.2 Placing of reinforcement 42
- 7.2.1 General 42
- 7.2.2 Draped fabric 43
- 7.3 Tolerances 43
- 7.4 Spacing of reinforcement and tendons 43

- 7.4.1 Bars 43
- 7.4.2 Bundled bars 43
- 7.4.3 Pretensioning tendons 44
- 7.4.4 Post-tensioning tendons 44
- 7.5 Special details for columns and walls 44
- 7.5.1 Offset bars 44
- 7.5.2 Splices and load transfer in metal cores 44
- 7.6 Transverse reinforcement 44
- 7.6.1 General 44
- 7.6.2 Composite columns 45
- 7.6.3 Prestressing tendons 45
- 7.6.4 Spirals for compression members 45
- 7.6.5 Ties for compression members 45
- 7.6.6 Beams and girders Transverse reinforcement 46
- 7.7 Special details for beam-column connections 46
- 7.8 Minimum reinforcement in slabs 47
- 7.9 Concrete protection for reinforcement 47

8 Design — Limit states, load combinations, and material properties 47

- 8.1 Limit states 47
- 8.1.1 Durability 47
- 8.1.2 Fire resistance 48
- 8.1.3 Ultimate limit states 48
- 8.1.4 Serviceability limit states 48
- 8.1.5 Structural integrity 48
- 8.2 Loading 48
- 8.2.1 General 48
- 8.2.2 Imposed deformations 49
- 8.2.3 Prestress 49
- 8.3 Load combinations and load factors 49
- 8.3.1 General 49
- 8.3.2 Load combinations for ultimate limit states 49
- 8.3.3 Load combinations for serviceability limit states 49
- 8.4 Factored resistance 49
- 8.4.1 General 50
- 8.4.2 Factored concrete strength 50
- 8.4.3 Factored reinforcement and tendon force 50
- 8.5 Reinforcement and tendon properties for design 50
- 8.5.1 Design strength for reinforcement 50
- 8.5.2 Compression reinforcement 50
- 8.5.3 Stress-strain curve for reinforcement 50
- 8.5.4 Modulus of elasticity of reinforcement 51
- 8.5.5 Coefficient of thermal expansion of reinforcement 51
- 8.6 Concrete properties for design 51
- 8.6.1 Design strength of concrete 51
- 8.6.2 Modulus of elasticity 51
- 8.6.3 Concrete stress-strain relationship 52
- 8.6.4 Modulus of rupture of concrete 52
- 8.6.5 Modification factors for concrete density 52

54

8.6.6 Coefficient of thermal expansion of concrete 52 9 Structural analysis and computation of deflections 53 9.1 Methods of analysis 53 9.2 Elastic frame analysis 53 9.2.1 Stiffness 53 9.2.2 Span length 53 9.2.3 Arrangement of loads 54 9.2.4 Redistribution of moments in continuous flexural members 9.3 Approximate frame analysis 54 9.3.1 General 54 9.3.2 Floor and roof loads 54 9.3.3 Moment and shear coefficients 54 9.4 Analysis by strut-and-tie models 55 9.5 Finite element analysis 55 9.6 Elastic plate analysis 56 9.7 Plastic analysis 56 9.8 Control of deflections 56 9.8.1 General 56 9.8.2 One-way construction (non-prestressed) 57 9.8.3 Two-way construction (non-prestressed) 59 9.8.4 Prestressed concrete construction 59 9.8.5 Composite construction - 59 10 Flexure and axial loads 60 10.1 General principles 60 10.1.1 General 60 10.1.2 Plane sections assumption 61 10.1.3 Maximum concrete strain 61 10.1.4 Balanced strain conditions 61 10.1.5 Tensile strength of concrete 61 10.1.6 Concrete stress-strain relationship 61 10.1.7 Equivalent rectangular concrete stress distribution 10.2 Flexural members — Distance between lateral supports 10.3 Flexural members — T-beams 62 10.4 Flexural members — Joist construction 62 10.5 Flexural members — Reinforcement 63 10.5.1 Minimum reinforcement 63 10.5.2 Limit of *c*/*d* for flexural ductility 63 10.5.3 Reinforcement in T-beam flanges 63 10.6 Beams and one-way slabs — Crack control 64 10.6.1 Crack control parameter 64 10.6.2 Skin reinforcement 64 10.7 Deep flexural members 64 10.8 Design of bearing zones 65 10.9 Compression members — Reinforcement limits 65 10.10 Compression members — Resistance 65

- 10.11 Columns — Design dimensions 66
- 10.11.1 Equivalent circular column 66

© 2019 Canadian Standards Association

61

61

- 10.11.2 Column built monolithically with wall 66
- 10.11.3 Isolated column with interlocking spirals 66
- 10.12 Columns Transmission of loads through floor system 67
- 10.13 Slenderness effects General 67
- 10.14 Member properties for computation of slenderness effects 67
- 10.14.1 General 67
- 10.14.2 Radius of gyration 68
- 10.14.3 Unsupported length of compression members 68
- 10.14.4 Designation as non-sway 68
- 10.14.5 Columns in non-sway frames or storeys 69
- 10.14.6 Columns in sway frames or storeys 69
- 10.15 Slenderness effects Non-sway frames 69
- 10.15.1 Effective length factor 69
- 10.15.2 Non-sway frames 69
- 10.15.3 Member stability effect 69
- 10.16 Slenderness effects Sway frames 70
- 10.16.1 Effective length factor 70
- 10.16.2 End moments 70
- 10.16.3 Calculation of $\delta_s M_s$ 71
- 10.16.4 Slenderness limit 71
- 10.16.5 Strength and stability checks 71
- 10.16.6 Moment magnification for flexural members 72
- 10.17 Composite columns General 72
- 10.18 Composite column with spiral reinforcement 73
- 10.19 Composite column with tie reinforcement 73

11 Shear and torsion 74

- 11.1 General 74
- 11.1.1 Flexural regions 74
- 11.1.2 Regions near discontinuities 74
- 11.1.3 Interface regions 74
- 11.1.4 Slabs and footings 74
- 11.1.5 Alternative methods 74
- 11.2 Design requirements 74
- 11.2.1 Tension due to restraint 74
- 11.2.2 Variable depth members 74
- 11.2.3 Openings 75
- 11.2.4 Types of shear reinforcement 75
- 11.2.5 Anchorage of shear reinforcement 75
- 11.2.6 Types of torsion reinforcement 75
- 11.2.7 Anchorage of torsion reinforcement 75
- 11.2.8 Minimum shear reinforcement 75
- 11.2.9 Consideration of torsion 76
- 11.2.10 Effective web width 77
- 11.2.11 Reduced prestress in transfer length 77
- 11.2.12 Hanger reinforcement for beams supporting other beams 77
- 11.2.13 Termination of longitudinal reinforcement in flexural tension zones 78
- 11.3 Design for shear and torsion in flexural regions 79
- 11.3.1 Required shear resistance 79

- 11.3.2 Sections near supports 79
- 11.3.3 Factored shear resistance 79
- 11.3.4 Determination of V_c 79
- 11.3.5 Determination of V_s 79
- 11.3.6 Determination of β and θ 80
- 11.3.7 Proportioning of transverse reinforcement 82
- 11.3.8 Maximum spacing of transverse reinforcement 82
- 11.3.9 Proportioning of longitudinal reinforcement 82
- 11.3.10 Sections subjected to combined shear and torsion 83
- 11.4 Strut-and-tie model 84
- 11.4.1 Structural idealization 84
- 11.4.2 Proportioning of strut 86
- 11.4.3 Proportioning of ties 88
- 11.4.4 Proportioning of node regions 89
- 11.4.5 Crack control reinforcement 89
- 11.5 Interface shear transfer 89
- 11.5.1 General 89
- 11.5.2 Values of c and μ 90
- 11.5.3 Alternative equation for shear stress resistance 90
- 11.5.4 Values of σ and ρ_v 90
- 11.5.5 Inclined shear friction reinforcement 91
- 11.5.6 Anchorage of shear friction reinforcement 91
- 11.6 Special provisions for brackets and corbels *91*
- 11.7 Shear in joints 91

12 Development and splices of reinforcement *92*

- 12.1 Development of reinforcement General 92
- 12.2 Development of deformed bars and deformed wire in tension 92

92

- 12.2.1 Minimum development length
- 12.2.2 General development length equation 92
- 12.2.3 Simplified development length equations 92
- 12.2.4 Modification factors 93
- 12.2.5 Excess reinforcement 93
- 12.3 Development of deformed bars in compression 93
- 12.3.1 Development length 93
- 12.3.2 Basic development length 93
- 12.3.3 Modification factors 93
- 12.4 Development of bundled bars 94
- 12.5 Development of standard hooks in tension 94
- 12.5.1 Tension development length 94
- 12.5.2 Basic development length 94
- 12.5.3 Factors modifying hook development length 94
- 12.5.4 Confinement of hooks 94
- 12.5.5 Development of bars in compression 94
- 12.6 Mechanical anchorage 95
- 12.7 Development of welded deformed wire fabric in tension 95
- 12.8 Development of welded smooth wire fabric in tension 95
- 12.9 Development of pretensioned strand 96
- 12.10 Development of flexural reinforcement General 96