CSA S6.1:19



Commentary on CSA S6:19, Canadian Highway Bridge Design Code



Legal Notice

This document is provided by the Canadian Standards Association (operating as "CSA Group") as a convenience only.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/ or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this document are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Use of this document

This document is being provided by CSA Group for informational and non-commercial use only. If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not use this document. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.





CSA S6:19 – Online Training

Overview of Changes Course

The 2019 edition of CSA S6, *Canadian Highway Bridge Design Code* contains many critical updates and major changes. To get you up to speed quickly, CSA Group has developed an online **Overview of Changes Course** that will provide you with an update on the significant changes contained in the 2019 edition and the impact of those changes on bridge design.

Training is Available in English or French



To purchase the CSA S6:19 - Overview of Changes Course, visit store.csagroup.org This four-hour, self-paced eLearning course covers the changes in the following eight sections of the Code:

- Section 2 Durability and Sustainability
- Section 3 Loads
- Section 4 Seismic Design
- Section 5 Methods of Analysis
- Section 6 Foundations and Geotechnical Systems
- Section 7 Buried Structures
- Section 8 Concrete Structures
- Section 10 Steel Structures

Standards Update Service

CSA S6.1:19 November 2019

Title: *Commentary on CSA S6:19, Canadian Highway Bridge Design Code*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on Product Updates

The List ID that you will need to register for updates to this publication is 2427156.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at <u>www.csagroup.org/legal</u> to find out how we protect your personal information.

CSA S6.1:19 Commentary on CSA S6:19, Canadian Highway Bridge Design Code



*A trademark of the Canadian Standards Association, operating as "CSA Group"

Published in November 2019 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at <u>store.csagroup.org</u> or call toll-free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-4883-2158-0

© 2019 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Preface 42

Section C1 — General 43 C1.1 Scope 43 C1.1.1 Scope of Code 43 C1.1.2 Scope of this Section 43 C1.2 Reference publications 43 C1.3 Definitions 43 C1.3.1 General 43 C1.3.2 General administrative definitions 44 C1.3.3 General technical definitions 44 C1.3.4 Hydraulic definitions 44 C1.4 General requirements 44 C1.4.1 Approval 44 C1.4.2 Design 45 C1.4.2.1 Design philosophy 45 C1.4.2.2 Highway class 46 C1.4.2.3 Design life 47 C1.4.2.4 Structural behaviour and articulation 47 C1.4.2.5 Single-load-path structures 47 C1.4.2.6 Economics 47 C1.4.2.7 Environment 48 C1.4.2.8 Aesthetics 48 C1.4.3 Evaluation and rehabilitation of existing bridges 48 C1.4.3.1 Evaluation 48 C1.4.3.2 Rehabilitation design 48 C1.4.4 Construction 49 C1.4.4.1 General 49 C1.4.4.2 Construction safety 49 C1.4.4.3 Construction methods 49 C1.4.4.4 Temporary structures 49 C1.4.4.5 Plans 50 C1.4.4.6 Quality control and assurance 50 Geometry C1.5 51 C1.5.1 Planning 51 C1.5.2 Structure geometry 51 C1.5.2.1 General 51 C1.5.2.2 Clearances 51 C1.6 Barriers 51 C1.6.1 Superstructure barriers 51 C1.6.2 Roadside substructure barriers 52 C1.6.3 Structure protection in waterways 52 C1.6.4 Structure protection at railways 52 C1.7 Auxiliary components 52 C1.7.1 Expansion joints and bearings 52 C1.7.2 Approach slabs 52

November 2019

C1.7.3 Utilities on bridges 53 C1.7.3.1 General 53 C1.7.3.2 Location and attachment 53 C1.7.3.3 Highway utilities 54 C1.7.3.4 Public utilities 54 C1.7.3.5 Fluid-carrying utilities 54 C1.8 Durability and maintenance 54 C1.8.1 Durability and protection 54 C1.8.2 Bridge deck drainage 54 C1.8.2.1 General 54 C1.8.2.2 Deck surface 55 C1.8.2.3 Drainage systems 55 C1.8.2.4 Subdrainage of wearing surface 56 C1.8.2.5 Runoff and discharge from deck 56 C1.8.3 Maintenance 56 C1.8.3.1 Inspection and maintenance access 56 C1.8.3.2 Maintainability 57 C1.8.3.3 Bearing maintenance and jacking 57 C1.9 Hydraulic design 57 C1.9.1 Design criteria 57 C1.9.1.1 General 57 C1.9.1.2 Normal design flood 57 C1.9.1.3 Check flood - 58 C1.9.1.4 Regulatory floods and relief flow 58 C1.9.1.5 Design flood discharge 58 C1.9.1.6 High-water levels 59 C1.9.2 Investigations 61 C1.9.3 Location and alignment 61 C1.9.4 Estimation of scour 61 C1.9.4.1 Scour calculations 61 C1.9.4.2 Soils data 62 C1.9.4.3 General scour 63 C1.9.4.4 Local scour 63 C1.9.4.5 Total scour 64 C1.9.4.6 Degradation 64 C1.9.4.7 Artificial deepening 64 C1.9.4.8 Allowance for degradation or artificial deepening 65 C1.9.5 Protection against scour 65 C1.9.5.1 General 65 C1.9.5.2 Spread footings 65 C1.9.5.3 Piles 66 C1.9.5.4 Sheet piling 66 C1.9.5.5 Protective aprons 66 C1.9.5.6 Paved inverts and revetments 67 C1.9.5.7 Special protection against degradation 67 C1.9.6 Backwater 67 C1.9.6.1 General 67 C1.9.6.2 High-water level 67 C1.9.6.3 Assumed depth of scour 67

November 2019

C1.9.6.4 Waterway modification 67 C1.9.6.5 Reduction of backwater by relief flow 67 C1.9.7 Soffit elevation 68 C1.9.7.1 Clearance 68 C1.9.7.2 High-water level for establishing soffit elevation 69 C1.9.8 Approach grade elevation 69 C1.9.8.1 General 69 C1.9.8.2 Freeboard 69 C1.9.8.3 High-water level for establishing approach grade - 69 C1.9.8.4 Freeboard for routes under structures crossing water 69 C1.9.9 Channel erosion control 70 C1.9.9.1 Slope protection 70 C1.9.9.2 Stream banks 70 C1.9.9.3 Slope revetments 70 C1.9.9.4 Storm sewer and channel outlets 70 C1.9.10 Stream stabilization works and realignment 70 C1.9.10.1 Stream stabilization works 70 C1.9.10.2 Stream realignment 70 C1.9.11 Culverts 70 C1.9.11.1 General 70 C1.9.11.2 Culvert end treatment 71 C1.9.11.3 Culvert extensions 71 C1.9.11.4 Alignment of non-linear culverts 71 C1.9.11.5 Open-footing culverts 71 C1.9.11.6 Closed-invert culverts 72 References 73 Section C2 — Durability and sustainability 75 C2.1 Scope 75 C2.2 Definitions 75 C2.3 Design for durability 75 C2.3.1 General 75 C2.3.2 Environmental condition testing 76 C2.3.3 Control of cracking in concrete elements 76 C2.3.4 Design for service life 77 C2.3.4.1 General 77 C2.3.4.2 Non-replaceable components 79 C2.3.4.3 Replaceable components 79 C2.3.5 Materials 80 C2.3.5.2 Glass fibre-reinforced polymers (GFRP) 80 C2.3.5.5 Backfill material 81 C2.3.6 Structural details 81 C2.3.6.1 General 81 C2.3.6.2 Fatigue 81 C2.3.6.3 Joints in abutments, retaining walls, and buried structures C2.3.6.4 Expansion and/or fixed joints in decks 82 C2.3.6.5 Drainage 82 C2.3.6.6 Construction joints 82 C2.3.6.7 Mechanically stabilized earth structures 82

November 2019

This is a preview. Click here to purchase the full publication.

81

C2.3.6.8 Bearing seats 83 C2.3.6.9 Waterproofing membranes 83 C2.3.6.10 Soil and rock anchors 83 C2.3.6.11 Steel pile corrosion protection 83 C2.3.6.13 Utilities 84 C2.3.6.14 Provisions for access 84 C2.4 Design for sustainability 85 C2.5 Construction for durability and sustainability 89 C2.6 Inspection, monitoring, and maintenance 90 C2.6.1 Inspection 90 C2.6.2 Monitoring 90 Climate and exposure conditions C2.8 90 References 91 Section C3 — Loads 93 C3.1 Scope 93 C3.2 Definitions 93 C3.3 Abbreviations and symbols 93 C3.4 Limit states criteria 94 C3.4.2 Ultimate limit states 94 C3.4.3 Fatigue limit state 94 C3.4.4 Serviceability limit states 95 C3.5 Load factors and load combinations 103 C3.5.1 General 103 C3.5.2 Permanent loads 104 C3.5.2.1 General 104 C3.5.2.2 Overturning and sliding effects 105 C3.5.3 Transitory loads 105 C3.5.4 Exceptional loads 105 C3.6 Dead loads 106 C3.7 Earth loads and secondary prestress loads 106 C3.8 Live loads 106 C3.8.1 General 106 C3.8.2 Design lanes 106 C3.8.3 Traffic loads 107 C3.8.3.1 Normal traffic 107 C3.8.4 Application 120 C3.8.4.1 General 120 C3.8.4.2 Multi-lane loading 120 C3.8.4.3 Local components 121 C3.8.4.4 Wheels on the sidewalk 121 C3.8.4.5 Dynamic load allowance 121 C3.8.5 Centrifugal force 127 C3.8.6 Braking force 127 C3.8.7 Curb load 128 C3.8.8 Barrier loads 129 C3.8.8.1 Traffic barriers 129 C3.8.8.2 Pedestrian and bicycle barriers 129 C3.8.9 Pedestrian load 129

November 2019

C3.8.10 Maintenance access loads 130 C3.8.12 Multiple-use structures 130 C3.9 Superimposed deformations 131 C3.9.1 General 131 C3.9.2 Movements and load effects 131 C3.9.3 Superstructure types 132 C3.9.4 Temperature effects 132 C3.9.4.1 Temperature range 132 C3.9.4.2 Effective construction temperature 132 C3.9.4.3 Positioning of bearings and expansion joints 136 C3.9.4.4 Thermal gradient effects 136 C3.9.4.5 Thermal coefficient of linear expansion 139 C3.10 Wind loads 140 C3.10.1 General 140 C3.10.1.1 General 140 C3.10.1.2 Reference wind pressure 140 C3.10.1.3 Gust effect coefficient 141 C3.10.1.4 Wind exposure coefficient 141 C3.10.1.5 Non-uniform loading 141 C3.10.1.6 Overturning and overall stability 141 C3.10.1.7 Alternative methods 141 C3.10.2 Design of the superstructure 142 C3.10.2.1 General 142 C3.10.2.2 Horizontal drag load 142 C3.10.2.3 Vertical load 143 C3.10.2.4 Wind load on live load 143 C3.10.3 Design of the substructure 144 C3.10.3.1 General 144 C3.10.3.2 Wind loads transmitted from the superstructure 144 C3.10.3.3 Loads applied directly to substructure 144 C3.10.4 Aeroelastic instability 145 C3.10.4.1 General 145 C3.10.4.2 Criterion for aeroelastic instability 146 C3.10.5 Wind tunnel tests 146 C3.10.5.1 General 146 C3.10.5.2 Load factors 146 C3.11 Water loads 147 C3.11.4 Stream pressure 147 C3.11.4.2 Lateral effects 147 C3.11.5 Wave action 147 C3.11.7 Debris torrents 148 C3.12 Ice loads 148 C3.12.1 General 148 C3.12.2 Dynamic ice forces 148 C3.12.2.1 Effective ice strength 149 C3.12.2.2 Dynamic ice force on a pier 149 C3.12.2.3 Ice impact forces 149 C3.12.2.4 Slender piers 150 C3.12.3 Static ice forces 150

November 2019