



# Engineering design in wood



Standards Council of Canada  
Conseil canadien des normes

# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



This is a preview. [Click here to purchase the full publication.](#)

# Revision History

## CSA O86:19, Engineering design in wood

Errata — March 2020	Revision symbol (in margin)
<p><a href="#">Preface</a></p> <p>Clauses <a href="#">2</a>, <a href="#">3.2</a>, <a href="#">4.2</a>, <a href="#">5.4.5.1</a>, <a href="#">5.4.5.2</a>, <a href="#">6.4.5.1</a>, <a href="#">6.5.3.2.2</a>, <a href="#">6.5.3.2.4</a>, <a href="#">6.5.5.2.2</a>, <a href="#">6.5.5.2.5</a>, <a href="#">6.5.6.3.2</a>, <a href="#">6.5.7</a>, <a href="#">6.5.12.3.3</a>, <a href="#">7.4.3.1</a>, <a href="#">7.5.6.4.4</a>, <a href="#">7.5.7.1</a>, <a href="#">7.5.7.5.2</a>, <a href="#">7.5.7.6</a>, <a href="#">7.5.8.2</a>, <a href="#">7.5.8.6</a>, <a href="#">7.5.12</a>, <a href="#">8.4.3.2</a>, <a href="#">8.4.5.3</a>, <a href="#">8.4.6</a>, <a href="#">8.4.7.3.1</a>, <a href="#">10.5.3</a>, <a href="#">10.5.4</a>, <a href="#">10.6.3.1</a>, <a href="#">11.5.1</a>, <a href="#">11.5.5.3</a>, <a href="#">11.6.2.2</a>, <a href="#">11.6.2.4</a>, <a href="#">11.6.3.2</a>, <a href="#">11.6.3.3</a>, <a href="#">11.7.1.2</a>, <a href="#">11.7.2</a>, <a href="#">11.8.1</a>, <a href="#">12.4.4.2</a>, <a href="#">12.4.4.3.2</a>, <a href="#">12.4.4.3.3.1</a>, <a href="#">12.4.4.5</a>, <a href="#">12.5.5.1</a>, <a href="#">12.5.6</a>, <a href="#">12.6.5.1.2</a>, <a href="#">12.6.6.1</a>, <a href="#">12.8.4.2</a>, <a href="#">12.9.3.1</a>, <a href="#">12.9.3.2</a>, <a href="#">12.11.2.1</a>, <a href="#">12.11.3.2</a>, <a href="#">12.11.4.3</a>, <a href="#">15.3.3.5.2</a>, <a href="#">15.3.3.6</a>, <a href="#">16.2.3.5</a>, <a href="#">16.3.3.2</a>, <a href="#">A.6.5.5.3.5.2</a>, <a href="#">A.6.5.5.3.5.3</a>, <a href="#">A.6.5.5.3.5.4</a>, <a href="#">A.6.5.5.3.5.5</a>, <a href="#">A.8.5.2</a>, <a href="#">A.8.5.3</a>, <a href="#">A.11.7.1</a>, <a href="#">A.12.7.3.3.1</a>, <a href="#">A.16.2.3.1</a>, <a href="#">B.3.7</a>, <a href="#">B.4.2</a>, <a href="#">B.4.3</a>, <a href="#">B.4.6</a>, and <a href="#">B.8.2</a></p> <p>Tables <a href="#">6.7</a>, <a href="#">6.18</a>, <a href="#">6.19</a>, <a href="#">7.5</a>, <a href="#">12.4</a>, <a href="#">12.16</a>, <a href="#">12.18</a>, <a href="#">12.22</a>, <a href="#">A.1</a>, <a href="#">A.2</a>, <a href="#">A.6</a>, <a href="#">A.15</a>, and <a href="#">B.2</a></p> <p>Figures <a href="#">8.2</a>, <a href="#">10.2</a>, <a href="#">10.3</a>, <a href="#">12.6</a>, <a href="#">12.11</a>, and <a href="#">12.16</a></p>	<p>Δ</p>

# ***Standards Update Service***

*CSA 086:19*  
*September 2019*

**Title:** *Engineering design in wood*

To register for e-mail notification about any updates to this publication

- go to [store.csagroup.org](https://store.csagroup.org)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2426995**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](https://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



**Standards Council of Canada**  
**Conseil canadien des normes**

Cette Norme Nationale du Canada n'est disponible qu'en anglais.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*\*A trademark of the Canadian Standards Association, operating as “CSA Group”*

*National Standard of Canada*

*CSA 086:19*  
***Engineering design in wood***



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group"*



*Published in September 2019 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [store.csagroup.org](https://store.csagroup.org)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.080.20  
ISBN 978-1-4883-2043-9*

*© 2019 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

[This is a preview. Click here to purchase the full publication.](#)

# Contents

Technical Committee on Engineering Design in Wood 9

Subcommittee on Design Principles 12

Subcommittee on Material Evaluation 13

Subcommittee on System Design 15

Subcommittee on Connections 17

Preface 19

## **1 Scope 21**

1.1 General 21

1.2 Exclusions 21

1.3 Design method 21

1.4 Terminology 21

1.5 Units 22

## **2 Reference publications 22**

## **3 Definitions, symbols, spacing, and dimensions 26**

3.1 Definitions 26

3.2 Symbols 32

3.3 Spacing and dimensions 35

## **4 Objective and design requirements 36**

4.1 Objective 36

4.2 Limit states 36

4.3 Design requirements 36

4.3.1 Structural adequacy 36

4.3.2 New or special systems of design and construction 36

4.3.3 Structural integrity 36

4.3.4 Basis of design 36

4.3.5 Quality of work 37

4.3.6 Design drawings 37

## **5 General design 37**

5.1 Limit states design 37

5.1.1 Methods of analysis 37

5.1.2 Ultimate limit states 37

5.1.3 Serviceability limit states 38

5.1.4 Resistance factors 38

5.2 Loading 38

5.2.1 Loads applied to buildings 38

5.2.2 Loads applied to other structures 38

5.2.3 Specified loads 38

5.2.4	Load combinations	38
5.3	Conditions and factors affecting resistance	39
5.3.1	General	39
5.3.2	Load-duration factor, $K_D$	39
5.3.3	Service-condition factor, $K_S$	40
5.3.4	Preservative and fire-retardant treatment factor, $K_T$	40
5.3.5	System factor, $K_H$	41
5.3.6	Size factor, $K_Z$	41
5.3.7	Lateral-stability factor, $K_L$	41
5.3.8	Reduction in cross-section	41
5.4	Serviceability requirements	41
5.4.1	Modulus of elasticity	41
5.4.2	Elastic deflection	41
5.4.3	Permanent deformation	42
5.4.4	Ponding	42
5.4.5	Vibration	42
5.4.6	Building movements due to change in moisture content	42
5.5	Lateral brace force for wood truss compression webs	42
5.6	Fire resistance	43

## **6 Sawn lumber** 43

6.1	Scope	43
6.2	Materials	43
6.2.1	Identification of lumber	43
6.2.2	Lumber grades and categories	44
6.2.3	Finger-joined and face-glued lumber	45
6.2.4	Remanufactured lumber	46
6.2.5	Mixed grades	46
6.3	Specified strengths and moduli of elasticity	46
6.3.1	Visually stress-graded lumber	46
6.3.2	Machine stress-rated and machine evaluated lumber	47
6.4	Modification factors	55
6.4.1	Load-duration factor, $K_D$	55
6.4.2	Service-condition factor, $K_S$	55
6.4.3	Treatment factor, $K_T$	56
6.4.4	System factor, $K_H$	56
6.4.5	Size factor, $K_Z$	57
6.5	Strengths and resistances	60
6.5.1	General	60
6.5.2	Sizes	60
6.5.3	Bending moment resistance	60
6.5.4	Shear resistance	61
6.5.5	Compressive resistance parallel to grain	64
6.5.6	Compressive resistance perpendicular to grain	67
6.5.7	Compressive resistance at an angle to grain	69
6.5.8	Tensile resistance parallel to grain	69
6.5.9	Resistance to combined bending and axial load	69
6.5.10	Decking	70
6.5.11	Permanent wood foundations	72



6.5.12	Specific truss applications	72
6.6	Serviceability limit states	75
<b>7</b>	<b>Glued-laminated timber (glulam)</b>	<b>75</b>
7.1	Scope	75
7.2	Materials	75
7.2.1	Stress grades	75
7.2.2	Appearance grades	76
7.3	Specified strengths and moduli of elasticity	76
7.4	Modification factors	77
7.4.1	Load-duration factor, $K_D$	77
7.4.2	Service-condition factor, $K_S$	77
7.4.3	Treatment factor, $K_T$	78
7.4.4	System factor, $K_H$	78
7.5	Strengths and resistances	78
7.5.1	Scope	78
7.5.2	Orientation	79
7.5.3	Vertically glued-laminated beams	79
7.5.4	Net section	79
7.5.5	Size	79
7.5.6	Bending moment resistance	79
7.5.7	Shear resistance	86
7.5.8	Compressive resistance parallel to grain	92
7.5.9	Compressive resistance perpendicular to grain (bearing)	93
7.5.10	Compressive resistance at an angle to grain	94
7.5.11	Tensile resistance parallel to grain	94
7.5.12	Resistance to combined bending and axial load	94
7.6	Serviceability limit states	95
<b>8</b>	<b>Cross-laminated timber (CLT)</b>	<b>95</b>
8.1	Scope	95
8.2	Materials	96
8.2.1	General	96
8.2.2	CLT layups	96
8.2.3	Primary CLT grades	96
8.2.4	Specified strengths and moduli of elasticity of laminations	96
8.2.5	Appearance grades	97
8.3	Modification factors	98
8.3.1	Load-duration factor, $K_D$	98
8.3.2	Service-condition factors, $K_S$	98
8.3.3	Treatment factor, $K_T$	98
8.3.4	System factor, $K_H$	98
8.4	Strengths and resistances	98
8.4.1	Scope	98
8.4.2	Sizes	98
8.4.3	Flatwise bending moment resistance	98
8.4.4	Flatwise shear resistance	101
8.4.5	Compressive resistance under axial load	102
8.4.6	Resistance to combined bending and axial compressive load	103

- 8.4.7 Compressive resistance perpendicular to the face of the panel (bearing) 104
- 8.4.8 Compressive resistance at an angle to the face of a panel 105
- 8.5 Serviceability limit states 105
- 8.5.1 General 105
- 8.5.2 Deflection of CLT panels 105
- 8.5.3 Vibration performance of CLT floors 105

## **9 Structural panels 105**

- 9.1 Scope 105
- 9.2 Materials 105
- 9.2.1 Plywood 105
- 9.2.2 OSB 105
- 9.2.3 Adhesives for stress joints 106
- 9.3 Specified capacities 106
- 9.3.1 Plywood 106
- 9.3.2 OSB 106
- 9.4 Modification factors 117
- 9.4.1 Load-duration factor,  $K_D$  117
- 9.4.2 Service-condition factor,  $K_S$  118
- 9.4.3 Treatment factor,  $K_T$  118
- 9.4.4 Stress-joint factor,  $X_j$  118
- 9.4.5 End-use factor,  $K_F$ , for permanent wood foundations 121
- 9.5 Strengths and resistances 121
- 9.5.1 Stress orientation 121
- 9.5.2 Flatwise bending 121
- 9.5.3 Edgewise bending 121
- 9.5.4 Planar shear 121
- 9.5.5 Shear-through-thickness of structural panel 122
- 9.5.6 Compression parallel to panel edge 123
- 9.5.7 Tension parallel to panel edge 123
- 9.5.8 Compressive resistance perpendicular to face (bearing) 123

## **10 Composite building components 123**

- 10.1 Scope 123
- 10.2 Materials 124
- 10.2.1 General 124
- 10.2.2 Adhesives for structural components 124
- 10.3 Construction requirements for stress joints 124
- 10.3.1 Types of stress joints 124
- 10.3.2 Adhesives for stress joints 124
- 10.3.3 Scarf joints 124
- 10.3.4 Butt joints 124
- 10.4 Stress-joint factor,  $X_j$  125
- 10.4.1 Joint requirements 125
- 10.4.2 Scarf joints 125
- 10.4.3 Butt joints 125
- 10.5 Plywood- and OSB-web beams 125
- 10.5.1 General 125
- 10.5.2 Effective stiffness 126